

MARSHALL DAY
Acoustics



ROLLESTON ACCESS IMPROVEMENTS PROJECT
CONSTRUCTION NOISE & VIBRATION
TECHNICAL REPORT –PACKAGE 2

Rp 021 R01 20230871 | 4 November 2024

Project: **SH1 ROLLESTON IMPROVEMENTS**

Prepared for: **Beca Limited
ANZ Centre
267 High Street
Christchurch 8011**

Attention: **David Aldridge**

Report No.: **Rp 021 R01 20230871**

Disclaimer

Reports produced by Marshall Day Acoustics Limited are based on a specific scope, conditions and limitations, as agreed between Marshall Day Acoustics and the Client. Information and/or report(s) prepared by Marshall Day Acoustics may not be suitable for uses other than the specific project. No parties other than the Client should use any information and/or report(s) without first conferring with Marshall Day Acoustics.

The advice given herein is for acoustic purposes only. Relevant authorities and experts should be consulted with regard to compliance with regulations or requirements governing areas other than acoustics.

Copyright

The concepts and information contained in this document are the property of Marshall Day Acoustics Limited. Use or copying of this document in whole or in part without the written permission of Marshall Day Acoustics constitutes an infringement of copyright. Information shall not be assigned to a third party without prior consent.

Document Control

| Status: | Rev: | Comments | Date: | Author: | Reviewer: |
|----------|------|-----------------|--------------|-----------|-----------|
| Approved | - | For review | 10 Sept 2024 | J Gaviria | J Farren |
| Approved | 01 | Text amendments | 4 Nov 2024 | J Gaviria | J Farren |

SUMMARY

Marshall Day Acoustics has been engaged to assess construction noise and vibration effects associated with the proposed State Highway 1 (SH1) Rolleston improvements project (The Project). The Project which includes an overpass connecting Rolleston's residential and industrial areas.

We have conducted a construction noise and vibration assessment using best practice guidance and criteria from the following:

- Partially Operative Selwyn District Plan, *Construction noise NOISE-REQ2 and NOISE -R4 Vibration Thresholds*
- New Zealand Standard NZS 6803:1999 *Acoustics - Construction Noise*
- German Standard DIN 4150-3:2016 *Vibrations in buildings – Part 3: Effects on structures*
- British Standard BS 5228-2:2009 *Code of practice for noise and vibration control on construction and open sites – Part 2: Vibration.*

Our assessment indicates that some construction activities have the potential to exceed the recommended noise criteria from NZS 6803 when work is occurring close to residential properties – within approximately 60 metres – noting that noise will be of relatively short duration at any single dwelling.

If night-time construction work is anticipated to avoid traffic disruption during the day, construction noise criteria are likely to be exceeded for nearby dwellings, making community communication and mitigation strategies essential. Further details are discussed in Section 4.0.

Construction noise effects can be mitigated by various means, such as through the use of temporary site hoardings, the selection of quieter equipment, and effective communication with residents.

Overall, we consider that construction noise and vibration effects are best addressed through the preparation of a Construction Noise and Vibration Management Plan (CNVMP). CNVMPs are typically a Waka Kotahi contractual requirement on all its significant projects.

We discuss the components of a CNVMP in Section 4.0 of this report. Some of the key components are:

- Identification of the most affected houses and other sensitive locations where noise and/or vibration guideline values apply
- Assessment of construction noise and vibration levels
- A procedure for justifying and managing effects from any night-time work
- Staff training/awareness programme
- Procedures for maintaining contact with stakeholders and managing complaints

On this basis, we consider that the Project can be constructed in a manner that ensures construction noise and vibration can either be mitigated or managed as far as practicable so that adverse effects will be reasonable.

TABLE OF CONTENTS

| | | |
|-------|---|----|
| 1.0 | INTRODUCTION | 5 |
| 1.1 | Project Description | 5 |
| 1.2 | Assessment methodology..... | 6 |
| 2.0 | NOISE AND VIBRATION CRITERIA | 7 |
| 2.1 | Selwyn District Plan | 7 |
| 2.2 | Construction Noise Standard – NZS 6803:1999 | 7 |
| 2.3 | Vibration Criteria | 8 |
| 2.3.1 | Waka Kotahi guidelines. | 8 |
| 2.3.2 | Selwyn District Plan | 9 |
| 2.4 | Discussion..... | 9 |
| 3.0 | NOISE AND VIBRATION LEVELS | 10 |
| 3.1 | Predicted external noise levels and limit setbacks..... | 10 |
| 3.2 | Predicted vibration levels and effects..... | 12 |
| 4.0 | MITIGATION AND MANAGEMENT STRATEGIES..... | 12 |
| 4.1 | Engagement | 13 |
| 4.2 | Avoidance of unnecessary noise and vibration..... | 13 |
| 4.3 | Noise Barriers..... | 13 |
| 4.4 | Night Work..... | 13 |

APPENDIX A GLOSSARY OF TERMINOLOGY

APPENDIX B PACKAGE 1 PROJECT EXTENTS

1.0 INTRODUCTION

This report has been prepared by Marshall Day Acoustics (MDA) to inform the Assessment of Effects on the Environment (AEE) for a Notice of Requirement being sought by New Zealand Transport Agency Waka Kotahi (NZTA).

The Project proposes to construct an Overpass from Rolleston Drive North to Jones Road and balance of works that are necessary to respond to both existing transport deficiencies and provide for the forecasted future growth pressures in the area.

This report specifically considers the potential construction noise and vibration effects of the Project and provides recommendations to mitigate these effects.

This report should be read alongside the AEE, which contains further details on the history and context of the Project. The AEE also contains a detailed description of works and the typical construction methodologies that will be used to implement this work.

Operational noise effects associated with the Project are assessed in a separate report.

A glossary of acoustics terminology is provided in Appendix A.

1.1 Project Description

The SH1 Rolleston Access Improvements is one of the transport networks to have been recognised through New Zealand's Upgrade Programme (NZUP) and is intended to respond to both existing transport deficiencies as well as provide for the forecasted future growth pressures in the area.

The project includes a number of safety improvements to intersections along SH1 through Rolleston to reduce deaths and serious injuries and better manage the forecast future growth in traffic volumes. The wider Project, as shown in Appendix B, includes two packages:

- Package 1 - SH1 / Dunns Crossing Road Roundabout and associated works.
- Package 2 - Overpass and balance of the works.

For the purposes of this Report, we will focus on Package 2 which involves the construction of an overpass and a balance of works to support the safe transport movement along SH1, Rolleston Drive North and Jones Road.

Figure 1: Proposed overpass at Rolleston Drive North



1.2 Assessment methodology

The Project implementation will require the use of mobile construction machinery and tools that can generate relatively high noise levels as the work progresses along the route.

While a detailed construction methodology is unavailable at this stage, we have based our assessment of likely noise emissions on measurements taken at other similar projects.

We have considered the applicable rules in both the Selwyn District Plan and have assessed noise against New Zealand Standard NZS 6803: 1999 *Acoustics - Construction Noise* (NZS 6803) as well as other appropriate guidance.

Our assessment indicates that noise and vibration levels have the potential to exceed the applicable guideline criteria in NZS 6803. However, we consider that adverse effects can be appropriately managed through the implementation of a Construction Noise and Vibration Management Plan (CNVMP).

2.0 NOISE AND VIBRATION CRITERIA

Below we discuss the underlying noise provisions in both the Partially Operative Selwyn District Plan and other relevant published guidance.

2.1 Selwyn District Plan

Under the Partially Operative District Plan (PODP), noise sensitive locations along the extent of the project are located in various zones, including *Medium Density Residential*, *General Industrial*, *Large Lot Residential* and *Correction Zone*.

The PODP requires construction activities to be assessed against Rule NOISE-R2 which refers to the noise limits in *NOISE-REQ2*. These limits are reproduced in Table 1. Although the Rule does not provide a definition of construction duration, we have assumed the reference relates to the durations specified by New Zealand Standard NZS 6803: 1999 *Acoustics - Construction Noise*. The numerical limits in Table 1 mirror those in NZS 6803. Notably, the commercial and industrial building daytime limit is the same as the residential dwelling “long-term” duration limit, and we have treated both property types as equivalent in our assessment.

Table 1: NOISE-TABLE6 Construction noise limits

| Time of week | Time period | Typical duration | | Short-term duration | | Long-term duration | |
|--------------------------------------|-------------|------------------|--------|---------------------|--------|--------------------|--------|
| | | dB LAeq | LAFmax | dB LAeq | LAFmax | dB LAeq | LAFmax |
| All Residential and Correction Zones | | | | | | | |
| Weekdays | 0630 – 0730 | 60 | 75 | 65 | 75 | 55 | 75 |
| | 0730 – 1800 | 75 | 90 | 80 | 95 | 70 | 85 |
| | 1800 – 2000 | 70 | 85 | 75 | 90 | 65 | 80 |
| | 2000 – 0630 | 45 | 75 | 45 | 75 | 45 | 75 |
| Saturdays | 0730 – 1800 | 75 | 90 | 80 | 95 | 70 | 85 |
| | 1800 – 0630 | 45 | 75 | 45 | 75 | 45 | 75 |
| Sundays/public holidays | 0730 – 1800 | 55 | 85 | 55 | 85 | 55 | 85 |
| | 1800 – 0630 | 45 | 75 | 45 | 75 | 45 | 75 |
| General Industrial Zone | | | | | | | |
| N/A | 0730 – 1800 | 75 | -- | 80 | -- | 70 | -- |
| | 1800 – 0730 | 80 | -- | 85 | -- | 75 | -- |

NZS 6803 definitions of duration:

Typical – Construction work at any one location for more than 14 calendar days but less than 20 weeks

Short-term – Construction work at any one location for up to 14 calendar days

Long-term – Construction work at any one location with a duration exceeding 20 weeks

2.2 Construction Noise Standard – NZS 6803:1999

Current best practice in New Zealand for assessing construction noise is against New Zealand Standard NZS 6803: 1999 *Acoustics – Construction Noise*. Waka Kotahi has also adopted this standard as the appropriate means for managing construction noise effects.

Although not specifically referenced in the PODP noise rules, as we note above, the noise limits in Table 1 mirror those in NZS 6803.

NZS 6803 provides both recommended upper criteria for construction noise and a series of practical steps for managing construction noise on a day-to-day basis. Specifically, it outlines:

- Maximum noise levels for different time periods and durations of work
- Guidance on community consultation and communication
- Strategies for noise control and mitigation

2.3 Vibration Criteria

We have considered the following vibration guidance:

2.3.1 Waka Kotahi guidelines.

Waka Kotahi has issued the “State Highway Construction and Maintenance Noise and Vibration Guide” that address appropriate vibration (and noise) criteria.

Table 2 provides a summary of the appropriate criteria that consider potential vibration effects on buildings and human response based on the following standards that are commonly adopted in New Zealand:

- Building damage – German Standard DIN 4150-3:2016 “*Structural Vibration – Effects of Vibration on Structures*”.
- Human response – British Standard BS 5228-2:2009 “*Code of practice for noise and vibration control on construction and open sites – Part 2: Vibration*”.

Table 2: Construction vibration criteria

| Type | Location | Details | Category A | Category B |
|--------------------------|---------------------|--------------------------|--------------|----------------------------|
| Occupied PPFs* | Inside the building | Daytime 0630h – 2000h | 1 mm/s ppv | 5 mm/s ppv |
| | | Night-time 2000h – 0630h | 0.3 mm/s ppv | 1 mm/s ppv |
| Other occupied buildings | Inside the building | Daytime 0630h – 2000h | 2 mm/s ppv | 5 mm/s ppv |
| All other buildings | Building foundation | Transient vibration | 5 mm/s ppv | BS 5228-2 Table B.2 |
| | | Continuous vibration | | 50% of BS 5228-2 Table B.2 |

*Protected Premises and Facilities as defined in NZS 6806:2010

The criteria in Table 2 outline a process where construction must be managed to comply with the Category A criteria. However, if measured or predicted vibration levels exceed the Category A criteria, a suitably qualified expert must be engaged to assess and manage construction vibration, with the aim of complying with the Category A criteria as far as practicable.

If the construction vibration exceeds the Category B criteria, construction activity shall only proceed with appropriate monitoring of vibration levels and effects on buildings at risk of exceeding the Category B criteria.

2.3.2 Selwyn District Plan

Under Rule R-14 of the PODP, activities generating vibration must meet thresholds presented in NOISE-TABLE 4, which we understand are derived from German Standard DIN 41503:2016 *Vibrations in buildings – Part 3: Effects on structures*, as shown in Table 3.

Table 3: PODP NOISE-TABLE 4 Vibration Threshold for Structural Damage, PPV (mm/s)

| Type of Structure | Short-Term | | | | Long-Term | | |
|--|-------------------------------|-------------|--------------|-----|--------------------------------------|--|--------------------------------------|
| | At Foundation, all directions | | | | Floor slab, vertical direction | Topmost Floor, horizontal direction | Floor slab, vertical direction |
| | 1-10Hz | 10-50 Hz | 50-100 Hz | All | All | All | All |
| Commercial Activity and Industrial Activity | 20 | 20 to 40 | 40 to 50 | 40 | 20 | 10 | 10 |
| Residential Activity | 5 | 5 to 15 | 15 to 20 | 15 | 20 | 5 | 10 |
| Sensitive Activity, excluding Residential Activity and Heritage Items | 3 | 3 to 8 | 8 to 10 | 8 | 20 | 2.5 | 10 |

2.4 Discussion

Based on our review of the available criteria, we consider that construction effects should be evaluated against the noise criteria in Table 1 and vibration criteria in Table 2. These criteria will provide for construction phase amenity similar to that anticipated by the underlying PODP permitted activity limits.

These noise and vibration criteria are commonly adopted on Waka Kotahi projects and implemented through a requirement for the contractor to develop a Construction Noise and Vibration Management Plan.

3.0 NOISE AND VIBRATION LEVELS

3.1 Predicted external noise levels and limit setbacks

We have calculated indicative construction noise levels for the receiver locations closest to the Rolleston Drive overpass (Figure 2). Our assessment considers both daytime and night-time activities.

Figure 2: Dwellings (highlighted green) within 100 metres of construction activities



Table 4 provides indicative sound power levels for construction equipment that would typically be used on a project of this nature. The data is taken from NZS 6803 and previous measurements at construction sites around New Zealand.

Table 4 shows predicted noise levels for each piece of construction equipment at different distances during daytime operations. Although night-time work is avoided as far as practical on Waka Kotahi projects, some activities can only occur safely at night. Where possible, the noisiest work will be completed earlier in the night to limit noise disruption as much as possible.

The selected distances represent the range of typical separation between dwellings and where construction could take place. The predicted levels assume uninterrupted line-of-sight and do not take account of any existing boundary fences or any hoardings that may be erected to control construction noise.

Table 4: Indicative noise levels at 1m from a building façade when equipment is operating 100% of the time and with no effective noise barriers

| Equipment | Sound Power Level (dB L _{WA}) | Noise Level at distance (dB L _{Aeq}) | | | | Daytime Setback (m) required to achieve 70 dB L _{Aeq} | Night-time Setback (m) required to achieve 45 dB L _{Aeq} |
|--|---|--|-----|------|------|--|---|
| | | 10 m | 25m | 50 m | 80 m | | |
| Daytime equipment | | | | | | | |
| Excavator (20T) | 103 | 78 | 70 | 63 | 57 | 25 | - |
| Excavator (5T) | 102 | 77 | 69 | 62 | 56 | 22 | - |
| Hydro Excavator | 112 | 87 | 79 | 72 | 66 | 58 | - |
| Truck | 102 | 77 | 69 | 62 | 56 | 22 | - |
| Kerbing Machine | 109 | 84 | 76 | 69 | 63 | 44 | - |
| Vibratory Plate Compactor | 108 | 83 | 75 | 68 | 62 | 40 | - |
| Pumping Concrete | 107 | 82 | 74 | 67 | 61 | 36 | - |
| Truck idling | 91 | 66 | 58 | 51 | 45 | 6 | - |
| Milling machine | 110 | 85 | 77 | 70 | 64 | 48 | - |
| Plate compactor | 108 | 83 | 75 | 68 | 62 | 40 | - |
| Paving machine | 103 | 78 | 70 | 63 | 57 | 25 | - |
| Vibratory roller | 103 | 78 | 70 | 63 | 57 | 25 | - |
| Activity that could also occur at night (e.g. bridge deck install) | | | | | | | |
| Cutting Concrete | 107 | 82 | 74 | 67 | 61 | 36 | 363 |
| Crane | 95 | 70 | 62 | 55 | 49 | 10 | 120 |
| Diesel generator (Lights) | 93 | 68 | 60 | 53 | 47 | 8 | 100 |
| Elevating Work Platform | 88 | 63 | 55 | 48 | 42 | 4 | 63 |

The construction noise levels in Table 4 show that daytime construction noise may exceed 70 dB L_{Aeq} when the noisiest activities occur within approximately 60 metres of dwellings. We expect this to impact a relatively small number of dwellings along Rolleston Drive. Table 4 also highlights that if, for example, construction of the overpass was to occur at night, the recommended noise limit of 45 dB L_{Aeq} has the potential to be exceeded over a wider area e.g. 120 metres for a crane.

We consider the most appropriate means of managing potential adverse construction noise effects at these properties, is for the contractor to implement a Construction Noise and Vibration Management Plan (CNVMP) which will set out noise mitigation and communication strategies. We discuss this further in Section 4.0.

NZS 6803 requires that the best practicable option be implemented irrespective of whether compliance is achieved. The CNVMP is the appropriate means of implementing best practical option mitigation strategies over the life of the project.

3.2 Predicted vibration levels and effects

Construction vibration levels would generally be low for all works, with the exception of vibratory rollers and plate compactors (if used). Table 5 provides the nominal set-back distances to achieve the building damage and daytime residential amenity criteria for a range of different types of roller and plate compactors.

These values are based on vibration data from various sources, including measurements conducted by Marshall Day Acoustics across New Zealand. We have used values that are at the higher end of the range to be conservative. In addition, these setback distances include a 100% safety margin to account for different ground types and equipment variation. They are conservative and, in practice, vibration levels will generally be lower at the setback distances given in the table below.

Table 5: Indicative distances to comply with vibration “Category A” criteria

| Equipment | Cosmetic Building Damage Setback (m) ¹ | Occupied dwellings Setback (m) |
|-------------------------------------|---|------------------------------------|
| | Residential 5 mm/s PPV | Daytime 0630h - 2000h 1mm/s PPV |
| Drum roller (10-12T vibro function) | 14 | 38 |
| Drum roller (6-8T vibro function) | 10 | 28 |
| Drum roller (3-5T vibro function) | 6 | 18 |
| Plate compactor (450kg) | 6 | 12 |
| Plate Compactor (60-80kg) | 2 | 4 |

Table 5 indicates that some dwellings close to the works may exceed the “Category A” criteria in depending on the equipment in use.

The CNVMP should identify these setback thresholds and trigger a more detailed consideration of the equipment being used and the potential vibration effects. If required, potential mitigation strategies include alternative means of compaction, such as a static roller and effective communication with affected parties.

4.0 MITIGATION AND MANAGEMENT STRATEGIES

Our assessment indicates that construction activities have the potential to exceed the project noise and vibration criteria. To minimise potential adverse effects, we recommend developing a Construction Noise and Vibration Management Plan (CNMVP) for the project.

The CNVMP should detail consultant and contractor obligations during the project and include:

- applicable noise and vibration criteria
- consent/designation condition requirements
- identification of the most affected properties and other sensitive locations where noise and/or vibration criteria apply

¹ Based on regression analysis of available vibration measurements, plus a 100% safety factor (conservative)

- description of the works, anticipated equipment/processes and durations
- assessment of construction noise and vibration levels
- appropriate mitigation measures to be implemented
- quality programme (schedule of inspections, audits and reviews of plan and plan implementation)
- a procedure for justifying and managing effects from any night-time work
- monitoring and reporting requirements
- staff training/awareness programme
- procedures for maintaining contact with stakeholders and managing complaints
- contact numbers for key construction staff, staff responsible for assessment and council officers, including at least one Waka Kotahi staff member.

The following sections provide general guidance on several key aspects addressed in the CNVMP.

4.1 Engagement

The most important management tool for construction noise and vibration is consultation and communication.

Individuals affected by noise levels higher than the construction noise and vibration criteria should be informed of the proposed works, including timing. Prior to commencing work, notification should be provided to affected households through methods such as letter drops. Furthermore, a contact phone number should be available to residents who may have concerns about the works or require further information.

A communication plan should be developed as required and included as part of the CNVMP.

4.2 Avoidance of unnecessary noise and vibration

An essential part of the CNVMP is training contract staff to be aware of how their actions may generate unnecessary noise and vibration. Examples to be avoided include sounding of horns when a truck is fully laden, using tonal reversing alarms or the forced cleaning of excavator buckets by thumping them on the ground.

Noise and vibration levels can be reduced through site management and protocols, fitting mufflers to trucks, replacement of tonal reversing alarms with broadband reversing alarms and considerate use of machinery.

4.3 Noise Barriers

Placing temporary noise barriers, such as sheets of plywood or construction noise curtains, between dwellings and construction activities can reduce noise levels by up to 10 decibels. While some works can benefit from localised screening (e.g. when using a concrete drill or saw), other activities are linear and cannot be practicably mitigated by barriers.

4.4 Night Work

Night work can cause the greatest disturbance to residents and should generally be avoided. However, a significant amount of state highway upgrading, or maintenance work in urban areas cannot be carried out during daytime hours due to high traffic flows and lack of suitable detours.

Night-time road construction and maintenance works are necessary if:

- Congestion prevents daytime maintenance (information about congestion is available from the NZTA Asset Manager), or

- The window of opportunity for daytime works is too short (this depends on: the nature of the works, i.e. type, duration, safety issues, etc; congestion; site and traffic characteristics), or
- The construction process is continuous (such as some concrete pours).

Before confirming that night work is required, the following should be evaluated:

- What options are available to avoid working at night?
- If there are options, are these technically and economically feasible?

For most night work, enhanced noise and vibration management measures are required, although this depends on the scale of the project and the number of stakeholders potentially affected. Night work in the middle of a residential area requires careful management. A proactive approach is usually the most effective way for a contractor to manage the risk associated with potential noise effects.

The main noise effect of undertaking road construction and maintenance at night is sleep disturbance. Where practicable, works should be programmed so that all noisy activities are undertaken earlier in the night to minimise sleep disturbance as far as practical.

For night works in particular, people tend not to be disturbed by the lower frequency continuous noise from machine engines but do get disturbed by noises such as reversing beepers, whistling, banging tailgates or shouting.

If mitigation of noise from night work requires the installation of temporary barriers or similar, this can reduce the available working time and thus time for this installation and removal must be included in the programming.


In addition to standard good construction and maintenance noise management, when conducting night work it may be necessary to:

- Increase the frequency of communications with stakeholders
- Conduct regular noise and vibration monitoring to ensure adopted noise criteria are achieved

APPENDIX A GLOSSARY OF TERMINOLOGY

| | |
|--------------------------------|--|
| Noise | A sound that is unwanted by, or distracting to, the receiver. |
| dB | Decibel (dB) is the unit of sound level. Expressed as a logarithmic ratio of sound pressure (P) relative to a reference pressure (Pr), where $dB = 20 \times \log(P/Pr)$. |
| dBA | The unit of sound level which has its frequency characteristics modified by a filter (A-weighted) to more closely approximate the frequency bias of the human ear. A-weighting is used in airborne acoustics. |
| $L_{Aeq}(t)$ | The equivalent continuous (time-averaged) A-weighted sound level commonly referred to as the average level. The suffix (t) represents the period, e.g. (8 h) would represent a period of 8 hours, (15 min) would represent a period of 15 minutes and (2200-0700) would represent a measurement time between 10 pm and 7 am. |
| L_{AFmax} | The A-weighted maximum noise level. The highest noise level which occurs during the measurement period. |
| NZS 6803:1999 | New Zealand Standard NZS 6803: 1999 “Acoustics - Construction Noise” |
| Vibration | When an object vibrates, it moves rapidly up and down or from side to side. The magnitude of the sensation when feeling a vibrating object is related to the vibration velocity. Vibration can occur in any direction. When vibration velocities are described, it can be either the total vibration velocity, which includes all directions, or it can be separated into vertical (up and down vibration), horizontal transverse (side to side) and horizontal longitudinal direction (front to back) components. |
| PPV | Peak Particle Velocity (PPV) is the measure of the vibration amplitude, zero to maximum, measured in mm/s. |
| BS 5228:2009 | British Standard BS 5228:2009 “Code of practice for noise and vibration control on construction and open sites, Part 1: Noise, Part 2: Vibration” |
| DIN 4150-3:2016 | German Standard DIN 4150-3:2016 “Vibrations in buildings – Part 3: Effects of vibration on structures” |

APPENDIX B PACKAGE 2 PROJECT EXTENTS



Project: **ROLLESTON ACCESS IMPROVEMENTS PROJECT**

Prepared for: **Beca Limited
ANZ Centre
267 High Street
Christchurch 8011**

Attention: **David Aldridge**

Report No.: **Rp 011 R01 20230871**

Disclaimer

Reports produced by Marshall Day Acoustics Limited are based on a specific scope, conditions and limitations, as agreed between Marshall Day Acoustics and the Client. Information and/or report(s) prepared by Marshall Day Acoustics may not be suitable for uses other than the specific project. No parties other than the Client should use any information and/or report(s) without first conferring with Marshall Day Acoustics.

The advice given herein is for acoustic purposes only. Relevant authorities and experts should be consulted with regard to compliance with regulations or requirements governing areas other than acoustics.

Copyright

The concepts and information contained in this document are the property of Marshall Day Acoustics Limited. Use or copying of this document in whole or in part without the written permission of Marshall Day Acoustics constitutes an infringement of copyright. Information shall not be assigned to a third party without prior consent.

Document Control

| Status: | Rev: | Comments | Date: | Author: | Reviewer: |
|----------|------|-----------------|-------------|-----------|-----------|
| Approved | - | - | 5 Sept 2024 | J Gaviria | J Farren |
| Approved | 01 | Text Amendments | 4 Nov 2024 | J Gaviria | J Farren |

SUMMARY

Marshall Day Acoustics has been engaged to assess the operational traffic noise associated with the proposed Rolleston Access Improvements Project (the Project), which aims to enhance access and efficiency around State Highway 1 in Rolleston. (Construction noise effects are assessed in a separate report).

This report addresses Package Two of the Project which includes an overpass connecting Rolleston's residential and industrial areas.

This report describes the detailed assessment of the Project using New Zealand Standard NZS 6806:2010 *Acoustics - Road-traffic noise - New and altered roads* which represents the best practice approach to assessing traffic noise.

The assessment identified 323 noise sensitive locations (Protected Premises and Facilities, PPFs) within 100 metres of the Project and has calculated the likely change in traffic noise levels as a result of the Project for a future design year of 2038. The change in noise level as a result of the Project does not trigger the "altered road" criteria set out in NZS 6806, and no specific noise mitigation is required to be considered under the Standard. We note, that as part of the proposed design, the overpass will feature a minimum 1 metre high concrete safety barrier on both sides of the bridge that will also serve as an effective noise barrier.

For the majority of PPFs, there will be no significant change in traffic noise level (less than $\pm 2\text{dB}$) due to the Project implementation, resulting in a negligible change in traffic noise effects.

PPFs that are close to the proposed signalised intersection and overpass on Rolleston Drive will experience a change in traffic noise character, from one of vehicles travelling in a continuous flow, to one of accelerating and decelerating vehicles in response to the signal sequence. Expansion joints on the overpass have the potential to generate impact sounds, and detailed design should ensure unreasonable noise generation is avoided. Waka Kotahi has a comprehensive set of design requirements dealing with bridge joints, which, in our opinion, will ensure that the best practicable option for mitigation and management is included at the design stage.

Overall, we consider the Project will not significantly change the living or sleep amenity for residents and traffic noise effects will be minimal.

TABLE OF CONTENTS

| | | |
|-----|---|----|
| 1.0 | INTRODUCTION | 5 |
| 1.1 | Project Description | 5 |
| 1.2 | Potential Noise Effects from the Project..... | 5 |
| 1.3 | Assessment methodology..... | 6 |
| 2.0 | NOISE CRITERIA..... | 7 |
| 2.1 | Selwyn Partially Operative District Plan | 7 |
| 2.2 | NZS 6806:2010..... | 7 |
| 3.0 | NZS 6806 ASSESSMENT METHODOLOGY | 7 |
| 3.1 | We identified 414 protected premises and facilities within 100 m of the project..... | 7 |
| 3.2 | We used a design year of 2038 for this assessment | 8 |
| 3.3 | The do-nothing and do-minimum scenarios have slightly different traffic volumes | 8 |
| 3.4 | Altered road status is dependent on two criteria | 8 |
| 4.0 | TRAFFIC NOISE LEVEL PREDICTIONS | 8 |
| 4.1 | Information Provided | 8 |
| 4.2 | Modelling Algorithm..... | 8 |
| 4.3 | Predicted noise levels..... | 9 |
| 5.0 | ASSESSMENT OF TRAFFIC NOISE EFFECTS..... | 10 |

APPENDIX A GLOSSARY OF TERMINOLOGY

APPENDIX B NEW ZEALAND ROAD TRAFFIC NOISE STANDARD NZS 6806:2010

APPENDIX C PROJECT EXTENTS

APPENDIX D 'DO-NOTHING' SITUATION NOISE MODELLING INPUT PARAMETERS

APPENDIX E 'DO-MINIMUM' SITUATION NOISE MODELLING INPUT PARAMETERS

APPENDIX F DO MINIMUM NOISE LEVEL CONTOURS

APPENDIX G DO-NOTHING AND DO-MINIMUM NOISE LEVELS FOR ALL PPFS

1.0 INTRODUCTION

This report has been prepared by Marshall Day Acoustics (MDA) to inform the Assessment of Effects on the Environment (AEE) for Package 2 Notice of Requirement (NoR) being sought by New Zealand Transport Agency Waka Kotahi (NZTA).

The Project proposes to construct an Overpass from Rolleston Drive North to Jones Road and balance of works that are necessary to respond to both existing transport deficiencies as well as provide for the forecasted future growth pressures in the area. This Report will specifically consider the actual and potential effects of the Project at the Pre-implementation and Implementation phases of this project as it relates to operational noise effects and recommendations to mitigate effects.

This report should be read alongside the AEE, which contains further details on the history and context of the Project. The AEE also contains a detailed description of works to be authorised for the Package 2 Notice of Requirement (NoR), and the typical construction methodologies that will be used to implement this work. These have been reviewed by the author of this Report and have been considered as part of this assessment of operational noise effects. Where a description of an activity is necessary to understand the potential effects, it has been included in this report for clarity.

1.1 Project Description

The SH1 Rolleston Access Improvements is one of the transport networks to have been recognised through New Zealand's Upgrade Programme (NZUP) and is intended to respond to both existing transport deficiencies as well as provide for the forecasted future growth pressures in the area.

The project includes a number of safety improvements to intersections along SH1 through Rolleston to reduce deaths and serious injuries and better manage the forecast future growth in traffic volumes. The wider Project includes two packages:

- Package 1 - SH1 / Dunns Crossing Road Roundabout and associated works.
- Package 2 - Overpass and balance of the works.

For the purposes of this Report, Package 2 will be discussed. Package 2 of the Project involves the construction of an overpass and a balance of works to support the safe transport movement along SH1, Rolleston Drive North and Jones Road. The balance works includes the closure of Rolleston Drive North and SH1 intersection, closure of Hoskyns Road and SH1 intersection and service and access lanes to the overpass.

1.2 Potential Noise Effects from the Project

The key components of the Project considered in this noise assessment are:

- An overpass connecting the residential and industrial areas of Rolleston. This is indicated in Figure 1.
- A range of pavement types including Stone Mastic Asphalt (SMA). Refer Appendix D and E.
- Approximately 323 noise sensitive Protected Premises and Facilities (PPFs) within the urban assessment area – 100 metres from the road.
- Existing noise control bunds and fences along State Highway 1.
- A minimum 1 metre high solid concrete safety barrier to both sides of the overpass.
- Potential change in noise character from the other elements of the project e.g. signalised intersection and bridge expansion joints.

Figure 1: Proposed flyover and PPFs within 100 m



1.3 Assessment methodology

The Project requires an alteration to the existing NZTA designation, reference NZTA-1. As such, this report considers the potential operational noise effects. (A separate report assesses the potential construction noise effects).

We have considered the underlying noise provisions in both the Partially Operative Selwyn District Plan (POSDP) and New Zealand Standard NZS 6806:2010 *Acoustics - Road-traffic noise - New and altered roads* (NZS 6806).

We assessed the traffic noise levels at sensitive receivers along the Project extent and evaluated how future noise levels will change as a result of the Project. As we describe in the following sections, it was found that the relevant NZS 6806 criteria are not exceeded at any of the assessment locations, and no further noise mitigation is required.

Appendix A includes a glossary of acoustic terminology used in this report.

2.0 NOISE CRITERIA

Below we discuss the relevant criteria for the project.

2.1 Selwyn Partially Operative District Plan

State Highway 1 is designated in the Partially Operative Selwyn District Plan (POSDP). Dwellings within the assessment area are within the Medium Density Residential Zone (MRZ).

The POSDP excludes traffic noise on public roads from complying with the permitted activity standards. This exclusion is noted in NOISE-R1 (Activities not otherwise specified), which states that traffic and rail noise within a land transport corridor does not need to comply with the general rule requirements.

Rule NOISE-R2 requires construction noise to comply with the limits set out in NOISE-REQ2. We assess construction effects in a separate report. Similarly, the construction report assesses vibration generation against the permitted activity standards set out in Rule NOISE-R14.

2.2 NZS 6806:2010

For new projects, NZTA / Waka Kotahi require noise to be assessed using New Zealand Standard NZS 6806:2010 *Acoustics - Road-traffic noise - New and altered roads*.

This is the relevant standard for the assessment of road-traffic noise in New Zealand and represents current best practice. In NZS 6806, noise mitigation is only considered for roading projects that are deemed to have a noticeable noise effect, and any mitigation needs to achieve a noticeable reduction in road-traffic noise.

The Standard provides criteria for existing roads that are being “altered” to determine whether a roading project requires consideration of further noise mitigation. Appendix B summarises the key concepts of NZS 6806.

3.0 NZS 6806 ASSESSMENT METHODOLOGY

The following sections describe how we have applied NZS 6806. The Standard provides a process for identifying noise sensitive locations and for evaluating future traffic noise levels against criteria for “new” and “altered” roads. The current Project is considered an “altered” road.

3.1 We identified 323 protected premises and facilities within 100 m of the project

In urban areas¹, the NZS 6806 altered road criteria apply to all Protected Premises and Facilities (PPFs) within 100 m of the proposed road. PPFs are defined as:

- residential activities
- marae
- overnight medical care
- teaching (and sleeping) in educational facilities
- playgrounds that are part of educational facilities that are within 20m of buildings used for teaching purposes.

Residential accommodation in buildings which are predominantly used for commercial or industrial purposes, garages and ancillary buildings, and premises that are not yet built, unless they have a current building consent, are not considered PPF's under NZS 6806.

¹ The definition of urban and rural areas specified in NZS 6806 is no longer used by Stats NZ and cannot be applied. For the current noise assessment, the definition of urban and rural areas is as shown on the current “Urban Rural (generalised)” map published by Stats NZ

We identified 323 PPFs within 100 m of the project based on building platform data obtained from Land Information New Zealand². There are a small number of PPFs within the Package 2 assessment area that are not included in this report and are addressed more appropriately as part of the Package 1 assessment.

3.2 We used a design year of 2038 for this assessment

NZS 6806 provides assessment criteria that are to be applied in the “design year”. This is defined as *“A point in time that is not less than 10 years but not more than 20 years after the opening of a new road, or the alteration to an altered road, to the public”*. For this Project the design year is 2038.

3.3 The Do-Nothing and Do-Minimum scenarios have different traffic volumes

In order to evaluate potential noise effects, NZS 6806 criteria apply to the following operational scenarios:

- Do-nothing – the existing road layout with the design year (2038) traffic volumes.
- Do-minimum – the proposed road layout with design year (2038) traffic volumes, but without any specific noise mitigation implemented.

3.4 Altered road status is dependent on two criteria

A project is considered an altered road if it meets either of the following criteria:

- Criterion A: where the do-minimum noise environment is ≥ 64 dB L_{Aeq} (24 hour) and the do-minimum noise environment is greater than the do-nothing noise environment by 3 dB or more,
- Criterion B: where the do-minimum noise environment is ≥ 68 dB L_{Aeq} (24 hour) and the do-minimum noise environment is greater than the do-nothing noise environment by 1 dB or more.

4.0 TRAFFIC NOISE LEVEL PREDICTIONS

This section describes how we have assessed the Project against the criteria.

4.1 Information Provided

Our calculations are based on the following files provided by Beca:

- “Existing pavement surfacing” dated 2024-05-30
- “Topographic bund survey” dated 2024-05-57
- Project design “Concept Design Package 1 and 2 Proposed Surface Markup” dated 2024-05-28.
- Average Annual Daily Traffic values for the Do-Nothing and Do-Minimum scenarios.
- 3D terrain data of proposed design in DXF format.

4.2 Modelling Algorithm

In accordance with NZS 6806, traffic noise calculations have been carried out using the *Calculation of Road Traffic Noise (CRTN)* prediction method, implemented in the internationally recognised SoundPLAN environmental noise software.

Our assessment accounts for multiple factors that affect the propagation of road traffic noise including:

- Road parameters such as road surface, traffic speed, vehicle type and gradient.

² NZ Building Outlines, NZ Primary Parcels, and NZ Roads Addressing, Land Information New Zealand (LINZ), obtained 28 May 2024.

- The presence of noise control barriers or other structures (e.g. 1 m high concrete safety barriers to the bridge).
- Ground condition, including absorptive ground such as fields or reflective ground such as concrete or water.

Appendices D and E present the modelling parameters used to assess both scenarios in the model.

We measured existing traffic noise levels at various locations within the Project area to verify the noise modelling predictions. The predicted traffic noise levels presented in the following sections are 2 to 3 dB higher (i.e. more conservative) than will be experienced in practice.

4.3 Predicted noise levels

Our calculations show that the Project will not trigger the NZS 6806 altered road criteria at any PPF. Therefore, no further noise mitigation is required.

Table 1 (overleaf) presents the predicted noise levels for selected PPFs where the greatest change in noise level will be experienced i.e., at the Rolleston Drive Overpass. Appendix G provides detailed noise data for all 323 PPFs. Appendix F contains noise level contour plots for the Do-Minimum situation.

The analysis indicates that, following implementation of the Project, most dwellings will experience a small decrease in noise levels. A few locations on Rolleston Drive will experience small increases, with the largest being a negligible 0.7 dB at 25 Rolleston Drive. Notably, none of the NZS 6806 criteria are triggered for any dwellings, indicating that the predicted traffic noise levels remain within acceptable limits.

5.0 ASSESSMENT OF TRAFFIC NOISE EFFECTS

For the majority of PPFs there will be a small change in traffic noise levels (less than ± 2 dB) as a result of the Project implementation. A change in noise level of less than 2 dB is typically considered imperceptible. The PPFs with the greatest change in noise level are presented in Table 1.

Table 1: Predicted future traffic noise levels

| Address | Predicted noise level, dB L _{Aeq} (24hr) | | Change because of Project, dB | Criteria triggered? |
|--|---|------------|-------------------------------|---------------------|
| | Do-nothing | Do-minimum | | |
| PPFs closest to Rolleston Drive Overpass | | | | |
| 7 Dalwood Crescent | 57.9 | 56.2 | -1.7 | No |
| 9 Dalwood Crescent | 58.3 | 56.7 | -1.6 | No |
| 11 Dalwood Crescent | 61.1 | 59.4 | -1.7 | No |
| 2 Wyndham Mews | 53.5 | 51.9 | -1.6 | No |
| 4 Wyndham Mews | 55.6 | 53.5 | -2.1 | No |
| 6 Wyndham Mews | 55.8 | 53.6 | -2.2 | No |
| 10 Wyndham Mews | 56.2 | 54.6 | -1.6 | No |
| 8 Wyndham Mews | 56.6 | 54.5 | -2.1 | No |
| 13A Rolleston Drive | 62.4 | 60.7 | -1.7 | No |
| 13B Rolleston Drive | 65.2 | 63.8 | -1.4 | No |
| 19A Rolleston Drive | 62.4 | 61.6 | -0.8 | No |
| 19B Rolleston Drive | 54.2 | 53 | -1.2 | No |
| 10 Milton Court | 53 | 52 | -1 | No |
| 12 Milton Court | 60.6 | 59.7 | -0.9 | No |
| 23 Rolleston Drive | 64.6 | 64.9 | 0.3 | No |
| 25 Rolleston Drive | 65.7 | 66.4 | 0.7 | No |
| 27 Rolleston Drive | 65.1 | 65.7 | 0.6 | No |
| 29 Rolleston Drive | 64.7 | 65.2 | 0.5 | No |

5.1 The signalised intersection may change the character of the traffic noise

Our assessment of traffic noise is generally quantitative, relating to the noise level received in the future and the change in noise level experienced due to the Project. However, it is acknowledged there are also several qualitative aspects that affect how people perceive the acoustic effects of a Project.

While noise levels for most PPFs are expected to be similar with and without the Project, PPFs that are close to the proposed signalised intersection on Rolleston Drive will experience a change in character from one of vehicles travelling in continuous flow, to one of accelerating and decelerating vehicles in response to the signal sequence. We note the dwellings located in the vicinity of 13 Rolleston Drive currently experience a similar 'start-stop' noise environment during peak periods from queuing vehicles backed up from the signalised intersection with SH1.

While the overall noise levels are similar with and without a signalised intersection, our experience is that any change in noise character is primarily associated with heavy vehicles accelerating from a stationary position. However, both the existing and proposed number of heavy vehicles on

Rolleston Drive are relatively low - less than 5% compared with greater than 10% elsewhere on the network.

In our experience, dwelling occupants gradually habituate over time, i.e. “getting used to” the change in the noise environment. Any change in environment due to the reconfiguration of an intersection, may cause initial disturbance to people. However, over time, people become accustomed to the sound (both level and location), pay less attention to it and the response will diminish.

5.2 Noise generated at the overpass

Traffic noise is not only generated by traffic movements on the road (controlled by the road-tyre-interaction for speeds above 40 – 50 km/h). Bridges can introduce additional aspects of noise generation including:

- Bridge joints where traffic needs to pass over a metal piece which may cause a bump/impact of the tyre and
- Vehicle acceleration associated with the increased gradient

Each of these aspects may introduce traffic noise generation and character effects such as impact sounds at bridge joints, or greater engine noise from acceleration. (We note that a solid concrete safety barrier is proposed for the bridge deck as part of the Do-Minimum design in order to minimise noise from vehicles on the bridge).

As noted above, the relatively low heavy vehicle use at the overpass, and the proposed 50 km/h posted speed limit, are likely to mean that these potential noise sources will not be particularly prominent.

In any event, we recommend that noise generation must be taken into consideration during the detailed design of the overpass to ensure that unnecessary and unreasonable noise generation is avoided. Waka Kotahi has a comprehensive set of design requirements dealing with bridge joints which, in our opinion, will ensure that the best practicable option for mitigation and management is included at the design stage.

5.3 Health and amenity effects that might be experienced as a result of noise levels

Over the last 20 years, many of the subdivisions in Rolleston adjacent to the State Highway have been developed to protect residents against traffic noise. This has typically been achieved through a combination of a 3 metre-high noise control bund/fence along the State Highway boundary, and setbacks and planning controls to require appropriate construction standards for dwellings.

Over time, traffic noise levels will increase such that noise levels at dwellings closest to the State Highway will be in the order of 60 to 65 dB $L_{Aeq(24h)}$, irrespective of whether the Project proceeds. To give this some context, the World Health Organisation (WHO) has identified that noise levels above 50 dB $L_{Aeq}^{[1]}$ may cause adverse health effects.

While our assessment shows a reduction in traffic noise levels for some, most dwellings' noise levels will largely remain unchanged. In broad terms, external noise will be above the WHO recommended level of 50 dB L_{Aeq} but, through the planning controls that have been implemented by Selwyn District Council, internal noise levels within dwellings will be much lower and will provide appropriate internal living and sleeping amenity.

^[1] The 2018 WHO guidelines recommend an external road traffic noise level of 53 dB L_{den} . This converts to approximately 50 dB $L_{Aeq(24h)}$

APPENDIX A GLOSSARY OF TERMINOLOGY

| | |
|--------------------------------|--|
| Ambient | The ambient noise level is the noise level measured in the absence of the intrusive noise or the noise requiring control. Ambient noise levels are frequently measured to determine the situation prior to the addition of a new noise source. |
| dB | <u>Decibel</u> The unit of sound level. Expressed as a logarithmic ratio of sound pressure P relative to a reference pressure of $P_r=20 \mu\text{Pa}$ i.e. $\text{dB} = 20 \times \log(P/P_r)$ |
| dba | The unit of sound level which has its frequency characteristics modified by a filter (A-weighted) so as to more closely approximate the frequency bias of the human ear. |
| A-weighting | The process by which noise levels are corrected to account for the non-linear frequency response of the human ear. |
| $L_{Aeq}(t)$ | The equivalent continuous (time-averaged) A-weighted sound level. This is commonly referred to as the average noise level. The suffix "t" represents the time period to which the noise level relates, e.g. (24 h) would represent a period of 24 hours, (15 min) would represent a period of 15 minutes and (2200-0700) would represent a measurement time between 10 pm and 7 am. |
| NZS 6801:2008 | New Zealand Standard NZS 6801:2008 <i>"Acoustics – Measurement of environmental sound"</i> |
| NZS 6802:2008 | New Zealand Standard NZS 6802:2008 <i>"Acoustics – Environmental Noise"</i> |
| NZS 6806:2010 | New Zealand Standard NZS 6806:2010 <i>"Acoustics - Road-traffic noise - New and altered roads"</i> |
| Design-Year | A point in time not less than 10 years but not more than 20 years after the opening of the Project to the public. |
| Do-nothing Scenario | The situation at Design Year assuming no alterations are made to the existing road. |
| Do-minimum Scenario | The situation at Design Year assuming the Project is constructed, but excluding no specific noise mitigation measures such as noise control barriers or low noise road surfaces. |

APPENDIX B NEW ZEALAND ROAD TRAFFIC NOISE STANDARD NZS 6806:2010

NZS6806:2010 “Acoustics – Road-traffic noise – New and altered roads” has recently been developed and was issued as a full New Zealand Standard in April 2010. This is the first New Zealand road-traffic noise standard and was developed by an independent multidisciplinary committee of Standards New Zealand.

The Standard is intended for all road-traffic noise assessments both from State Highways, and local roads in circumstances where the traffic is within the thresholds of the Standard.

The Standard is an extensive and complex document; therefore, it is only practicable to present the key concepts for the purposes of this report.

The Standard uses the noise measurement index ($L_{Aeq(24h)}$) and the concept of a “design year” (the year for which the assessment is undertaken) at least ten years after opening of a project.

B1 Assessment positions

The Standard specifies a list of types of protected premises and facilities (PPFs), which are assessed in accordance with the provisions of the Standard. In addition to premises such as dwellings and educational facilities, NZS6806 extends its protection to other premises such as marae, hospitals which contain in-patient facilities, motels and hotels in residential zones and playgrounds within 20 metres of educational facilities.

The assessment position for existing buildings is at any façade. Commercial and business uses are not considered to be PPFs and are therefore excluded from the assessment as they are not considered to be noise sensitive.

NZS 6806 stipulates that, in an urban area, all protected premises and facilities within 100 metres of the alignment shall be assessed, and excludes locations outside this area.

B2 Noise criteria

The noise criteria of the Standard are not based on existing ambient noise levels, but are dependent on traffic volume and distinguish between new and altered roads. There are three levels of criteria (A, B and C) as set out in the table below.

Table 2: Noise criteria

| Category | Altered Roads | New Roads with a predicted traffic volume >75,000 AADT at the design year | New Roads with a predicted traffic volume of 2,000 to 75,000 AADT at the design year |
|--|-------------------------------------|---|---|
| | dB $L_{Aeq(24h)}$ | dB $L_{Aeq(24h)}$ | dB $L_{Aeq(24h)}$ |
| A (primary external noise criterion) | 64 | 64 | 57 |
| B (secondary external noise criterion) | 67 | 67 | 64 |
| C (internal noise criterion) | 40 | 40 | 40 |

The criteria to be used depend on the application of the best practicable option (BPO) test, with the A criterion being met or bettered if this is consistent with the BPO, the B criterion being met or bettered if criterion A is not achievable with the BPO, and criterion C being achieved with the adoption of the BPO, if criterion B is not achievable with the BPO.

The Category C criterion is an internal design criterion for habitable rooms; however, while not specifically stated in NZS6806, it is assumed that the internal criterion applies to all noise sensitive rooms in protected premises and facilities, including teaching areas and in-patient care rooms where patients sleep.

The 40 dB $L_{Aeq(24h)}$ criterion is required to be achieved by the adoption of the BPO, for habitable rooms which would otherwise receive internal noise levels greater than 45 dB $L_{Aeq(24h)}$, i.e. a minimum noise level reduction of five decibels is required to be achieved.

B3 Limitations of the Standard

Section 1.3 of the Standard lists the limitations of the Standard. Of particular relevance to this Project are items (b) and (c) which state that;

This Standard does not apply to:

(b) New and altered roads predicted to carry less than 2000 AADT at the design year;

(c) Alterations to existing roads that are not altered roads as defined in this Standard;³


B4 Noise assessment scenarios

NZS6806 provides for several operational scenarios to be assessed and compared. These include:

- The existing noise environment which, for altered roads, consists of the current road layout and traffic volume, and, for new roads, consists of the current ambient noise level;
- A future Do-minimum scenario, which represents circumstances at the design year where a Project has been implemented without any specific noise mitigation. This means that the choice of road surface material is independent from its noise generating characteristics and the only barriers included are solid safety barriers, which are required for reasons other than noise mitigation.
- Several future mitigation options, which consist of scenarios whereby mitigation is designed specifically to reduce noise levels in order to achieve compliance with the relevant noise criteria and fulfil the BPO test.

³ NZS 6806:2010 Acoustics – Road-traffic noise – New and altered roads, Section 1.3.1

APPENDIX C PACKAGE 2 PROJECT EXTENTS



APPENDIX D 'DO-NOTHING' SITUATION NOISE MODELLING INPUT PARAMETERS




Table 3: Assessment parameters Do Nothing

| Section | Item | Description | Vehicles per hour (Vph) | Heavy Vehicles (HV%) | Surface type | Surface correction | Speed limit Km/h |
|---------|------|---|-------------------------|----------------------|--------------------|--------------------|------------------|
| A | 1 | SH1 (West-East) to Walkers Rd | 10522 | 10 | Grade 3/5 Chipseal | 6 | 100 |
| | 1a | SH1 (East-West) to Walkers Rd | 10130 | 10 | Grade 3/5 Chipseal | 6 | 100 |
| | 2 | Two Chain Rd to SH1 (Walkers Rd) to SH1 | 5433 | 8 | Grade 3/5 Chipseal | 6 | 100 |
| | 2a | Newman Road to SH1(Dunns Crossing Rd) | 5433 | 8 | Grade 4/6 Chipseal | 6 | 50 |
| B | 3 | SH1 (West-East) Walkers Road to Rolleston Drive | 11594 | 10 | Grade 2/4 Chipseal | 6 | 100 |
| | 3a | SH1 (East-West) Rolleston Drive to Walkers Road (SH1) | 11591 | 10 | Grade 3/5 Chipseal | 6 | 100 |
| C | 4 | SH1 (West-East) Rolleston Drive to Tennyson St | 11290 | 11 | Grade 3/5 Chipseal | 6 | 80 |
| | 4a | SH1 (East-West) Rolleston Drive to Tennyson St | 10536 | 12 | Grade 3/5 Chipseal | 6 | 80 |
| D | 5 | SH1 (West-East) Rolleston Drive to Tennyson St | 11260 | 11 | Grade 3/5 Chipseal | 6 | 80 |
| | 5a | SH1 (East-West) Rolleston Drive to Tennyson St | 10441 | 12 | Grade 3/5 Chipseal | 6 | 80 |
| | 6 | SH1 (West-East) Tennyson St to Rolleston Drive North | 12919 | 10 | Grade 3/5 Chipseal | 6 | 80 |
| | 6a | SH1 (East-West) Tennyson St to Rolleston Drive North | 14703 | 9 | Grade 3/5 Chipseal | 6 | 80 |
| E | 7 | Rolleston Drive North to SH1 (North-South) | 9580 | 4 | DG10 | 0 | 50 |

| Section | Item | Description | Vehicles per hour (Vph) | Heavy Vehicles (HV%) | Surface type | Surface correction | Speed limit Km/h |
|---------|------|--|----------------------------|-------------------------|--------------|--------------------|---------------------|
| | 7a | Rolleston Drive North to SH1 (South-North) | 13030 | 4 | DG10 | 0 | 50 |
| | 7.1 | Rolleston Drive North to SH1 (North-South) | 9028 | 4 | DG10 | 0 | 50 |
| | 7.1a | Rolleston Drive North to SH1 (South-North) | 7937 | 4 | DG10 | 0 | 50 |
| | 8 | Rolleston drive to Hoskyns (West-East) | 23616 | 8 | SMA10 | 0 | 80 |
| | 8a | Rolleston drive to Hoskyns (East-West) | 22017 | 8 | SMA10 | 0 | 80 |
| | 10 | George Holmes to Hoskins Rd (E-W) Jones Road | 5090 | 17 | DG10 | 0 | 50 |
| | 10A | George Holmes to Hoskins Rd(West-East)Jones Road | 3058 | 20 | DG10 | 0 | 50 |
| | 11 | Jones Road to SH1 (Hoskyns road (North-South) | 11912 | 11 | SMA10 | 0 | 50 |
| | 11a | Jones Road to SH1 (Hoskyns road S-N) | 10385 | 11 | SMA10 | 0 | 50 |
| | 12 | Kidman St (West-East) | 6272 | 3 | DG10 | 0 | 50 |
| | 12a | Kidman St (East-West) | 1625 | 5 | DG10 | 0 | 50 |
| F | 9 | Hoskyns Rd to Christchurch (West-East) | 19634 | 12 | SMA10 | 0 | 100 |
| | 9a | Hoskyns Rd to Christchurch (East-West) | 19827 | 12 | EPA10 | -1 | 100 |

APPENDIX E 'DO-MINIMUM' SITUATION NOISE MODELLING INPUT PARAMETERS






Table 4: Assessment parameters Do Minimum


| Section | Item | Description | Vehicles per hour (Vph) | Heavy Vehicles (HV%) | Surface type | Surface correction | Speed limit Km/h |
|---------|------|--|-------------------------|----------------------|--------------------|--------------------|------------------|
| A | 1 | SH1 (West-East) to Walkers Rd | 10527 | 10 | Grade 3/5 Chipseal | 6 | 100 |
| | 1A | SH1 (East-West) to Walkers Rd | 10298 | 10 | Grade 3/5 Chipseal | 6 | 100 |
| | 2 | Two Chain Rd to SH1 (Walkers Rd) to SH1 | 2646 | 10 | SMA10 | 0 | 100 |
| | 2A | SH1 to Two Chain Rd (Walkers Rd) | 1606 | 12 | SMA10 | 0 | 100 |
| | 2.1 | Lowes Road to SH1(Dunns Crossing Rd) | 3267 | 5 | Grade 4/6 Chipseal | 6 | 50 |
| | 2.1A | Lowes Road to SH1(Dunns Crossing Rd) | 4864 | 3 | Grade 4/6 Chipseal | 6 | 50 |
| B | 3 | SH1 (West-East) Walkers to Rolleston Drive | 8455 | 13 | Grade 2/4 Chipseal | 6 | 100 |
| | 3A | SH1 (East-West) Walkers to Rolleston Drive | 10905 | 11 | Grade 3/5 Chipseal | 6 | 100 |
| C | 4 | SH1 (West-East) Rolleston Drive to Tennyson St | 8399 | 13 | Grade 3/5 Chipseal | 6 | 80 |
| | 4A | SH1 (East-West) Rolleston Drive to Tennyson St | 10517 | 11 | Grade 3/5 Chipseal | 6 | 80 |
| D | 5 | SH1 (West-East) Rolleston Drive to Tennyson St | 8388 | 13 | Grade 3/5 Chipseal | 6 | 80 |
| | 5A | SH1 (East-West) Rolleston Drive to Tennyson St | 13248 | 10 | Grade 3/5 Chipseal | 6 | 80 |




| Section | Item | Description | Vehicles per hour (Vph) | Heavy Vehicles (HV%) | Surface type | Surface correction | Speed limit Km/h |
|---------|------|--|-------------------------|----------------------|--------------|--------------------|------------------|
| | 6 | SH1 (West-East) Tennyson St to Rolleston Drive | 8386 | 13 | PA10 | 6 | 80 |
| | 6A | SH1 (East-West) Tennyson St to Rolleston Drive | 11624 | 10 | SMA10 | 6 | 80 |
| E | 7 | Rolleston Drive Bridge (North-South) | 16740 | 5 | SMA10 | 0 | 50 |
| | 7A | Rolleston Drive Bridge (North-South) | 7835 | 3 | SMA10 | 0 | 50 |
| | 7.1 | Rolleston Drive to SH1 (North-South) | 10396 | 4 | SMA10 | 0 | 80 |
| | 7.1A | Rolleston Drive to SH1 (North-South) | 12031 | 4 | SMA10 | 0 | 80 |
| | 7.2 | Rolleston Drive to SH1 (North-South) | 10396 | 4 | SMA10 | 0 | 60 |
| | 7.2A | Rolleston Drive to SH1 (North-South) | 12031 | 4 | SMA10 | 0 | 60 |
| | 7.3 | SH1 to Rolleston Drive (East-West) | 5642 | 5 | SMA10 | 0 | 50 |
| | 8 | Rolleston drive to Hoskyns (West-East) | 8360 | 13 | PA10 | 0 | 80 |
| | 8A | Rolleston drive to Hoskyns (East-West) | 9110 | 6 | SMA10 | 0 | 80 |
| | 10 | George Holmes to Hoskyns Rd (East-West) Jones Road | 6198 | 13 | DG10 | 0 | 50 |
| | 10A | George Holmes to Hoskyns Rd (West-East) Jones Road | 4798 | 16 | DG10 | 0 | 50 |
| | 11 | New Road Up bridge (North-South) | 16734 | 5 | DG10 | 0 | 50 |
| | 11A | New Road Up bridge (South-North) | 7841 | 5 | DG10 | 0 | 50 |
| | 12 | Kidman St (West-East) | 6900 | 7 | DG10 | 0 | 50 |
| | 12A | Kidman St (East-West) | 1942 | 4 | DG10 | 0 | 50 |
| | 13 | Jones Road to SH1 (Hoskyns road South-North) | 11248 | 11 | SMA10 | 0 | 50 |
| F | 9 | Hoskyns Rd to Christchurch (West-East) | 19607 | 12 | PA10 | 0 | 100 |
| | 9A | Hoskyns Rd to Christchurch (East-West) | 20774 | 8 | SMA10 | -1 | 100 |


APPENDIX F DO MINIMUM NOISE LEVEL CONTOURS
(following pages)













Sound level
dB LAeq(24 Hour)





APPENDIX G DO-NOTHING AND DO-MINIMUM NOISE LEVELS FOR PACKAGE 2 PPFS

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) | PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|----------------------|-----------------------------|-----------------------------|-----------------------|-----------------------------|-----------------------------|
| 1 Breccia Street | 71 | 68 | 8 Seymour Drive | 57.9 | 54.9 |
| 1 Dalwood Crescent | 54 | 51 | 8 Tennyson Street | 68.8 | 65.8 |
| 1 Dryden Avenue | 53 | 50 | 9 Brookside Road | 66.7 | 63.7 |
| 1 Duggan Close | 56.7 | 53.7 | 9 Dalwood Crescent | 59.7 | 56.7 |
| 1 Goodland Place | 56 | 53 | 9 Duggan Close | 70.4 | 67.4 |
| 1 Haymakers Crescent | 64.1 | 61.1 | 9 Haymakers Crescent | 63 | 60 |
| 1 Seymour Drive | 57.7 | 54.7 | 9 Maitland Crescent | 54.9 | 51.9 |
| 1A Seymour Drive | 63.8 | 60.8 | 9 Marlowe Place | 55.7 | 52.7 |
| 2 Bradbury Avenue | 58.5 | 55.5 | 9 Seymour Drive | 63 | 60 |
| 2 Breccia Street | 67.7 | 64.7 | 10 Chaucer Street | 62.1 | 59.1 |
| 2 Dalwood Crescent | 54.7 | 51.7 | 10 Coleridge Street | 78.1 | 75.1 |
| 2 Seymour Drive | 58 | 55 | 10 Dalwood Crescent | 58.2 | 55.2 |
| 2 Wyndham Mews | 54.9 | 51.9 | 10 Duggan Close | 64.2 | 61.2 |
| 3 Breccia Street | 73.5 | 70.5 | 10 Milton Court | 55 | 52 |
| 3 Dalwood Crescent | 55.7 | 52.7 | 10 Newman Road | 56 | 53 |
| 3 Dryden Avenue | 51.4 | 48.4 | 10 Seymour Drive | 58.5 | 55.5 |
| 3 Duggan Close | 58.5 | 55.5 | 10 Tennyson Street | 65.5 | 62.5 |
| 3 Haymakers Crescent | 64.4 | 61.4 | 10 Wyndham Mews | 57.6 | 54.6 |
| 3 Milton Court | 55.2 | 52.2 | 10A Chaucer Street | 65.6 | 62.6 |
| 3 Seymour Drive | 59.1 | 56.1 | 10A Tennyson Street | 65.5 | 62.5 |
| 4 Brookside Road | 70 | 67 | 10B Chaucer Street | 65.6 | 62.6 |
| 4 Chaucer Street | 70.9 | 67.9 | 10C Chaucer Street | 65.6 | 62.6 |
| 4 Dalwood Crescent | 54.7 | 51.7 | 10D Chaucer Street | 79.2 | 76.2 |
| 4 Milton Court | 53.7 | 50.7 | 11 Brookside Road | 65 | 62 |
| 4 Seymour Drive | 57.8 | 54.8 | 11 Coleridge Street | 61.5 | 58.5 |
| 4 Wyndham Mews | 56.5 | 53.5 | 11 Dalwood Crescent | 62.4 | 59.4 |
| 5 Dalwood Crescent | 56 | 53 | 11 Duggan Close | 73 | 70 |
| 5 Duggan Close | 61 | 58 | 11 Haymakers Crescent | 62.9 | 59.9 |
| 5 Haymakers Crescent | 63 | 60 | 11 Marlowe Place | 56.3 | 53.3 |
| 5A Seymour Drive | 64.3 | 61.3 | 11 Seymour Drive | 63.3 | 60.3 |
| 5B Seymour Drive | 63.2 | 60.2 | 12 Dalwood Crescent | 58 | 55 |
| 5C Seymour Drive | 65.6 | 62.6 | 12 Byron Street | 67.8 | 64.8 |
| 6 Chaucer Street | 63.1 | 60.1 | 12 Chaucer Street | 64.2 | 61.2 |
| 6 Dalwood Crescent | 57.3 | 54.3 | 12 Goodland Place | 57.1 | 54.1 |
| 6 Duggan Close | 58.5 | 55.5 | 12 Marlowe Place | 55.5 | 52.5 |
| 6 Milton Court | 54.5 | 51.5 | 12 Milton Court | 62.7 | 59.7 |
| 6 Seymour Drive | 57.2 | 54.2 | 12 Seymour Drive | 58.8 | 55.8 |
| 6 Tennyson Street | 71.4 | 68.4 | 12 Tennyson Street | 64.7 | 61.7 |
| 6 Wyndham Mews | 56.6 | 53.6 | 12A Chaucer Street | 76.1 | 73.1 |
| 6A Byron Street | 68.3 | 65.3 | 12B Chaucer Street | 78 | 75 |
| 7 Dalwood Crescent | 59.2 | 56.2 | 12C Chaucer Street | 78.9 | 75.9 |
| 7 Duggan Close | 70.2 | 67.2 | 13 Coleridge Street | 64 | 61 |
| 7 Haymakers Crescent | 66 | 63 | 13 Marlowe Place | 58.4 | 55.4 |
| 7 Seymour Drive | 58.2 | 55.2 | 13 Seymour Drive | 63.2 | 60.2 |
| 8 Byron Street | 68.2 | 65.2 | 13A Coleridge Street | 64 | 61 |
| 8 Chaucer Street | 63.2 | 60.2 | 13A Rolleston Drive | 63.7 | 60.7 |
| 8 Coleridge Street | 68.5 | 65.5 | 13B Rolleston Drive | 66.8 | 63.8 |
| 8 Dalwood Crescent | 57.9 | 54.9 | 14 Dalwood Crescent | 58.3 | 55.3 |
| 8 Duggan Close | 59 | 56 | 14 Byron Street | 67.7 | 64.7 |
| 8 Milton Court | 54.5 | 51.5 | 14 Chaucer Street | 65.8 | 62.8 |

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|-----------------------|-----------------------------|-----------------------------|
| 14 Maitland Crescent | 57.8 | 54.8 |
| 14 Seymour Drive | 58.7 | 55.7 |
| 14A John Street | 60.3 | 57.3 |
| 15 Coleridge Street | 65.1 | 62.1 |
| 15 Maitland Crescent | 54.7 | 51.7 |
| 15 Marlowe Place | 63.3 | 60.3 |
| 15 Seymour Drive | 63.5 | 60.5 |
| 15/17 Rolleston Drive | 57.5 | 54.5 |
| 15A Coleridge Street | 65.1 | 62.1 |
| 15A Marlowe Place | 60.6 | 57.6 |
| 15B Marlowe Place | 69.1 | 66.1 |
| 15C Marlowe Place | 64.7 | 61.7 |
| 15D Marlowe Place | 59 | 56 |
| 15E Marlowe Place | 57.6 | 54.6 |
| 15F Marlowe Place | 56.3 | 53.3 |
| 15G Marlowe Place | 56.1 | 53.1 |
| 15H Marlowe Place | 56.4 | 53.4 |
| 15I Marlowe Place | 58.4 | 55.4 |
| 16 Chaucer Street | 64.9 | 61.9 |
| 16 Dalwood Crescent | 58.6 | 55.6 |
| 16 John Street | 59 | 56 |
| 16 Marlowe Place | 57.8 | 54.8 |
| 16 Seymour Drive | 58.5 | 55.5 |
| 17 Coleridge Street | 66.9 | 63.9 |
| 17 Dalwood Crescent | 61.2 | 58.2 |
| 17 John Street | 59.2 | 56.2 |
| 17 Maitland Crescent | 54.7 | 51.7 |
| 17 Marlowe Place | 63.2 | 60.2 |
| 17 Overbury Crescent | 51.5 | 48.5 |
| 17 Seymour Drive | 63.7 | 60.7 |
| 18 Chaucer Street | 65.7 | 62.7 |
| 18 Dalwood Crescent | 58.5 | 55.5 |
| 18 John Street | 63.8 | 60.8 |
| 19 Dalwood Crescent | 62.4 | 59.4 |
| 19 Coleridge Street | 73.6 | 70.6 |
| 19 John Street | 61.6 | 58.6 |
| 19 Maitland Crescent | 55.6 | 52.6 |
| 19 Marlowe Place | 62.6 | 59.6 |
| 19 Overbury Crescent | 52.4 | 49.4 |
| 19 Seymour Drive | 62.9 | 59.9 |
| 19A Coleridge Street | 68.6 | 65.6 |
| 19A Rolleston Drive | 64.6 | 61.6 |
| 19B Rolleston Drive | 56 | 53 |
| 20 Chaucer Street | 68.8 | 65.8 |
| 20 Dalwood Crescent | 56.1 | 53.1 |
| 20 John Street | 67.1 | 64.1 |
| 20 Marlowe Place | 58.1 | 55.1 |
| 20 William Street | 60.2 | 57.2 |
| 21 Dalwood Crescent | 63.4 | 60.4 |
| 21 John Street | 59.8 | 56.8 |

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|----------------------|-----------------------------|-----------------------------|
| 21 Maitland Crescent | 55.4 | 52.4 |
| 21 Marlowe Place | 60.3 | 57.3 |
| 21 Overbury Crescent | 52.2 | 49.2 |
| 21 Seymour Drive | 63.1 | 60.1 |
| 21A Marlowe Place | 64.8 | 61.8 |
| 22 Chaucer Street | 68.5 | 65.5 |
| 22 Dalwood Crescent | 55.1 | 52.1 |
| 22 John Street | 76.9 | 73.9 |
| 22 Marlowe Place | 58.2 | 55.2 |
| 22 William Street | 58.7 | 55.7 |
| 22A John Street | 75.8 | 72.8 |
| 23 Dalwood Crescent | 64.6 | 61.6 |
| 23 John Street | 67.3 | 64.3 |
| 23 Maitland Crescent | 55.4 | 52.4 |
| 23 Marlowe Place | 60.9 | 57.9 |
| 23 Overbury Crescent | 53.1 | 50.1 |
| 23 Rolleston Drive | 67.9 | 64.9 |
| 23 Seymour Drive | 62.9 | 59.9 |
| 23 William Street | 59 | 56 |
| 24 Chaucer Street | 79.6 | 76.6 |
| 24 Marlowe Place | 58.1 | 55.1 |
| 24 William Street | 62.9 | 59.9 |
| 25 Dalwood Crescent | 65.3 | 62.3 |
| 25 John Street | 70.9 | 67.9 |
| 25 Marlowe Place | 60.9 | 57.9 |
| 25 Overbury Crescent | 53.7 | 50.7 |
| 25 Rolleston Drive | 69.4 | 66.4 |
| 25 Seymour Drive | 63.3 | 60.3 |
| 25 William Street | 62.6 | 59.6 |
| 26 Chaucer Street | 67.6 | 64.6 |
| 26 Elizabeth Street | 58.7 | 55.7 |
| 26 John Street | 77.3 | 74.3 |
| 26 Marlowe Place | 58.2 | 55.2 |
| 26 William Street | 65.4 | 62.4 |
| 26A Elizabeth Street | 58.7 | 55.7 |
| 27 Dalwood Crescent | 65.4 | 62.4 |
| 27 Elizabeth Street | 56.4 | 53.4 |
| 27 John Street | 70.3 | 67.3 |
| 27 Marlowe Place | 62.3 | 59.3 |
| 27 Overbury Crescent | 53.7 | 50.7 |
| 27 Rolleston Drive | 68.7 | 65.7 |
| 27 William Street | 62 | 59 |
| 27A Seymour Drive | 65.4 | 62.4 |
| 27B Seymour Drive | 63.9 | 60.9 |
| 28 Chaucer Street | 69.4 | 66.4 |
| 28 Elizabeth Street | 60.5 | 57.5 |
| 28 Marlowe Place | 58.1 | 55.1 |
| 28 William Street | 75.5 | 72.5 |
| 29 Dalwood Crescent | 67 | 64 |
| 29 Elizabeth Street | 62.4 | 59.4 |

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|----------------------|-----------------------------|-----------------------------|
| 29 George Street | 58.9 | 55.9 |
| 29 John Street | 73.1 | 70.1 |
| 29 Marlowe Place | 61.8 | 58.8 |
| 29 Overbury Crescent | 54.2 | 51.2 |
| 29 Rolleston Drive | 68.2 | 65.2 |
| 29 William Street | 64.5 | 61.5 |
| 29A Elizabeth Street | 58.5 | 55.5 |
| 30 Chaucer Street | 68.5 | 65.5 |
| 30 Elizabeth Street | 63.1 | 60.1 |
| 30 George Street | 57.3 | 54.3 |
| 30 Marlowe Place | 58.1 | 55.1 |
| 30A William Street | 75 | 72 |
| 31 Dalwood Crescent | 67 | 64 |
| 31 Elizabeth Street | 64.8 | 61.8 |
| 31 George Street | 60.1 | 57.1 |
| 31 Marlowe Place | 62.4 | 59.4 |
| 31 Rolleston Drive | 64.8 | 61.8 |
| 31 Seymour Drive | 61.1 | 58.1 |
| 31 William Street | 73.7 | 70.7 |
| 31A Elizabeth Street | 62.9 | 59.9 |
| 32 George Street | 58.3 | 55.3 |
| 32 Marlowe Place | 58.1 | 55.1 |
| 32a George Street | 57.4 | 54.4 |
| 33 Dalwood Crescent | 67.7 | 64.7 |
| 33 Elizabeth Street | 64.3 | 61.3 |
| 33 George Street | 60 | 57 |
| 33 Marlowe Place | 62.4 | 59.4 |
| 33 Overbury Crescent | 54.1 | 51.1 |
| 33 Rolleston Drive | 67.9 | 64.9 |
| 33 Seymour Drive | 60.7 | 57.7 |
| 33 William Street | 68.6 | 65.6 |
| 33A Fairfield Way | 65 | 62 |
| 33B Fairfield Way | 66.9 | 63.9 |
| 35 Dalwood Crescent | 59.3 | 56.3 |
| 35 Elizabeth Street | 65.8 | 62.8 |
| 35 Fairfield Way | 59.5 | 56.5 |
| 35 George Street | 69.2 | 66.2 |
| 35 Marlowe Place | 62.3 | 59.3 |
| 35 Rolleston Drive | 65.5 | 62.5 |
| 35 Seymour Drive | 63.5 | 60.5 |
| 36 Marlowe Place | 58.1 | 55.1 |
| 37 Dalwood Crescent | 56.6 | 53.6 |
| 37 Elizabeth Street | 71 | 68 |
| 37 Fairfield Way | 61 | 58 |
| 37 Marlowe Place | 65.7 | 62.7 |
| 37 Rolleston Drive | 61.8 | 58.8 |
| 37 Seymour Drive | 63.9 | 60.9 |
| 38 Marlowe Place | 57.8 | 54.8 |
| 38B George Street | 66.1 | 63.1 |
| 39 Dalwood Crescent | 57.1 | 54.1 |

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|----------------------------------|-----------------------------|-----------------------------|
| 39 Elizabeth Street | 70.1 | 67.1 |
| 39 Rolleston Drive | 57.4 | 54.4 |
| 39 Seymour Drive | 63.7 | 60.7 |
| 39A Fairfield Way | 61.8 | 58.8 |
| 39B Fairfield Way | 66.7 | 63.7 |
| 39C Fairfield Way | 73.8 | 70.8 |
| 39D Fairfield Way | 75.8 | 72.8 |
| 39E Fairfield Way | 75.2 | 72.2 |
| 39F Fairfield Way | 74.3 | 71.3 |
| 39G Fairfield Way | 74.7 | 71.7 |
| 39H Fairfield Way | 62.6 | 59.6 |
| 40 George Street | 69.8 | 66.8 |
| 41 Dalwood Crescent | 55.5 | 52.5 |
| 41 Fairfield Way | 60.3 | 57.3 |
| 41 Marlowe Place, Rolleston 7614 | 62.2 | 59.2 |
| 41A Dalwood Crescent | 54.8 | 51.8 |
| 42 George Street | 68.2 | 65.2 |
| 42A George Street | 77 | 74 |
| 43 Main South Road | 77.1 | 74.1 |
| 43 Marlowe Place | 64.1 | 61.1 |
| 43 Seymour Drive | 63.6 | 60.6 |
| 43A Fairfield Way | 73.5 | 70.5 |
| 43B Fairfield Way | 70.2 | 67.2 |
| 44 Marlowe Place | 57.3 | 54.3 |
| 45 Fairfield Way | 61.7 | 58.7 |
| 45 Marlowe Place | 61.3 | 58.3 |
| 45 Seymour Drive | 63.1 | 60.1 |
| 47 Fairfield Way | 62.6 | 59.6 |
| 47 Marlowe Place | 61 | 58 |
| 47 Seymour Drive | 63.3 | 60.3 |
| 47A Marlowe Place | 61 | 58 |
| 49 Seymour Drive | 62.9 | 59.9 |
| 49A Fairfield Way | 73.7 | 70.7 |
| 49B Fairfield Way | 72.8 | 69.8 |
| 51 Fairfield Way | 61.8 | 58.8 |
| 51 Seymour Drive | 62.3 | 59.3 |
| 53 Fairfield Way | 62.7 | 59.7 |
| 55 Park Lane | 56.3 | 53.3 |
| 55A Fairfield Way | 72.3 | 69.3 |
| 55A Park Lane | 55.9 | 52.9 |
| 55B Fairfield Way | 71.1 | 68.1 |
| 57 Fairfield Way | 62.7 | 59.7 |
| 59 Fairfield Way | 62.1 | 59.1 |
| 60 Park Lane | 56.2 | 53.2 |
| 61A Fairfield Way | 69.4 | 66.4 |
| 61B Fairfield Way | 71 | 68 |
| 62 Park Lane | 56.5 | 53.5 |
| 63 Fairfield Way | 62.5 | 59.5 |
| 65 Fairfield Way | 62.5 | 59.5 |
| 65 Main South Road | 75.5 | 72.5 |

| PPF | Do Nothing (2038) LAeq(24h) | Do Minimum (2038) LAeq(24h) |
|---------------------|-----------------------------|-----------------------------|
| 67A Fairfield Way | 69.7 | 66.7 |
| 67B Fairfield Way | 71.2 | 68.2 |
| 69 Fairfield Way | 62.5 | 59.5 |
| 71 Fairfield Way | 63.7 | 60.7 |
| 73A Fairfield Way | 70.7 | 67.7 |
| 73B Fairfield Way | 73.7 | 70.7 |
| 73C Fairfield Way | 68.6 | 65.6 |
| 75 Fairfield Way | 63 | 60 |
| 77 Fairfield Way | 61.7 | 58.7 |
| 77 Main South Road | 78.2 | 75.2 |
| 79 Fairfield Way | 58.8 | 55.8 |
| 79 Main South Road | 66.9 | 63.9 |
| 81 Main South Road | 76.4 | 73.4 |
| 96 Beaumont Drive | 58 | 55 |
| 252 Rolleston Drive | 57.8 | 54.8 |
| 254 Rolleston Drive | 62 | 59 |
| 256 Rolleston Drive | 65.6 | 62.6 |
| 257 Rolleston Drive | 61.6 | 58.6 |
| 258 Rolleston Drive | 71.1 | 68.1 |
| 259 Rolleston Drive | 63.6 | 60.6 |
| 261 Rolleston Drive | 65.2 | 62.2 |
| 263 Rolleston Drive | 71.7 | 68.7 |
| 8 Wyndham Mews | 57.5 | 54.5 |