

Appendix 1: Table of Submission Points

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0032	CCC	021	NATC-SCHED2	Support	Retain as notified	Accept	
DPR-0032	CCC	022	NATC-SCHED4	Support	Retain as notified	Accept	
DPR-0032	CCC	023	NATC-MAT1	Support	Retain as notified	Reject	
DPR-0142	NZ Pork	022	NATC-REQ2	Support In Part	Retain, subject to the necessary amendments being made to exclude farrowing huts from being captured under the definition of a building.	Reject	
DPR-0142	NZ Pork	074	New	Support In Part	Insert specific rule structure that provides relief from rules for buildings as they might apply to farrowing huts.	Reject	
DPR-0168	Paula Godfrey	001	New	Support In Part	Amend to include an objective of improving the natural character of surface water bodies (not simply 'preserve').	Accept	
DPR-0212	ESAI	FS072	New	Oppose	Disallow in full	Reject	
DPR-0422	NCFF	FS141	New	Oppose	Disallow the submission point.	Reject	
DPR-0472	Gourlie	FS001	New	Oppose In Part	ECAN rules are sufficient. No further need for council involvement & potential confusion.	Reject	
DPR-0168	Paula Godfrey	007	New	Support In Part	Amend to include a timeframe for natural surface water bodies to have a grazing setback from stock.	Reject	
DPR-0212	ESAI	FS073	New	Oppose	Disallow in full	Reject	
DPR-0372	DHL	FS009	New	Oppose	Reject the submission.	Reject	
DPR-0422	NCFF	FS142	New	Oppose	Disallow the submission point.	Reject	
DPR-0472	Gourlie	FS002	New	Oppose In Part	ECAN rules are sufficient. No further need for council involvement & potential confusion.	Reject	
DPR-0168	Paula Godfrey	008	New	Support In Part	Amend to include a setback for stock, with a specified timeframe to achieve this setback.	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0212	ESAI	FS074	New	Oppose	Disallow in full	Accept	
DPR-0372	DHL	FS010	New	Oppose	Reject the submission.	Accept	
DPR-0422	NCFF	FS143	New	Oppose	Disallow the submission point.	Accept	
DPR-0472	Gourlie	FS003	New	Oppose In Part	ECAN rules are sufficient. No further need for council involvement & potential confusion.	Accept	
DPR-0207	SDC	002	Surface Water Body	Oppose	Delete as notified and replace with: <u>Fresh water or geothermal water in a river, lake, stream, pond, or wetland, or any part thereof, which is not located within the coastal marine area.</u>	Accept in part	
DPR-0411	Hughes	FS006	Surface Water Body	Support	Allow	Accept in part	
DPR-0427	DoC	FS011	Surface Water Body	Support In Part	Decision not specified	Accept in part	
DPR-0207	SDC	033	NATC-REQ1	Oppose In Part	Amend as follows: 4. All earthworks and earthworks stockpiles, <u>excluding those required for a conservation activity</u> , are to be located at least 20m from the bank of any surface water body.	Accept	
DPR-0372	DHL	FS011	NATC-REQ1	Support	Accept the submission.	Accept	
DPR-0212	ESAI	004	Surface water body	Oppose In Part	Allow submissions on illustration that was not included in notified version of definition.	Accept in part	
DPR-0212	ESAI	049	New	Support	Insert a new rule to the NATC Chapter to explicitly provide for conservation activities as a permitted activity in Natural Character Management Overlays.	Reject	
DPR-0372	DHL	FS019	New	Support	Accept the submission.	Reject	
DPR-0212	ESAI	050	NATC-REQ1	Oppose In Part	Amend as follows: 4. All earthworks <u>that are not associated with drain clearance activities and stockpiles</u> are to be located at least 5m 20m from the bank of	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					any surface water body. Insert below NATC-REQ1.4: <u>1.X. earthworks stockpiles that are not associated with drain clearance activities are to be located at least 5m from the bank of any surface water body.</u>		
DPR-0372	DHL	FS020	NATC-REQ1	Support	Accept the submission.	Reject	
DPR-0212	ESAI	051	NATC-REQ1	Oppose In Part	Amend NATC-REQ1 to introduce a new requirement, applicable in all zones: <u>1.X The digging of holes for plant placement associated with Conservation Activity can be located immediately adjacent to a flowing surface water body and/or within a wetland and is not subject to a minimum setback from surface water bodies.</u>	Accept in part	
DPR-0212	ESAI	052	NATC-REQ2	Oppose In Part	Amend as follows: 1. All buildings and structures excluding fence and signage posts shall comply with the following setbacks from any surface water body: a. <u>30m</u> 100m from the bank of any lake and any wetland adjoining a lake;	Reject	
DPR-0212	ESAI	053	NATC-R3	Oppose In Part	Amend as follows: Horticultural Planting , Woodlot and Shelterbelt planting	Accept in part	
DPR-0212	ESAI	054	NATC-REQ3	Oppose	Amend as follows: NATC-REQ3 Setbacks from Surface Water Bodies Vegetation Woodlot and Shelterbelt Planting <u>1.Vegetation Woodlot and shelterbelt plantings that are not the replacement in the same location of existing woodlot and shelterbelt plantings, shall comply with the following</u>	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					setbacks from any surface water body;		
DPR-0212	ESAI	055	NATC-REQ4	Oppose In Part	Insert new provision to NATC-REQ4.1 to read: <u>X Signs containing danger warnings, historical, conservation and site information shall not be located within 5m from the bank of any water surface body.</u>	Accept in part	
DPR-0372	DHL	FS021	NATC-REQ4	Support	Accept the submission.	Accept in part	
DPR-0260	CRC	105	NATC-O1	Support	Retain as notified.	Accept	
DPR-0260	CRC	106	NATC-O2	Support	Retain as notified.	Accept	
DPR-0260	CRC	107	NATC-P1	Support	Retain as notified.	Accept in part	
DPR-0260	CRC	109	NATC-R2	Support	Retain as notified.	Accept in part	
DPR-0260	CRC	110	NATC-R3	Support	Retain as notified.	Accept	
DPR-0260	CRC	111	NATC-R4	Support	Retain as notified.	Accept in part	
DPR-0260	CRC	126	SUB-R22	Support	Retain as notified.	Accept	
DPR-0157	The Williams	FS921	SUB-R22	Oppose In Part	Reject in part the amendments sought.	Reject	
DPR-0209	Manmeet Singh	FS1069	SUB-R22	Oppose	Reject the submission in part.	Reject	
DPR-0298	Trices Road Group	FS031	SUB-R22	Oppose In Part	Reject submission	Reject	
DPR-0461	Dunweavin	FS410	SUB-R22	Oppose	Reject submission	Reject	
DPR-0492	Kevler	FS749	SUB-R22	Oppose	Reject Submission	Reject	
DPR-0493	Gallina & Heinz-Wattie	FS047	SUB-R22	Oppose	Reject submission in part being the amendments sought and the notified provisions sought to be retained	Reject	
DPR-0260	CRC	180	NATC-REQ1	Support In Part	That permitted activity earthworks are provided for within the setbacks contained in NATC-REQ1 when associated with restoration and enhancement projects.	Accept	
DPR-0212	ESAI	FS075	NATC-REQ1	Support	Allow in full	Accept	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0299	S & J West	009	Surface Water Body	Oppose In Part	Include the illustration referred to in the definition, in the PDP, and provide an opportunity for submissions.	Accept in part	
DPR-0345	PAR	020	NATC-REQ2	Oppose In Part	Amend NATC-REQ2 so that a 5m setback is reinstated for buildings within the Porters Village Base and that an exemption is included for bridges within the Village Base.	Accept	
<i>DPR-0407</i>	<i>Forest & Bird</i>	<i>FS805</i>	<i>NATC-REQ2</i>	<i>Oppose</i>	<i>Reject the submissions</i>	<i>Reject</i>	
DPR-0345	PAR	021	NATC-REQ3	Oppose In Part	Remove SKIZ from NATC-REQ3	Reject	
<i>DPR-0407</i>	<i>Forest & Bird</i>	<i>FS806</i>	<i>NATC-REQ3</i>	<i>Oppose</i>	<i>Reject the submissions</i>	<i>Accept</i>	
DPR-0353	HortNZ	039	Bank of a Surface Water Body	Oppose In Part	Amend as follows:within the coastal marine area, <u>this excludes artificial watercourses.</u>	Accept in part	
<i>DPR-0212</i>	<i>ESAI</i>	<i>FS011</i>	<i>Bank of a Surface Water Body</i>	<i>Support</i>	<i>Allow in full</i>	<i>Accept in part</i>	
<i>DPR-0372</i>	<i>DHL</i>	<i>FS032</i>	<i>Bank of a Surface Water Body</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Accept in part</i>	
<i>DPR-0388</i>	<i>Craigmore</i>	<i>FS004</i>	<i>Bank of a Surface Water Body</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Accept in part</i>	
<i>DPR-0390</i>	<i>RIL</i>	<i>FS005</i>	<i>Bank of a Surface Water Body</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Accept in part</i>	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0353	HortNZ	077	Surface Water Body	Oppose In Part	Amend as follows:within the coastal marine area, <u>except this excludes artificial watercourses.</u>	Accept in part	
<i>DPR-0427</i>	<i>DoC</i>	<i>FS010</i>	<i>Surface Water Body</i>	<i>Oppose</i>	<i>Decision not specified</i>	<i>Reject</i>	
DPR-0353	HortNZ	153	NATC-O1	Support	Retain as notified	Accept	
DPR-0353	HortNZ	154	NATC-O2	Support	Retain as notified	Accept	
DPR-0353	HortNZ	155	NATC-P1	Oppose In Part	Retain as notified	Accept in part	
DPR-0353	HortNZ	156	NATC-R3	Oppose In Part	Retain as notified	Accept in part	
DPR-0353	HortNZ	157	NATC-R4	Oppose In Part	Retain as notified	Accept in part	
DPR-0353	HortNZ	158	NATC-REQ1	Oppose In Part	Amend as follows: 4. All earthworks and earthworks stockpiles are to be located at least 20m from the bank of any surface water body- <u>except that:</u> <u>a. Earthworks within 20m of the bank of any surface water body are permitted where the earthworks are:</u> <u>i. associated with measures to mitigate potential environmental effects of cultivation;</u> <u>and</u> <u>ii. managed in a certified Farm Environment Plan under the Canterbury Land and Water Regional Plan.</u>	Reject	
<i>DPR-0422</i>	<i>NCFF</i>	<i>FS040</i>	<i>NATC-REQ1</i>	<i>Support</i>	<i>Allow the submission point</i>	<i>Reject</i>	
DPR-0353	HortNZ	159	NATC-REQ2	Oppose	Amend as follows: 1. All buildings and structures excluding fence and signage posts, <u>pump stations and artificial crop protection structures</u> shall comply with the following setbacks from any surface water	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					body: a. 100 <u>20m</u> from the bank of any lake and any wetland adjoining a lake; b. 25 <u>20m</u> from the bank of any surface water body listed in NATC-SCHED1 or NATC-SCHED2, other than from the bank of any lake and any wetland adjoining a lake, where NATC-REQ2.1.a. applies; <u>2. A pump station must be setback a minimum of 5m from any surface water body.</u>		
DPR-0381	CDL	FS062	NATC-REQ2	Support	Allow	Reject	
DPR-0407	Forest & Bird	FS471	NATC-REQ2	Oppose In Part	Reject or accept with appropriate restrictions in the Coastal environment, Outstanding natural feature and landscape areas.	Reject	
DPR-0422	NCFF	FS041	NATC-REQ2	Support	Allow the submission point	Reject	
DPR-0486	CDL	FS062	NATC-REQ2	Support	Allow	Reject	
DPR-0353	HortNZ	160	NATC-REQ3	Oppose	Delete as notified.	Reject	
DPR-0353	HortNZ	161	NATC-REQ4	Oppose In Part	Amend as follows: 1. <u>2. Except that signs relating to the notification of agrichemical spraying or other risks to the health and safety of people and animals shall be permitted within 5m from the bank of any surface water body.</u>	Reject	
DPR-0422	NCFF	FS042	NATC-REQ4	Support	Allow the submission point	Reject	
DPR-0353	HortNZ	162	NATC-SCHED2	Oppose In Part	Not specified	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0353	HortNZ	163	NATC-SCHED3	Oppose In Part	Not specified	Reject	
DPR-0353	HortNZ	164	NATC-R1	Oppose In Part	Retain as notified	Accept	
DPR-0353	HortNZ	165	NATC-R2	Oppose In Part	Retain as notified	Accept in part	
DPR-0358	RWRL	191	NATC	Support	Retain as notified	Accept in part	
DPR-0358	RWRL	224	SUB-R22	Support In Part	Amend to insert a non-notification clause.	Reject	
<i>DPR-0157</i>	<i>The Williams</i>	<i>FS426</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part</i>	<i>Reject</i>	
<i>DPR-0209</i>	<i>Manmeet Singh</i>	<i>FS513</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part</i>	<i>Reject</i>	
<i>DPR-0298</i>	<i>Trices Road Group</i>	<i>FS470</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept submission in part</i>	<i>Reject</i>	
<i>DPR-0461</i>	<i>Dunweavin</i>	<i>FS517</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept submission in part</i>	<i>Reject</i>	
<i>DPR-0492</i>	<i>Kevler</i>	<i>FS828</i>	<i>SUB-R22</i>	<i>Support</i>	<i>Accept submission in part</i>	<i>Reject</i>	
<i>DPR-0493</i>	<i>Gallina & Heinz-Wattie</i>	<i>FS493</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part.</i>	<i>Reject</i>	
DPR-0358	RWRL	406	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Accept in part	
<i>DPR-0032</i>	<i>CCC</i>	<i>FS192</i>	<i>Non-notification clauses</i>	<i>Oppose In Part</i>	<i>Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.</i>	<i>Reject</i>	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0298	Trices Road Group	FS923	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0371	CIAL	FS044	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0375	Waka Kotahi	FS324	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Reject	
DPR-0414	Kāinga Ora	FS117	Non-notification clauses	Support	Not Specified	Accept in part	
DPR-0453	LPC	FS044	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0456	Four Stars & Gould	FS013	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0363	IRHL	213	SUB-R22	Support In Part	Amend the provision to insert a non-notification clause.	Reject	
DPR-0157	The Williams	FS758	SUB-R22	Support In Part	Accept the submission in part	Reject	
DPR-0209	Manmeet Singh	FS684	SUB-R22	Support In Part	Accept the submission in part	Reject	
DPR-0298	Trices Road Group	FS637	SUB-R22	Support In Part	Accept submission in part	Reject	
DPR-0461	Dunweavin	FS677	SUB-R22	Support In Part	Accept the submission in part. Reject the submission seeking removal of the UGO	Reject	
DPR-0492	Kevler	FS292	SUB-R22	Support In Part	Accept the submission in part. Reject the submission seeking removal of the UGO.	Reject	
DPR-0363	IRHL	431	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly</u>	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<u>notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>		
DPR-0032	CCC	FS226	Non-notification clauses	Oppose In Part	Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.	Reject	
DPR-0298	Trices Road Group	FS957	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0371	CIAL	FS147	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0375	Waka Kotahi	FS325	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Reject	
DPR-0414	Kāinga Ora	FS151	Non-notification clauses	Support	Not Specified	Accept in part	
DPR-0422	NCFF	FS204	Non-notification clauses	Support In Part	Allow the submission on controlled activity. Disallow the submission point that notification is not required for all restricted discretionary applications.	Reject	
DPR-0453	LPC	FS145	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0456	Four Stars & Gould	FS047	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0372	DHL	062	NATC-O1	Support	Retain as notified	Accept	
DPR-0372	DHL	063	NATC-O2	Support	Retain as notified	Accept	
DPR-0372	DHL	064	NATC-P1	Support	Retain as notified	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0372	DHL	065	NATC-R1	Oppose In Part	Grant relief sought in relation to NATC-REQ1.4.	Reject	
DPR-0372	DHL	066	NATC-R2	Oppose In Part	Grant relief sought in relation to NATC-REQ2.	Reject	
DPR-0372	DHL	067	NATC-R3	Support In Part	Retain, provided the submitters amendments to NATC-REQ3 and other relief sought is granted.	Reject	
DPR-0372	DHL	068	NATC-REQ1	Oppose In Part	Amend as follows: 4. All earthworks and earthworks stockpiles are to be located at least 20m from the bank of any surface water body, <u>unless it is for the purpose of installing, operating or maintaining irrigation infrastructure.</u>	Reject	
DPR-0422	NCFF	FS101	NATC-REQ1	Support	Allow the submission point	Reject	
DPR-0372	DHL	069	NATC-REQ2	Oppose In Part	Amend as follows: 1. All buildings and structures - excluding fence and signage posts <u>and irrigation infrastructure</u> - shall comply with the following setbacks from any surface water body: ...	Accept in part	
DPR-0422	NCFF	FS102	NATC-REQ2	Support	Allow the submission point	Reject	
DPR-0372	DHL	070	NATC-REQ3	Support In Part	Amend as follows: 1. Vegetation plantings shall comply with the following setbacks from any surface water body: ... <u>Planting of indigenous vegetation is excluded.</u>	Reject	
DPR-0422	NCFF	FS103	NATC-REQ3	Support	Allow the submission point	Reject	
DPR-0372	DHL	071	NATC-MAT1	Support	Retain as notified	Accept in part	
DPR-0372	DHL	072	NATC-SCHED4	Neither Support	Retain as notified	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
				Nor Oppose			
DPR-0374	RIHL	219	SUB-R22	Support In Part	Amend the provision to insert a non-notification clause.	Reject	
DPR-0157	<i>The Williams</i>	<i>FS573</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part</i>	<i>Reject</i>	
DPR-0209	<i>Manmeet Singh</i>	<i>FS940</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part</i>	<i>Reject</i>	
DPR-0298	<i>Trices Road Group</i>	<i>FS788</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept submission in part</i>	<i>Reject</i>	
DPR-0461	<i>Dunweavin</i>	<i>FS820</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part. Reject the submission seeking removal of the UGO.</i>	<i>Reject</i>	
DPR-0492	<i>Kevler</i>	<i>FS136</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part. Reject the submission seeking removal of the UGO.</i>	<i>Reject</i>	
DPR-0493	<i>Gallina & Heinz-Wattie</i>	<i>FS697</i>	<i>SUB-R22</i>	<i>Support In Part</i>	<i>Accept the submission in part.</i>	<i>Reject</i>	
DPR-0374	RIHL	477	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Accept in part	
DPR-0032	CCC	FS264	Non-notification clauses	Oppose In Part	<i>Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.</i>	<i>Reject</i>	
DPR-0298	<i>Trices Road Group</i>	<i>FS991</i>	<i>Non-notification clauses</i>	<i>Support</i>	<i>Accept submission</i>	<i>Accept in part</i>	
DPR-0371	CIAL	FS078	Non-notification clauses	Support In Part	<i>Accept in part</i>	<i>Accept in part</i>	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0375	Waka Kotahi	FS326	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Reject	
DPR-0414	Kāinga Ora	FS185	Non-notification clauses	Support	Not Specified	Accept in part	
DPR-0453	LPC	FS078	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0456	Four Stars & Gould	FS081	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0375	Waka Kotahi	096	NATC-R4	Support	Retain as notified.	Accept in part	
DPR-0379	Jill Thomson	022	Bank of a Surface Water Body	Oppose	Delete 'Bank of any surface water body' Add ' <u>Bank of a river: the edge of the bed of the river</u> ' and ' <u>Bank of a lake or wetland: the edge of the bed of the lake or wetland.</u> '	Accept	
DPR-0379	Jill Thomson	032	Surface Water Body	Support In Part	Amend as follows: Fresh water or geothermal water in a river, lake, stream, pond, wetland, or any part thereof, that is not located within the coastal marine area. All surface water body setbacks specified in this plan shall be measured from the bank <u>edge of the bed</u> of the surface water body, as illustrated below. And include illustration referred to in definition.	Reject	
DPR-0379	Jill Thomson	042	NATC-REQ3	Oppose	Delete 'Waikirikiri/Selwyn River From Chamberlains Ford to Selwyn Lake Road' from NATC-SCHED2.	Reject	
DPR-0381	CDL	043	NATC-REQ2	Oppose In Part	Amend NATC0-REQ2.1 as follows: 1. All buildings and structures excluding fence and signage posts shall comply with the	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					following setbacks from any surface water body. a. 100m <u>40m</u> from the bank of any lake and any wetland adjoining a lake;		
DPR-0301	UWRG	FS065	NATC-REQ2	Oppose	Disallow	Accept	
DPR-0407	Forest & Bird	FS550	NATC-REQ2	Oppose	Reject the submission	Accept	
DPR-0384	RIDL	198	NATC	Support	Retain as notified.	Accept in part	
DPR-0384	RIDL	231	SUB-R22	Support In Part	Amend the provision to insert a non-notification clause.	Reject	
DPR-0384	RIDL	510	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Accept in part	
DPR-0032	CCC	FS299	Non-notification clauses	Oppose In Part	Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.	Reject	
DPR-0298	Trices Road Group	FS1018	Non-notification clauses	Support	Accept submission	Accept in part	
DPR-0371	CIAL	FS111	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0375	Waka Kotahi	FS327	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Reject	
DPR-0414	Kāinga Ora	FS219	Non-notification clauses	Support	Not Specified	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0453	LPC	FS111	Non-notification clauses	Support In Part	Accept in part	Accept in part	
DPR-0456	Four Stars & Gould	FS115	Non-notification clauses	Support	Accept the submission	Accept in part	
DPR-0388	Craigmore	030	NATC-R1	Oppose In Part	Grant relief sought in relation to NATC-REQ1.4.	Reject	
DPR-0388	Craigmore	031	NATC-R2	Oppose In Part	Grant relief sought in relation to NATC-REQ2.	Reject	
DPR-0388	Craigmore	032	NATC-R3	Support In Part	Grant relief sought in relation to NATC-REQ3.	Reject	
DPR-0388	Craigmore	033	NATC-REQ1	Oppose In Part	Amend as follows: 4. All earthworks and earthworks stockpiles are to be located at least 20m from the bank of any surface water body- <u>unless it is for the purpose of installing, operating or maintaining irrigation infrastructure.</u>	Reject	
DPR-0388	Craigmore	034	NATC-REQ2	Oppose In Part	Amend as follows: 1. All buildings and structures - excluding fence and signage posts <u>and irrigation infrastructure</u> - shall comply with the following setbacks from any surface water body: ...	Accept in part	
DPR-0388	Craigmore	035	NATC-REQ3	Support In Part	Amend as follows: 1. Vegetation plantings shall comply with the following setbacks from any surface water body: ... <u>Planting of indigenous vegetation is excluded.</u>	Reject	
DPR-0390	RIL	049	NATC-O1	Support	Retain as notified.	Accept	
DPR-0390	RIL	050	NATC-O2	Support	Retain as notified.	Accept	
DPR-0390	RIL	051	NATC-P1	Support	Retain as notified.	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0390	RIL	052	NATC-R1	Oppose In Part	Grant relief sought in relation to NATC-REQ1.4.	Reject	
DPR-0390	RIL	053	NATC-R2	Oppose In Part	Grant relief sought in relation to NATC-REQ2.	Reject	
DPR-0390	RIL	054	NATC-REQ1	Oppose In Part	Amend NATC-REQ1.4 as follows 4. All earthworks and earthworks stockpiles are to be located at least 20m from the bank of any surface water body; <u>unless it is for the purpose of installing, operating or maintaining irrigation infrastructure.</u>	Reject	
DPR-0390	RIL	055	NATC-REQ2	Oppose In Part	Amend NATC-REQ2 as follows 1. All buildings and structures - excluding fence and signage posts <u>and irrigation infrastructure</u> - shall comply with the following setbacks from any surface water body: a. 100m from the bank of any lake and any wetland adjoining a lake; b. 25m from the bank of any surface water body listed in NATC-SCHED1 or NATC-SCHED2, other than from the bank of any lake and any wetland adjoining a lake, where NATC-REQ2.1.a. applies; c. 20m from the bank of any surface water body listed in NATC-SCHED3; and d. 10m from the bank of any other surface water body.	Accept in part	
DPR-0407	Forest & Bird	039	NATC-Overview	Support In Part	Include a reference to natural character and climate change in the Natural Character Chapter overview.	Accept	
DPR-0301	UWRG	FS117	NATC-Overview	Support	Allow in full	Accept	
DPR-0407	Forest & Bird	040	NATC-P1	Support In Part	Not specified	Accept in part	
DPR-0301	UWRG	FS118	NATC-P1	Support	Allow in full	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Forest & Bird	041	NATC-MAT1	Support In Part	Amend as follows: ... 2. The effects of the proposed activity on any indigenous vegetation and any effects on mahinga kai and other customary uses <u>and habitat of indigenous fauna.</u>	Accept	
DPR-0301	UWRG	FS119	NATC-MAT1	Support	Allow in full	Accept	
DPR-0407	Forest & Bird	042	NATC-SCHED4	Support In Part	Amend as follows: Recognise that the following natural elements, patterns, processes and experiential qualities contribute to the natural character qualities of surface water bodies: ... 4. <u>indigenous</u> biodiversity; ...	Accept in part	
DPR-0301	UWRG	FS120	NATC-SCHED4	Support	Allow in full	Accept in part	
DPR-0441	Trustpower	FS093	NATC-SCHED4	Support	Accept	Accept in part	
DPR-0409	Hughes	039	Surface Water Body	Support In Part	Amend definition so as to include the diagram referred to.	Accept	
DPR-0209	Manmeet Singh	FS173	Surface Water Body	Support In Part	Accept submission in part	Accept	
DPR-0298	Trices Road Group	FS886	Surface Water Body	Support In Part	Accept submission in part	Accept	
DPR-0461	Dunweavin	FS077	Surface Water Body	Support In Part	Accept submission to the extent that they are consistent with the relief sought and interests of Dunweavin (461)	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0492	Kevler	FS027	Surface Water Body	Support In Part	Accept Submission in Part	Accept	
DPR-0493	Gallina & Heinz-Wattie	FS037	Surface Water Body	Support In Part	Accept submission in part.	Accept	
DPR-0414	Kāinga Ora	116	SUB-R22	Support	Retain as notified	Accept	
DPR-0157	The Williams	FS182	SUB-R22	Oppose In Part	Reject the submission in part	Reject	
DPR-0209	Manmeet Singh	FS372	SUB-R22	Oppose In Part	Reject the submission in part	Reject	
DPR-0298	Trices Road Group	FS142	SUB-R22	Oppose In Part	Reject submission	Reject	
DPR-0461	Dunweavin	FS169	SUB-R22	Oppose In Part	Reject submission	Reject	
DPR-0492	Kevler	FS538	SUB-R22	Oppose In Part	Reject submission points in part	Reject	
DPR-0493	Gallina & Heinz-Wattie	FS162	SUB-R22	Oppose In Part	Reject the submission points in part.	Reject	
DPR-0565	Shelley St	FS053	SUB-R22	Support In Part	Support the submission subject to amendments to the MDRZ boundary at Rolleston to include properties on the east side of George Street including no. 30 George Street & any other amendments/changes to the relevant provisions as are consistent with enabling our MDH proposal.	Reject in part	
DPR-0422	NCFF	029	Bank Of a Surface Water Body	Oppose In Part	Amend as follows: “.... within the coastal marine area, <u>with the exclusion of artificial watercourses.</u>	Accept in part	
DPR-0407	Forest & Bird	FS075	Bank Of a Surface Water Body	Oppose In Part	Accept if Forest & Bird’s concerns are addressed.	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0422	NCFF	087	Surface Water Body	Support In Part	Amend to include illustration and as follows: within the coastal marine area, <u>except this excludes artificial watercourses.</u> ...	Accept in part	
DPR-0372	DHL	FS057	Surface Water Body	Support	Accept the submission.	Accept in part	
DPR-0388	Craigmore	FS015	Surface Water Body	Support	Accept the submission.	Accept in part	
DPR-0390	RIL	FS012	Surface Water Body	Support	Accept the submission.	Accept in part	
DPR-0407	Forest & Bird	FS097	Surface Water Body	Oppose In Part	Reject the submission	Accept in part	
DPR-0427	DoC	FS009	Surface Water Body	Oppose	Decision not specified	Reject	
DPR-0422	NCFF	155	NATC	Oppose	Delete as notified.	Reject	
DPR-0407	Forest & Bird	FS127	NATC	Oppose	Reject the submission	Accept	
DPR-0427	DoC	FS026	NATC	Oppose	Decision not specified	Accept	
DPR-0422	NCFF	156	NATC-O1	Oppose	Delete as notified.	Reject	
DPR-0407	Forest & Bird	FS128	NATC-O1	Oppose	Reject the submission	Accept	
DPR-0441	Trustpower	FS090	NATC-O1	Oppose	Reject	Accept	
DPR-0422	NCFF	157	NATC-O2	Oppose	Delete as notified.	Reject	
DPR-0407	Forest & Bird	FS129	NATC-O2	Oppose	Reject the submission	Accept	
DPR-0422	NCFF	158	NATC-P1	Oppose In Part	Transfer NATC-P1.1 to the SASM Chapter. Amend NATC-P1.2 to 4. as follows and transfer to the EIB Chapter: 2. ensuring that the location, intensity, scale and form of subdivision, earthworks, buildings, structures, vegetation planting and signs near located on or adjoining surface water bodies	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>and their margins recognises and preserves the natural character of the surface water body by requiring appropriate setbacks;</p> <p>3. minimising to the extent practicable, indigenous vegetation clearance and modification (including earthworks, disturbance, and structures) near surface water bodies and their margins, <u>while enabling people to source drinking or stockwater, erect or maintain stock fences, manage plant pests, and soil erosion, mitigate potential natural hazards, maintain access tracks and vehicle crossings, and make other reasonable use of their land;</u></p> <p>4. enabling opportunities to restore and rehabilitate the natural character of surface water bodies and their margins, such as through the removal of plant and animal pests and supporting initiatives for the regeneration of indigenous biodiversity values and cultural values.</p>		
DPR-0407	Forest & Bird	FS130	NATC-P1	Oppose	Reject the submission	Reject in part	
DPR-0441	Trustpower	FS091	NATC-P1	Oppose	Reject	Reject in part	
DPR-0422	NCFF	159	NATC-R1	Oppose	<p>Delete NATC-R1, NATC-R2 and NATC-R3; or Insert a new rule as follows:</p> <p><u>NATC – R5: Rules NATC R1-4 do not apply to any activity which is subject to a rule to manage its location within a riparian margin under either a national environmental standard or a regional rule.</u></p>	Accept in part	
DPR-0407	Forest & Bird	FS131	NATC-R1	Oppose	Reject the submission	Reject in part	
DPR-0422	NCFF	211	SUB-R22	Support In Part	<p>Amend as follows:</p> <p>1. Subdivision where any site adjoins any surface water body <u>listed in NATC-SCHED1 and NZTC-SCHED2.</u> This rule does not apply to</p>	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					any subdivision under <u>SUB-R12 or SUB-R15</u> . 2. a. SASM-MAT3 Ngā Wai.		
DPR-0407	Forest & Bird	FS135	SUB-R22	Oppose	Reject the submission	Accept	
DPR-0422	NCFF	293	NATC-R2	Oppose	Delete NATC-R1, NATC-R2 and NATC-R3; or Insert a new rule as follows: <u>NATC – R5: Rules NATC R1-4 do not apply to any activity which is subject to a rule to manage its location within a riparian margin under either a national environmental standard or a regional rule.</u>	Reject	
DPR-0372	DHL	FS068	NATC-R2	Support	Accept the submission.	Reject	
DPR-0390	RIL	FS013	NATC-R2	Support	Accept the submission.	Reject	
DPR-0422	NCFF	294	NATC-R3	Oppose	Delete NATC-R1, NATC-R2 and NATC-R3; or Insert a new rule as follows: <u>NATC – R5: Rules NATC R1-4 do not apply to any activity which is subject to a rule to manage its location within a riparian margin under either a national environmental standard or a regional rule.</u>	Reject	
DPR-0407	Forest & Bird	FS157	NATC-R3	Oppose	Reject the submission	Accept	
DPR-0427	DoC	043	NATC-O1	Support	Retain as notified.	Accept	
DPR-0301	UWRG	FS185	NATC-O1	Support	Allow in full	Accept	
DPR-0407	Forest & Bird	FS209	NATC-O1	Support	Accept the submission	Accept	
DPR-0427	DoC	044	NATC-P1	Support	Retain as notified.	Accept in part	
DPR-0301	UWRG	FS186	NATC-P1	Support	Allow in full	Accept in part	
DPR-0407	Forest & Bird	FS210	NATC-P1	Support	Accept the submission	Accept in part	
DPR-0427	DoC	045	NATC	Support	Retain as notified.	Accept in part	
DPR-0301	UWRG	FS187	NATC	Support	Allow in full	Accept in part	
DPR-0407	Forest & Bird	FS211	NATC	Support	Accept the submission	Accept in part	
DPR-0427	DoC	046	NATC-REQ1	Support	Retain as notified.	Accept in part	
DPR-0301	UWRG	FS188	NATC-REQ1	Support	Allow in full	Accept in part	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Forest & Bird	FS212	NATC-REQ1	Support	Accept the submission	Accept in part	
DPR-0427	DoC	047	NATC-REQ3	Support	Retain as notified.	Accept in part	
DPR-0301	UWRG	FS189	NATC-REQ3	Support	Allow in full	Accept in part	
DPR-0407	Forest & Bird	FS213	NATC-REQ3	Support	Accept the submission	Accept in part	
DPR-0427	DoC	048	NATC-MAT1	Oppose In Part	Amend as follows: 1. Adverse The extent to which the proposed activity will effects on the natural character (as set out in NATC-SCHED4) of the surface water body and its margins; 2. The effects of the proposed activity on any indigenous vegetation and any effects on mahinga kai and other customary uses;	Accept in part	
DPR-0301	UWRG	FS190	NATC-MAT1	Support	Allow in full	Accept in part	
DPR-0407	Forest & Bird	FS214	NATC-MAT1	Support	Accept the submission	Accept in part	
DPR-0427	DoC	049	NATC-SCHED4	Support	Retain as notified.	Accept in part	
DPR-0301	UWRG	FS191	NATC-SCHED4	Support	Allow in full	Accept in part	
DPR-0407	Forest & Bird	FS215	NATC-SCHED4	Support	Accept the submission	Accept in part	
DPR-0439	Rayonier	022	NATC-R1	Oppose In Part	Amend to align with the provisions of the NESPF and maybe to allow for earthworks associated with river crossings.	Accept in part	
DPR-0439	Rayonier	023	NATC-REQ1	Oppose In Part	Amend to align with the provisions of the NESPF and maybe to allow for earthworks associated with river crossings.	Accept in part	
DPR-0439	Rayonier	024	NATC-R2	Oppose In Part	Amend to permit any structure which part of a river crossing.	Accept	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0439	Rayonier	025	NATC-REQ3	Oppose In Part	Amend to be clear does not apply to Plantation Forestry Activities of afforestation or replanting.	Reject	
DPR-0441	Trustpower	025	Surface Water Body	Support In Part	Amend as follows: Fresh water or geothermal water in a river, lake, stream, pond, <u>artificial watercourse</u> , wetland, or any part thereof, that is not located within the coastal marine area.	Reject	
<i>DPR-0353</i>	<i>HortNZ</i>	<i>FS053</i>	<i>Surface Water Body</i>	<i>Oppose</i>	<i>Reject</i>	<i>Accept</i>	
DPR-0441	Trustpower	114	NATC-O1	Support In Part	Amend as follows: The natural character of surface water bodies and their margins is preserved <u>where practicable while, recognising the functional need of regionally significant infrastructure to be located on the surface and margins of waterbodies.</u>	Accept in part	
DPR-0441	Trustpower	115	NATC-P1	Support In Part	Amend as follows: ... <u>5. recognising that renewable electricity generation has a functional need to locate within and adjacent to surface waterbodies.</u>	Accept in part	
DPR-0441	Trustpower	116	NATC-R1	Support In Part	Retain as notified provided that relief sought for NATC-REQ1 is accepted.	Accept	
DPR-0441	Trustpower	117	NATC-R2	Support In Part	Retain as notified provided that relief sought for NATC-REQ2 is accepted.	Reject	
DPR-0441	Trustpower	118	NATC-R4	Support	Retain as notified provided that relief sought for NATC-REQ4 is accepted.	Accept in part	
DPR-0441	Trustpower	119	NATC-REQ1	Support In Part	Amend as follows: ... 4. All earthworks and earthworks stockpiles <u>(excluding those undertaken for operation and maintenance of the Coleridge HEPS)</u> are to be	Reject	

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					located at least 20m from the bank of any surface water body.		
DPR-0441	Trustpower	120	NATC-REQ2	Oppose	Amend as follows: 1. All buildings and structures (excluding fences, and signage posts, <u>and activities associated with renewable electricity generation</u>) shall comply with the following setbacks from any surface water body: ...	Reject	
DPR-0441	Trustpower	121	NATC-REQ4	Support In Part	Amend as follows: 1. 20m of the bank of any surface water body listed in NATC-SCHED1 or NATC-SCHED2 or NATC-SCHED3, <u>excluding lakes, except where the signage is required for public safety reasons;</u> and ...	Reject	
DPR-0441	Trustpower	122	NATC-SCHED4	Support	Retain as notified	Accept in part	
DPR-0446	Transpower	091	NATC-P1	Support In Part	Amend as follows: Recognise the natural character qualities of surface water bodies and their margins described in NATC-SCHED4 and preserve and protect those qualities, and Ngāi Tahu cultural values, from inappropriate subdivision, use and development by: <u>X. providing for important infrastructure that has a technical, functional or operational need for its location.</u>	Accept in part	
DPR-0375	Waka Kotahi	FS108	NATC-P1	Support	Accept amendment.	Accept in part	
DPR-0441	Trustpower	FS092	NATC-P1	Support	Accept	Accept in part	