

## Appendix 1: Table of Submission Points

Amendments to this table from that included in the s42A report are highlighted **blue**

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0068	MetroPort	016	EW-REQ1	Support	Retain as notified.	Accept In Part	16
DPR-0122	Frews Quarries Ltd	024	EW-REQ1	Oppose In Part	Amend the provisions of the proposed plan to clarify that rules that regulate earthworks do not apply to quarry operations managed under Rule GRUZ-REQ21.	Accept	24
DPR-0122	Frews Quarries Ltd	025	EW-REQ2	Oppose In Part	Amend to clarify that rules that regulate earthworks do not apply to quarry operations managed under Rule GRUZ-REQ21.	Accept	24
<i>DPR-0422</i>	<i>NCCF</i>	<i>FS149</i>	<i>EW-REQ2</i>	<i>Neither Support Nor Oppose</i>	<i>That any development or changes to the general rural zone provides the opportunity for FFNZ involvement.</i>	<i>Accept</i>	<i>24</i>
DPR-0122	Frews Quarries Ltd	026	EW-REQ3	Oppose In Part	Amend to clarify that rules that regulate earthworks do not apply to quarry operations managed under Rule GRUZ-REQ21.	Accept	24
<i>DPR-0422</i>	<i>NCCF</i>	<i>FS150</i>	<i>EW-REQ3</i>	<i>Neither Support Nor Oppose</i>	<i>That any development or changes to the general rural zone provides the opportunity for FFNZ involvement.</i>	<i>Accept</i>	<i>24</i>
DPR-0122	Frews Quarries Ltd	027	EW-REQ4	Oppose In Part	Amend to clarify that rules that regulate earthworks do not apply to quarry operations managed under Rule GRUZ-REQ21.	Accept	24

DPR-0422	NCCF	FS151	EW-REQ4	Neither Support Nor Oppose	<i>That any development or changes to the general rural zone provides the opportunity for FFNZ involvement.</i>	Accept	24
DPR-0122	Frews Quarries Ltd	028	EW-REQ5	Oppose In Part	Amend to clarify that rules that regulate earthworks do not apply to quarry operations managed under Rule GRUZ-REQ21.	Accept	24
DPR-0422	NCCF	FS152	EW-REQ5	Neither Support Nor Oppose	<i>That any development or changes to the general rural zone provides the opportunity for FFNZ involvement.</i>	Accept	24
DPR-0142	NZ Pork	031	EW-R2	Support	Retain as notified.	Accept	11
DPR-0142	NZ Pork	032	EW-R7	Support	Retain as notified.	Accept	14
DPR-0142	NZ Pork	033	EW-REQ1	Support	Retain as notified.	Accept in Part	16
DPR-0204	JP Singh	003	EW-R1	Support	Retain as notified	Accept	10
DPR-0204	JP Singh	004	EW-REQ1	Support	Retain as notified	Accept in Part	16

DPR-0207	Selwyn District Council	038	SUB-REQ12	Oppose	<p>Delete SUB-REQ12 and any references to it within the Proposed District Plan and insert new rule with SUB-REQ12 forming the basis:</p> <p><u>SUB-RX Land Disturbance and Earthworks for Subdivision</u></p> <p><u>All Zones</u></p> <p><u>1. Land disturbance or earthworks directly associated the development of land for subdivision.</u></p> <p><u>Where:</u></p> <p><u>a. The maximum area of land subject to the works is 1,000m<sup>2</sup>.</u></p> <p><u>Activity status where compliance not achieved:</u></p> <p><u>2. When compliance with any of SUB-RX.1 is not achieved: RDIS</u></p> <p><u>Matters for discretion:</u></p> <p><u>3. The exercise of discretion in relation to SUB-RX.1 is restricted to consideration of:</u></p> <p><u>a. any adverse effects from the earthworks in terms of visual amenity, landscape context and character, views, outlook, overlooking and privacy from raising ground levels;</u></p> <p><u>b. any potential dust nuisance, sedimentation, and water or wind erosion effects can be avoided or mitigated;</u></p> <p><u>c. the amenity effects on neighbouring properties, and on the road network, of heavy</u></p>	Accept	25
----------	-------------------------	-----	-----------	--------	--	--------	----

					<u>vehicle and other vehicular traffic generated as a result of earthworks can be avoided or mitigated;</u> <u>d. any changes to the patterns of surface drainage or subsoil drains would result in a higher risk of drainage problems, inundation run-off, flooding, or raise the water table;</u> <u>e. any alteration to natural ground levels in the vicinity and, consequently, to the height and bulk of buildings that may be erected on the site;</u> <u>f. the degree to which the resultant levels are consistent with the surrounding environment;</u> <u>g. the need for a Construction Management Plan (including a Dust Management Plan), containing procedures, which shall be implemented, that establish management and mitigation measures for the activity that ensure that any potential adverse effects beyond the property boundary are avoided, remedied, or mitigated.</u>		
DPR-0358	Rolleston West Residential Limited (RWRL)	FS139	SUB-REQ12	Oppose	Reject	Reject	25
DPR-0363	Iport Rolleston Holdings Limited (IRHL)	FS139	SUB-REQ12	Oppose	Reject	Reject	25

DPR-0374	Rolleston Industrial Holdings Limited (RIHL)	FS139	SUB-REQ12	Oppose	Reject	Reject	25
DPR-0384	Rolleston Industrial Developments Limited (RIDL)	FS139	SUB-REQ12	Oppose	Reject	Reject	25
DPR-0460	Marama Te Wai	FS027	SUB-REQ12	Oppose In Part	The rule appears too prescriptive - need an AEE for each activity to the satisfaction of the SDC in issuing an RC	Reject	25
DPR-0207	SDC	041	EW-REQ3	Oppose In Part	Amend as follows: 4. The exercise of discretion in relation to EW-REQ3.3 is restricted to the following matters: ... <u>f. the nature and composition of the fill; and</u> <u>g. the degree of compaction required for the anticipated use of the site.</u>	Accept	18
DPR-0215	Winstone Aggregates	FS023	EW-REQ3	Oppose	Reject the submission.	Reject	18
DPR-0217	Summerset Villages (Prebbleton) Limited	FS001	EW-REQ3	Oppose	Reject submission	Reject	18
DPR-0358	RWRL	FS152	EW-REQ3	Support	Adopt	Accept	18
DPR-0363	IRHL	FS152	EW-REQ3	Support	Adopt	Accept	18
DPR-0374	RIHL	FS152	EW-REQ3	Support	Adopt	Accept	18
DPR-0384	RIDL	FS152	EW-REQ3	Support	Adopt	Accept	18
DPR-0460	Marama Te Wai Ltd	FS028	EW-REQ3	Support	Again we would prefer a proper AEE to be submitted for a consent and stay away from strict prescription or at least say matters including but not limited to	Reject	18

DPR-0208	Ngāi Tahu Property	004	EW-REQ1	Oppose	Amend Table 1: Earthworks Volumes by Zone General Industrial Zone <del>1000</del> <u>5000</u> m <sup>3</sup>	Reject	16
DPR-0358	RWRL	FS149	EW-REQ1	Support	Adopt	Reject	16
DPR-0363	IRHL	FS149	EW-REQ1	Support	Adopt	Reject	16
DPR-0374	RIHL	FS149	EW-REQ1	Support	Adopt	Reject	16
DPR-0384	RIDL	FS149	EW-REQ1	Support	Adopt	Reject	16
DPR-0211	William Trolove	002	EW-REQ1	Support	Retain EW-REQ1 as notified.	Accept	16
DPR-0407	Forest & Bird	FS408	EW-REQ1	Oppose In Part	Accept the submission so long as the values of ONLF are protected.	Accept	16
DPR-0212	ESAI	094	EW	Oppose In Part	Amend provisions of the plan to consolidate all earthworks provisions into the Earthworks Chapter.	Reject	7
DPR-0212	ESAI	095	EW-REQ3	Oppose In Part	Amend as follows: 1. Earthworks, <u>excluding those earthworks associated with offal pits</u> , shall not exceed a maximum ....	Accept	18
DPR-0142	NZ Pork	FS012	EW-REQ3	Support	Allow in full	Accept	18
DPR-0372	Dairy Holdings Limited	FS023	EW-REQ3	Support	Accept the submission.	Accept	18
DPR-0388	Craigmore Farming Services Limited	FS001	EW-REQ3	Support	Accept the submission.	Accept	18
DPR-0212	ESAI	096	EW-REQ4	Oppose In Part	Amend EW-REQ4 to insert at the end: <u>This requirement does not apply to earthworks associated with offal pits.</u>	Accept	19
DPR-0142	NZ Pork	FS013	EW-REQ4	Support	Allow in full	Accept	19
DPR-0372	Dairy Holdings Limited	FS024	EW-REQ4	Support	Accept the submission.	Accept	19
DPR-0388	Craigmore Farming Services Limited	FS002	EW-REQ4	Support	Accept the submission.	Accept	19

DPR-0215	Winstone Aggregates	037	EW-P4	Oppose	Clarify the intent of policy and reword accordingly.	Accept	9
<i>DPR-0375</i>	<i>NZTA</i>	<i>FS341</i>	<i>EW-P4</i>	<i>Oppose In Part</i>	<i>Waka Kotahi would want to ensure that if the policy was replaced or amended the opportunity is made for all parties to consider any proposed changes.</i>	<i>Accept</i>	<i>9</i>
DPR-0215	Winstone Aggregates	038	EW-R2	Support	Retain as notified	Accept	11
DPR-0215	Winstone Aggregates	039	EW-R5	Support	Retain as notified	Accept	12
DPR-0215	Winstone Aggregates	040	EW-REQ1	Oppose In Part	Amend as follows: 3. The exercise of discretion in relation to EW-REQ1.2. is restricted to the following matters: a. ... b. any potential dust nuisance, <del>sedimentation, and water</del> or wind erosion effects can be avoided or mitigated; ...	Accept	16
<i>DPR-0422</i>	<i>NCCF</i>	<i>FS092</i>	<i>EW-REQ1</i>	<i>Support</i>	<i>Allow the submission point</i>	<i>Accept</i>	<i>16</i>

DPR-0215	Winstone Aggregates	041	EW-REQ5	Oppose	Amend as follows: 1. Earth bunds for noise attenuation or screening are <del>less</del> <u>no more</u> than 3m in height. 3. The exercise of discretion in relation to EW-REQ5.2. is restricted to the following matters: a. the potential for adverse visual amenity <del>effects and shading over adjoining residential property,</del> <u>nuisance and post-development flood and drainage effects on the functioning of natural biological and physical processes;</u> and <del>b. the effectiveness of any proposed measures to initially and permanently stabilise the bund.</del>	Accept in Part	20
DPR-0217	Summerset Villages (Prebbleton) Limited	018	EW-P4	Oppose	Clarity intent of policy and reword accordingly.	Accept	9
<i>DPR-0358</i>	<i>RWRL</i>	<i>FS145</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>9</i>
<i>DPR-0363</i>	<i>IRHL</i>	<i>FS145</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>9</i>
<i>DPR-0374</i>	<i>RIHL</i>	<i>FS145</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>9</i>
<i>DPR-0384</i>	<i>RIDL</i>	<i>FS145</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>9</i>
DPR-0217	Summerset Villages (Prebbleton) Limited	019	EW-R1	Support	Retain as notified	Accept	10
DPR-0217	Summerset Villages (Prebbleton) Limited	020	EW-R2	Support	Retain as notified	Accept	11



DPR-0217	Summerset Villages (Prebbleton) Limited	021	EW-REQ1	Oppose In Part	<p>Amend as follows:</p> <p>1. The volume of earthworks ...</p> <p>a. <del>All Residential Zone</del>(sites up to 600m<sup>2</sup>): 150m<sup>3</sup> per site.</p> <p>b. All Residential Zone (sites larger than 600m<sup>2</sup> up to 1500m<sup>2</sup>): 250m<sup>3</sup> per site.</p> <p>c. All Residential Zone (sites greater than 1500m<sup>2</sup>): 350m<sup>3</sup> per site.</p> <p>....</p> <p>3. The exercise of discretion in relation to EWREQ1.2. is restricted to the following matters:</p> <p>...</p> <p>b. any potential dust nuisance, <del>sedimentation, and water or wind erosion</del> effects can be avoided or mitigated; .....</p>	Reject	16
DPR-0358	RWRL	FS150	EW-REQ1	Support	Adopt	Reject	16
DPR-0363	IRHL	FS150	EW-REQ1	Support	Adopt	Reject	16
DPR-0374	RIHL	FS150	EW-REQ1	Support	Adopt	Reject	16
DPR-0384	RIDL	FS150	EW-REQ1	Support	Adopt	Reject	16
DPR-0260	CRC	143	EW-O1	Support	Retain as notified.	Accept in part	8
DPR-0260	CRC	144	EW-P2	Support	Retain as notified.	Accept	9
DPR-0260	CRC	145	EW-P3	Support	Retain as notified.	Accept	9
DPR-0260	CRC	146	New	Support In Part	Include an advice note or other mechanism that provides clarity that these rules do not apply within the beds of lakes and rivers or within the CMA.	Accept	7
DPR-0422	NCFE	FS191	New	Support	Allow submission point.	Accept	7

DPR-0269	HNZ	026	EW- Overview	Support	Retain the advice note included in the Earthworks Chapter Overview referring to the HNZPTA 2014 as notified.	Accept in Part	7
DPR-0353	Hort NZ	060	New	Support	Insert as follows: <u>Ancillary rural earthworks means any earthworks associated with the maintenance and construction of facilities typically associated with farming activities, including, but not limited to, farm tracks/roads (up to 6m wide), landings, stock races, silage pits, farm drains, farm effluent ponds, feeding pads, fencing and erosion and sediment control measures, and burying of material infected by unwanted organisms (as declared by Ministry for Primary Industries Chief Technical Officer or an emergency declared by the Minister under the Biosecurity Act 1993).</u>	Reject	22
<i>DPR-0142</i>	<i>NZ Pork</i>	<i>FS024</i>	<i>New</i>	<i>Support</i>	<i>Allow in full</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0212</i>	<i>ESAI</i>	<i>FS013</i>	<i>New</i>	<i>Support In Part</i>	<i>Allow in part with 'irrigation infrastructure works' added.</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0372</i>	<i>Dairy Holdings Limited</i>	<i>FS033</i>	<i>New</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0388</i>	<i>Craigmore Farming Services Limited</i>	<i>FS005</i>	<i>New</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS475</i>	<i>New</i>	<i>Oppose In Part</i>	<i>Reject the submission</i>	<i>Allow</i>	<i>22</i>
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS485</i>	<i>New</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Allow</i>	<i>22</i>

DPR-0353	Hort NZ	120	SASM-P1	Support In Part	Amend as follows: ... d. limiting earthworks, <u>other than ancillary rural earthworks</u> , to those areas that have been previously disturbed by cultivation, building foundations or other earthworks, and controlling the depth of any excavation;	Reject	25
DPR-0372	Dairy Holdings Limited	FS039	SASM-P1	Support	Accept the submission.	Reject	25
DPR-0407	Forest & Bird	FS487	SASM-P1	Oppose	Reject the submission	Accept	25
DPR-0422	NCCF	FS235	SASM-P1	Support	Allow the submission point	Reject	25
DPR-0353	Hort NZ	165	EW-O1	Support	Amend as follows: Enable temporary, small-scale earthworks activities, <u>including ancillary rural earthworks</u> , while managing those with the potential to create adverse visual amenity, sediment, and nuisance effects beyond site boundaries.	Reject	22
DPR-0407	Forest & Bird	FS491	EW-O1	Oppose	Reject the submission	Accept	22
DPR-0422	NCCF	FS046	EW-O1	Support	Allow the submission point	Reject	22
DPR-0353	Hort NZ	201	EW-REQ3	Oppose In Part	Insert a permitted activity rule for ancillary rural earthworks that is not subject to EW-REQ3.	Reject	25
DPR-0372	Dairy Holdings Limited	FS040	EW-REQ3	Support	Accept the submission.	Reject	25
DPR-0388	Craigmore Farming Services Limited	FS009	EW-REQ3	Support	Accept the submission.	Reject	25
DPR-0407	Forest & Bird	FS495	EW-REQ3	Oppose	Reject the submission	Accept	25

DPR-0353	Hort NZ	202	EW-REQ4	Oppose In Part	Amend as follows: 1. No more than twelve months after the earthworks commenced and on completion of the earthworks, the area of land disturbed as a result of earthworks activities is to be built upon, sealed with hardstand material, landscaped, or recontoured and replanted or <u>other erosion resistant state.</u>	Reject	19
DPR-0215	Winstone Aggregates	FS024	EW-REQ4	Support	Accept the submission.	Reject	19
DPR-0422	NCFF	FS045	EW-REQ4	Support	Allow the submission point	Reject	19
DPR-0353	Hort NZ	203	EW-Overview	Support	Retain as notified	Accept in part	7
DPR-0353	Hort NZ	204	EW-O1	Support	Amend as follows: Enable temporary, small-scale earthworks activities, <u>including ancillary rural earthworks</u> , while managing those with the potential to create adverse visual amenity, sediment, and nuisance effects beyond site boundaries.	Reject	22
DPR-0407	Forest & Bird	FS491	EW-O1	Oppose	Reject the submission	Accept	22
DPR-0422	NCFF	FS046	EW-O1	Support	Allow the submission point	Reject	22
DPR-0353	Hort NZ	205	EW-P4	Oppose In Part	Amend to recognise that during earthworks it may in some cases be appropriate that there are effects on short-term amenity - however require mitigation of effects.	Accept	9
DPR-0358	RWRL	FS146	EW-P4	Support	Adopt	Accept	9
DPR-0363	IRHL	FS146	EW-P4	Support	Adopt	Accept	9
DPR-0374	RIHL	FS146	EW-P4	Support	Adopt	Accept	9
DPR-0384	RIDL	FS146	EW-P4	Support	Adopt	Accept	9

DPR-0353	Hort NZ	206	New	Support	Insert as follows: <u>Enable earthworks where they support rural activities, including ancillary rural earthworks.</u>	Reject	22
DPR-0372	Dairy Holdings Limited	FS041	New	Support	Accept the submission.	Reject	22
DPR-0388	Craigmore Farming Services Limited	FS010	New	Support	Accept the submission.	Reject	22
DPR-0407	Forest & Bird	FS492	New	Oppose	Reject the submission	Accept	22
DPR-0353	Hort NZ	207	New	Support	Insert as follows: <u>EW-RX Ancillary Rural Earthworks General Rural Zone</u> Activity status: PER <u>Ancillary rural earthworks</u>	Reject	22
DPR-0212	ESAI	FS080	New	Support	Allow in full	Reject	22
DPR-0372	Dairy Holdings Limited	FS042	New	Support	Accept the submission.	Reject	22
DPR-0388	Craigmore Farming Services Limited	FS011	New	Support	Accept the submission.	Reject	22
DPR-0407	Forest & Bird	FS824	New	Oppose	Reject the submission	Accept	22
DPR-0353	Hort NZ	208	EW-R2	Support	Retain as notified, subject to a specific permitted activity rule for ancillary rural earthworks.	Reject	22
DPR-0407	Forest & Bird	FS493	EW-R2	Oppose	Reject the submission	Accept	22
DPR-0353	Hort NZ	209	EW-REQ1	Oppose In Part	Insert a permitted activity rule for ancillary rural earthworks that is not subject to a volume based permitted activity standard.	Reject	22
DPR-0212	ESAI	FS081	EW-REQ1	Support	Allow in full	Reject	22
DPR-0372	Dairy Holdings Limited	FS043	EW-REQ1	Support	Accept the submission.	Reject	22
DPR-0388	Craigmore Farming Services Limited	FS012	EW-REQ1	Support	Accept the submission.	Reject	22
DPR-0407	Forest & Bird	FS494	EW-REQ1	Oppose	Reject the submission	Accept	22
DPR-0356	Aggregate and Quarry Association	006	EW-P4	Oppose	Reword the policy to remove ambiguity	Accept	9

DPR-0358	RWRL	FS147	EW-P4	Support	Adopt	Accept	9
DPR-0363	IRHL	FS147	EW-P4	Support	Adopt	Accept	9
DPR-0374	RIHL	FS147	EW-P4	Support	Adopt	Accept	9
DPR-0384	RIDL	FS147	EW-P4	Support	Adopt	Accept	9
DPR-0358	RWRL	242	EW-Overview	Support	Retain as notified	Accept in part	7
DPR-0358	RWRL	243	EW-O1	Support In Part	Amend as follows: Earthworks are undertaken in a manner that <u>avoids significant and manages other limits</u> adverse effects on the surrounding environment.	Accept in part	8
DPR-0414	Kāinga Ora	FS023	EW-O1	Support In Part	Not specified	Accept in part	8
DPR-0358	RWRL	244	EW-P1	Support	Retain as notified	Accept	9
DPR-0358	RWRL	245	EW-P2	Support In Part	Amend as follows: <u>Control, and where necessary restrict</u> Restrict earthworks on steeper slopes and at high altitudes to maintain the landscape character and reduce the likelihood of land slipping or slumping.	Reject	9
DPR-0358	RWRL	246	EW-P3	Support	Retain as notified	Accept	9
DPR-0358	RWRL	247	EW-P4	Support In Part	Amend as follows: Require that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks <u>is appropriately managed, accounting for does not detract from</u> the amenity values and quality of the environment.	Accept in Part	9
DPR-0358	RWRL	248	EW-R1	Support	Retain as notified	Accept	10
DPR-0358	RWRL	249	EW-R2	Support	Retain as notified	Accept	11

DPR-0358	RWRL	250	EW-R5	Support	Retain as notified	Accept	12
DPR-0358	RWRL	251	EW-R6	Support	Retain as notified	Accept	13
DPR-0358	RWRL	252	EW-R7	Support	Retain as notified	Accept	14
DPR-0358	RWRL	253	EW-REQ1	Support In Part	Amend Table 1: Earthworks Volume by Zone as follows: Large Format Retail Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u> General Industrial Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u>	Reject	16
<i>DPR-0375</i>	<i>NZTA</i>	<i>FS156</i>	<i>EW-REQ1</i>	<i>Oppose In Part</i>	<i>Council should consider carefully the appropriateness of the proposed increase and whether these earthworks volumes can be suitably managed through permitted activity standards.</i>	<i>Accept</i>	<i>16</i>
DPR-0358	RWRL	254	EW-REQ2	Support	Retain as notified	Accept	17
DPR-0358	RWRL	255	EW-REQ3	Support	Retain as notified	Accept in Part	18
DPR-0358	RWRL	256	EW-REQ4	Support	Retain as notified	Accept in Part	19
DPR-0358	RWRL	257	EW-REQ5	Support	Retain as notified	Accept in Part	20
DPR-0358	RWRL	416	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Reject	21

DPR-0032	CCC	FS202	Non-notification clauses	Oppose In Part	Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.	Accept	21
DPR-0298	Trices Road	FS933	Non-notification clauses	Support	Accept submission	Reject	21
DPR-0371	CIAL	FS054	Non-notification clauses	Support In Part	Accept in part	Reject	21
DPR-0375	NZTA	FS340	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Accept	21
DPR-0414	Kāinga Ora	FS127	Non-notification clauses	Support	Not Specified	Reject	21
DPR-0453	LPC	FS054	Non-notification clauses	Support In Part	Accept in part	Reject	21
DPR-0456	Four Stars & Gould	FS023	Non-notification clauses	Support	Accept submission	Reject	21
DPR-0363	IRHL	231	EW-Overview	Support	Retain as notified	Accept in part	7
DPR-0363	IRHL	232	EW-O1	Support In Part	Amend as follows: Earthworks are undertaken in a manner that <u>avoids significant and manages other limits</u> adverse effects on the surrounding environment.	Accept in part	8
DPR-0363	IRHL	233	EW-P1	Support	Retain as notified	Accept	9



DPR-0363	IRHL	234	EW-P2	Support In Part	Amend as follows: <u>Control, and where necessary restrict</u> <del>Restrict</del> earthworks on steeper slopes and at high altitudes to maintain the landscape character and reduce the likelihood of land slipping or slumping.	Reject	9
DPR-0363	IRHL	235	EW-P3	Support	Retain as notified	Accept	9
DPR-0363	IRHL	236	EW-P4	Support In Part	Amend as follows: Require that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks is <u>appropriately managed, accounting for</u> <del>does not detract from</del> the amenity values and quality of the environment.	Accept in Part	9
DPR-0363	IRHL	237	EW-R1	Support	Retain as notified	Accept	10
DPR-0363	IRHL	238	EW-R2	Support	Retain as notified	Accept	11
DPR-0363	IRHL	239	EW-R5	Support	Retain as notified	Accept	12
DPR-0363	IRHL	240	EW-R6	Support	Retain as notified	Accept	13
DPR-0363	IRHL	241	EW-R7	Support	Retain as notified	Accept	14
DPR-0363	IRHL	242	EW-REQ1	Support In Part	Amend Table 1: Earthworks Volume by Zone as follows: Large Format Retail Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u> General Industrial Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u>	Reject	16

DPR-0375	NZTA	FS157	EW-REQ1	Oppose In Part	<i>Council should consider carefully the appropriateness of the proposed increase and whether these earthworks volumes can be suitably managed through permitted activity standards.</i>	Accept	16
DPR-0363	IRHL	243	EW-REQ2	Support	Retain as notified	Accept	17
DPR-0363	IRHL	244	EW-REQ3	Support	Retain as notified	Accept in Part	18
DPR-0363	IRHL	245	EW-REQ4	Support	Retain as notified	Accept in Part	19
DPR-0363	IRHL	246	EW-REQ5	Support	Retain as notified	Accept in Part	20
DPR-0363	IRHL	436	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Reject	21
DPR-0032	CCC	FS231	Non-notification clauses	Oppose In Part	<i>Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.</i>	Accept	21
DPR-0298	Trices Road	FS962	Non-notification clauses	Support	Accept submission	Reject	21
DPR-0371	CIAL	FS152	Non-notification clauses	Support In Part	Accept in part	Reject	21

DPR-0375	NZTA	FS342	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Accept	21
DPR-0414	Kāinga Ora	FS156	Non-notification clauses	Support	Not Specified	Reject	21
DPR-0422	NCFF	FS209	Non-notification clauses	Support In Part	Allow the submission on controlled activity. Disallow the submission point that notification is not required for all restricted discretionary applications.	Reject	21
DPR-0453	LPC	FS150	Non-notification clauses	Support In Part	Accept in part	Reject	21
DPR-0456	Four Stars & Gould	FS052	Non-notification clauses	Support	Accept submission	Reject	21
DPR-0365	Stuart PC Limited	040	EW-REQ1	Oppose In Part	Amend the earthworks provisions to better recognise that earthworks occur differently on large sites and where adjoining sites are held in single ownership. The 1000m3 limit should be able to be combined where adjoining sites are in single ownership or a larger amount applied to larger sites.	Reject	16
DPR-0358	RWRL	FS151	EW-REQ1	Support	Adopt	Reject	16
DPR-0363	IRHL	FS151	EW-REQ1	Support	Adopt	Reject	16
DPR-0374	RIHL	FS151	EW-REQ1	Support	Adopt	Reject	16
DPR-0384	RIDL	FS151	EW-REQ1	Support	Adopt	Reject	16
DPR-0422	NCFF	FS153	EW-REQ1	Support	Allow submission point.	Reject	16

DPR-0367	Orion	113	New	Neither Support Nor Oppose	Insert as follows: <u>Earthworks facilitate the provision of important infrastructure.</u>	Reject	8
DPR-0375	NZTA	FS158	New	Support	Accept – though could be amended to refer to regionally significant infrastructure.	Reject	8
DPR-0407	Forest & Bird	FS682	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0422	NCCF	FS082	New	Oppose In Part	Disallow in full.	Accept	8
DPR-0367	Orion	114	New	Neither Support Nor Oppose	Insert as follows: <u>Avoid earthworks and land disturbance activities within the vicinity of Significant Electricity Distribution Lines.</u>	Reject	9
DPR-0353	Hort NZ	FS025	New	Oppose In Part	Reject inclusion of land disturbance activities	Accept in part	9
DPR-0375	NZTA	FS159	New	Oppose	Reject or amend to include an exception for other infrastructure works.	Accept	9
DPR-0407	Forest & Bird	FS683	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	9
DPR-0414	Kāinga Ora-	FS027	New	Oppose	Not specified	Accept	9
DPR-0422	NCCF	FS083	New	Oppose In Part	Disallow in part. There should be some management regime but not outright avoidance.	Accept	9

DPR-0367	Orion	115	New	Neither Support Nor Oppose	Insert a new policy as follows: <u>Recognise that earthworks are necessary for subdivision, use and development, the provision of important infrastructure and hazard mitigation.</u>	Reject	9
DPR-0375	NZTA	FS160	New	Support	Include as proposed by the submitter or amend to refer to regionally significant infrastructure.	Reject	9
DPR-0407	Forest & Bird	FS684	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	9
DPR-0422	NCFF	FS084	New	Oppose In Part	Disallow in part. The terminology 'important infrastructure' should be replaced with critical or regionally significant infrastructure.	Accept	9

DPR-0367	Orion	117	New	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>Earthworks, Land disturbance and Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Earthworks or land disturbance in the vicinity of Significant Electricity Distribution Lines.</u></p> <p><u>Where:</u></p> <p><u>a. Earthworks are undertaken for a network utility required for an electricity distribution activity near a Significant Electricity Distribution Line</u></p> <p><u>b. Land disturbance undertaken as part of agricultural or domestic cultivation near a Significant Electricity Distribution Line</u></p> <p><u>c. Land Disturbance as part of the repair, sealing or resealing of a road, footpath, drive or farm track near a Significant Electricity Distribution Line</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>2. Earthworks or land disturbance near the Significant Electricity Distribution Line (Islington to Springston) not permitted above.</u></p> <p><u>Where:</u></p> <p><u>a. The activity is setback at least 10m from the centreline of as shown on the planning maps or;</u></p> <p><u>b. Meet the following</u></p>	Support in Part	15
----------	-------	-----	-----	----------------------------	---	-----------------	----

					<p><u>requirements:</u></p> <p><u>i. be no deeper than 300mm within 6 metres of a foundation of the electricity distribution line support structure; and</u></p> <p><u>ii. be no deeper than 3m between 6 and 10 metres from the foundation of the electricity distribution line support structure; and</u></p> <p><u>iii. not destabilise an electricity distribution line support structure; and</u></p> <p><u>iv. not result in a reduction in the ground to conductor clearing distances below what is required by Table 4 in the NZECP 34:2001.</u></p> <p><u>c. The earthworks meet the requirements of the New Zealand Electrical Code of Practice for Electrical Safe Distances (NZECP34.2001);</u></p> <p><u>Activity Status when Compliance not achieved with clauses a, b and c above: NC</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>3. Earthworks or land disturbance near Other Significant Electricity Distribution Lines not permitted above.</u></p> <p><u>Where:</u></p> <p><u>a. The activity is setback at least 5m from the centreline of the Significant Electricity Distribution Line as shown on the planning</u></p>		
--	--	--	--	--	--	--	--

					<p>maps or;</p> <p><u>b. Meet the following requirements:</u></p> <p><u>i. be no deeper than 300mm within 2.2m metres of a foundation of the electricity distribution line support structure; and</u></p> <p><u>ii. be no deeper than 0.75m between 2.2 and 5 metres from the foundation of a theelectricity distribution linesupport structure; and</u></p> <p><u>iii. not destabilise anelectricity distribution linesupport structure; and</u></p> <p><u>iv. does not result in a reduction in the ground to conductor clearing distances below what is required by Table 4 in theNZECP 34:2001.</u></p> <p><u>v. The earthworks meet the requirements of the New Zealand Electrical Code of Practice for Electrical Safe Distances (NZECP34.2001);</u></p> <p><u>c. The earthworks meet the requirements of the New Zealand Electrical Code of Practice for Electrical Safe Distances (NZECP34.2001);</u></p> <p><u>Activity Status when Compliance not achieved with clauses a, b and c above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from EW-</u></p>		
--	--	--	--	--	---	--	--



					<u>RXX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u>		
DPR-0353	Hort NZ	FS026	New	Oppose	Reject	Accept	15
DPR-0407	Forest & Bird	FS686	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	15
DPR-0414	Kāinga Ora	FS028	New	Oppose	Not specified	Accept	15
DPR-0422	NCFF	FS085	New	Oppose	Disallow the submission point.	Accept	15
DPR-0439	Rayonier Matariki Forests	FS021	New	Oppose	Decline	Accept	15
DPR-0370	Fonterra	059	EW-REQ3	Oppose In Part	Amend as follows: All zones excluding PORTZ and <u>DPZ</u> PORTZ and <u>DPZ</u>	Accept	23
DPR-0209	M Singh	FS791	EW-REQ3	Oppose In Part	Reject submission in part	Reject	23
DPR-0372	Dairy Holdings Limited	090	EW-O1	Neither Support Nor Oppose	Retain as notified	Accept in part	8
DPR-0372	Dairy Holdings Limited	091	EW-P1	Support	Retain as notified	Accept	9
DPR-0372	Dairy Holdings Limited	092	EW-P2	Neither Support Nor Oppose	Retain as notified	Accept	9
DPR-0372	Dairy Holdings Limited	093	EW-P3	Support	Retain as notified	Accept	9

DPR-0372	Dairy Holdings Limited	094	EW-P4	Support In Part	Amend as follows: <del>Require</del> <u>Ensure</u> that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks does not detract from the amenity values and quality of the environment.	Reject	9
DPR-0372	Dairy Holdings Limited	095	EW-R1	Support	Retain as notified	Accept	10
DPR-0372	Dairy Holdings Limited	096	EW-R2	Support	Retain provided the relief sought in relation to DPR-0372.098 is granted.	Accept in Part	11
DPR-0372	Dairy Holdings Limited	097	EW-R7	Support	Retain as notified	Accept	14
DPR-0372	Dairy Holdings Limited	098	EW-REQ1	Oppose In Part	Amend to exclude earthworks undertaken for the installation, maintenance and operation of irrigation infrastructure, or undertaken pursuant to an authorisation under the Flood Protection bylaw.	Reject	16
<i>DPR-0422</i>	<i>NCFF</i>	<i>FS104</i>	<i>EW-REQ1</i>	<i>Support</i>	<i>Allow the submission point</i>	<i>Reject</i>	<i>16</i>
DPR-0372	Dairy Holdings Limited	099	EW-REQ2	Support	Retain as notified	Accept	17
DPR-0372	Dairy Holdings Limited	100	EW-REQ3	Support	Retain as notified	Accept in Part	18
DPR-0374	RIHL	237	EW-Overview	Support	Retain as notified	Accept in part	7
DPR-0374	RIHL	238	EW-O1	Support In Part	Amend as follows: Earthworks are undertaken in a manner that <u>avoids significant and manages other</u> <del>limits</del> adverse effects on the surrounding environment.	Accept in part	8

DPR-0375	NZTA	FS161	EW-O1	Support	Consider amending to reflect the requested wording, or similar.	Accept	8
DPR-0374	RIHL	239	EW-P1	Support	Retain as notified	Accept	9
DPR-0374	RIHL	240	EW-P2	Support In Part	Amend as follows: <u>Control, and where necessary restrict</u> <del>Restrict</del> earthworks on steeper slopes and at high altitudes to maintain the landscape character and reduce the likelihood of land slipping or slumping.	Reject	9
DPR-0374	RIHL	241	EW-P3	Support	Retain as notified	Accept	9
DPR-0374	RIHL	242	EW-P4	Support In Part	Amend as follows: Require that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks <u>is appropriately managed, accounting for</u> <del>does not detract from</del> the amenity values and quality of the environment.	Accept in Part	9
DPR-0374	RIHL	243	EW-R1	Support	Retain as notified	Accept	10
DPR-0374	RIHL	244	EW-R2	Support	Retain as notified	Accept	11
DPR-0374	RIHL	245	EW-R5	Support	Retain as notified	Accept	12
DPR-0374	RIHL	246	EW-R6	Support	Retain as notified	Accept	13
DPR-0374	RIHL	247	EW-R7	Support	Retain as notified	Accept	14
DPR-0374	RIHL	248	EW-REQ1	Support In Part	Amend Table 1: Earthworks Volume by Zone as follows: Large Format Retail Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u> General Industrial Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u>	Reject	16

DPR-0375	NZTA	FS162	EW-REQ1	Oppose In Part	<i>Council should consider carefully the appropriateness of the proposed increase and whether these earthworks volumes can be suitably managed through permitted activity standards.</i>	Accept	16
DPR-0374	RIHL	249	EW-REQ2	Support	Retain as notified	Accept	17
DPR-0374	RIHL	250	EW-REQ3	Support	Retain as notified	Accept in Part	18
DPR-0374	RIHL	251	EW-REQ4	Support	Retain as notified	Accept in Part	19
DPR-0374	RIHL	252	EW-REQ5	Support	Retain as notified	Accept in Part	20
DPR-0374	RIHL	482	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Reject	21
DPR-0032	CCC	FS269	Non-notification clauses	Oppose In Part	<i>Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.</i>	Reject	21
DPR-0298	Trices Road	FS996	Non-notification clauses	Support	Accept submission	Accept	21
DPR-0371	CIAL	FS083	Non-notification clauses	Support In Part	Accept in part	Reject	21

<i>DPR-0375</i>	<i>NZTA</i>	<i>FS343</i>	<i>Non-notification clauses</i>	<i>Oppose</i>	<i>Retain relevant provisions without a non-notification clause.</i>	<i>Reject</i>	<i>21</i>
<i>DPR-0414</i>	<i>Kāinga Ora</i>	<i>FS190</i>	<i>Non-notification clauses</i>	<i>Support</i>	<i>Not Specified</i>	<i>Accept</i>	<i>21</i>
<i>DPR-0453</i>	<i>LPC</i>	<i>FS083</i>	<i>Non-notification clauses</i>	<i>Support In Part</i>	<i>Accept in part</i>	<i>Reject</i>	<i>21</i>
<i>DPR-0456</i>	<i>Four Stars &amp; Gould</i>	<i>FS086</i>	<i>Non-notification clauses</i>	<i>Support</i>	<i>Accept submission</i>	<i>Reject</i>	<i>21</i>
<i>DPR-0381</i>	<i>Coleridge Downs Limited</i>	<i>010</i>	<i>EW-R2</i>	<i>Support</i>	<i>Retain as notified</i>	<i>Accept</i>	<i>11</i>
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS517</i>	<i>EW-R2</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Reject</i>	<i>11</i>

DPR-0383	Z Energy Limited, BP Oil New Zealand Limited & Mobil Oil New Zealand Limited	017	EW-Overview	Support In Part	Amend Overview as follows: Resource consents may also be required for earthworks associated with <u>under removal of contaminants regulated by the Resource Management (National Environmental Standard for Assessing and Managing Contaminants in Soil to Protect Human Health) Regulations 2011. In particular the NES applies to the removal or replacement of fuel storage tanks, sampling or disturbance of land identified in the current edition of the Hazardous Activities and Industries List. In such situations Where the provisions of the NES apply, not the District Plan earthworks provisions do not apply.</u>	Reject	7
DPR-0383	Z Energy Limited, BP Oil New Zealand Limited & Mobil Oil New Zealand Limited	018	EW-REQ3	Oppose In Part	Amend EW-REQ3 as follows: All <u>imported filling of land</u> shall consist of cleanfill material only	Reject	18
DPR-0358	RWRL	FS153	EW-REQ3	Support	Adopt	Reject	18
DPR-0363	IRHL	FS153	EW-REQ3	Support	Adopt	Reject	18
DPR-0374	RIHL	FS153	EW-REQ3	Support	Adopt	Reject	18
DPR-0384	RIDL	FS153	EW-REQ3	Support	Adopt	Reject	18
DPR-0384	RIDL	249	EW-Overview	Support	Retain as notified.	Accept in part	7

DPR-0384	RIDL	250	EW-O1	Support In Part	Amend as follows: Earthworks are undertaken in a manner that <u>avoids significant and manages other limits</u> adverse effects on the surrounding environment.	Accept in part	8
DPR-0384	RIDL	251	EW-P1	Support	Retain as notified	Accept	9
DPR-0384	RIDL	252	EW-P2	Support In Part	Amend as follows: <u>Control, and where necessary restrict</u> Restrict earthworks on steeper slopes and at high altitudes to maintain the landscape character and reduce the likelihood of land slipping or slumping.	Reject	9
DPR-0384	RIDL	253	EW-P3	Support	Retain as notified	Accept	9
DPR-0384	RIDL	254	EW-P4	Support In Part	Amend as follows: Require that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks <u>is appropriately managed, accounting for</u> <del>does not detract from</del> the amenity values and quality of the environment.	Accept in Part	9
DPR-0384	RIDL	255	EW-R1	Support	Retain as notified	Accept	10
DPR-0384	RIDL	256	EW-R2	Support	Retain as notified	Accept	11
DPR-0384	RIDL	257	EW-R5	Support	Retain as notified	Accept	12
DPR-0384	RIDL	258	EW-R6	Support	Retain as notified	Accept	13
DPR-0384	RIDL	259	EW-R7	Support	Retain as notified	Accept	14

DPR-0384	RIDL	260	EW-REQ1	Support In Part	Amend Table 1: Earthworks Volume by Zone as follows: Large Format Retail Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u> General Industrial Zone <del>1,000m<sup>3</sup> per site</del> <u>5,000m<sup>3</sup> per hectare of site area</u>	Reject	16
DPR-0375	NZTA	FS163	EW-REQ1	Oppose In Part	<i>Council should consider carefully the appropriateness of the proposed increase and whether these earthworks volumes can be suitably managed through permitted activity standards.</i>	Accept	16
DPR-0384	RIDL	261	EW-REQ2	Support	Retain as notified	Accept	17
DPR-0384	RIDL	262	EW-REQ3	Support	Retain as notified	Accept in Part	18
DPR-0384	RIDL	263	EW-REQ4	Support	Retain as notified	Accept in Part	19
DPR-0384	RIDL	264	EW-REQ5	Support	Retain as notified	Accept in Part	20
DPR-0384	RIDL	515	Non-notification clauses	Oppose	Insert the following words, or words to the like effect, to all controlled and restricted discretionary activity rules: <u>Applications shall not be limited or publicly notified, on the basis of effects associated specifically with this rule and the associated matters of control or discretion.</u>	Reject	21
DPR-0032	CCC	FS304	Non-notification clauses	Oppose In Part	<i>Do not limit notification where neighbouring properties, communities, or the wider district are potentially directly affected and the adverse effects are potentially more than minor or where the Act requires notification.</i>	Accept	21



DPR-0298	Trices Road	FS1023	Non-notification clauses	Support	Accept submission	Reject	21
DPR-0371	CIAL	FS116	Non-notification clauses	Support In Part	Accept in part	Reject	21
DPR-0375	NZTA	FS344	Non-notification clauses	Oppose	Retain relevant provisions without a non-notification clause.	Accept	21
DPR-0414	Kāinga Ora	FS224	Non-notification clauses	Support	Not Specified	Reject	21
DPR-0453	LPC	FS116	Non-notification clauses	Support In Part	Accept in part	Reject	21
DPR-0456	Four Stars & Gould	FS120	Non-notification clauses	Support	Accept the submission	Reject	21
DPR-0388	Craigmore Farming Services Limited	048	EW-P4	Support In Part	Amend as follows: <del>Require</del> <u>Ensure</u> that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading from earthworks does not detract from the amenity values and quality of the environment.	Reject	9
DPR-0388	Craigmore Farming Services Limited	049	EW-R2	Support	Retain as notified provided the relief sought in relation to EW-REQ1 is granted.	Accept in Part	11

DPR-0388	Craigmore Farming Services Limited	050	EW-REQ1	Oppose In Part	Amend to exclude earthworks undertaken for the installation, maintenance and operation of irrigation infrastructure, or undertaken pursuant to an authorisation under the Flood Protection bylaw.	Reject	16
DPR-0390	RIL	067	EW-O1	Neither Support Nor Oppose	Retain as notified.	Accept in part	8
DPR-0390	RIL	068	EW-P1	Neither Support Nor Oppose	Retain as notified.	Accept	9
DPR-0390	RIL	069	EW-P2	Neither Support Nor Oppose	Retain as notified.	Accept	9
DPR-0390	RIL	070	EW-P3	Neither Support Nor Oppose	Retain as notified.	Accept	9
DPR-0390	RIL	071	EW-P4	Neither Support Nor Oppose	Retain as notified.	Accept in Part	9
DPR-0390	RIL	072	EW-R1	Support	Retain as notified.	Accept	10
DPR-0390	RIL	073	EW-R2	Support	Retain as notified provided, the relief sought in relation to EW-REQ1 is granted.	Accept in Part	11
DPR-0390	RIL	074	EW-R7	Support	Retain as notified.	0367	14

DPR-0390	RIL	075	EW-REQ1	Oppose In Part	Amend EW-REQ1 to exclude earthworks undertaken for the installation, maintenance and operation of irrigation infrastructure, or undertaken pursuant to an authorisation under the Flood Protection and Drainage Bylaw 2013 (amended January 2019) or any successor document.	Reject	2
DPR-0390	RIL	076	EW-REQ2	Support	Retain as notified.	Accept	17
DPR-0390	RIL	077	EW-REQ3	Support	Retain as notified.	Accept in Part	18
DPR-0390	RIL	078	EW-REQ4	Support	Retain as notified.	Accept in Part	19
DPR-0390	RIL	079	EW-REQ5	Support	Retain as notified.	Accept in Part	20
DPR-0414	Kāinga Ora	063	NH-R3	Support In Part	Shift the earthworks provision to the Earthworks chapter	Accept	26
DPR-0414	Kāinga Ora	133	SUB-REQ12	Oppose	Delete as notified	Accept	25
<i>DPR-0157</i>	<i>Kevin &amp; Bonnie Williams</i>	<i>FS199</i>	<i>SUB-REQ12</i>	<i>Oppose In Part</i>	<i>Reject the submission in part</i>	<i>Reject</i>	<i>25</i>
<i>DPR-0209</i>	<i>Manmeet Singh</i>	<i>FS389</i>	<i>SUB-REQ12</i>	<i>Oppose In Part</i>	<i>Reject the submission in part</i>	<i>Reject</i>	<i>25</i>
<i>DPR-0298</i>	<i>Trices Road Re-zoning Group</i>	<i>FS159</i>	<i>SUB-REQ12</i>	<i>Oppose In Part</i>	<i>Reject submission</i>	<i>Reject</i>	<i>25</i>
<i>DPR-0358</i>	<i>Rolleston West Residential Limited (RWRL)</i>	<i>FS142</i>	<i>SUB-REQ12</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>25</i>
<i>DPR-0363</i>	<i>Iport Rolleston Holdings Limited (IRHL)</i>	<i>FS142</i>	<i>SUB-REQ12</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>25</i>
<i>DPR-0374</i>	<i>Rolleston Industrial Holdings Limited (RIHL)</i>	<i>FS142</i>	<i>SUB-REQ12</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept</i>	<i>25</i>
<i>DPR-0375</i>	<i>Waka Kotahi NZ Transport Agency</i>	<i>FS154</i>	<i>SUB-REQ12</i>	<i>Oppose</i>	<i>Retain as notified.</i>	<i>Reject</i>	<i>25</i>

DPR-0384	Rolleston Industrial Developments Limited (RIDL)	FS142	SUB-REQ12	Support	Adopt	Accept	25
DPR-0461	Dunweavin 2020 Ltd	FS185	SUB-REQ12	Oppose In Part	Reject submission	Reject	25
DPR-0492	Kevler Development Ltd	FS555	SUB-REQ12	Oppose In Part	Reject submission points in part	Reject	25
DPR-0493	Gallina Nominees Ltd & Heinz-Wattie Ltd Pension Plan	FS179	SUB-REQ12	Oppose In Part	Reject the submission points in part.	Reject	25
DPR-0565	Shelley Street Holdings Ltd	FS070	SUB-REQ12	Support In Part	Support the submission subject to amendments to the MDRZ boundary at Rolleston to include properties on the east side of George Street including no. 30 George Street & any other amendments/changes to the relevant provisions as are consistent with enabling our MDH proposal.	Accept	25
DPR-0420	Synlait Milk Limited	006	EW-R1	Oppose In Part	Amend as follows: <del>And this activity complies with the following rule requirements: EW REQ3 — Excavation and filling</del>	Accept in Part	23
DPR-0370	Fonterra	FS015	EW-R1	Support	Accept the submission.	Accept in Part	23
DPR-0375	NZTA	FS164	EW-R1	Oppose	Retain as notified.	Reject	23
DPR-0420	Synlait Milk Limited	007	EW-R4	Oppose In Part	Amend as follows: <del>And this activity complies with the following rule requirements: EW REQ3 — Excavation and filling</del>	Accept in Part	23
DPR-0370	Fonterra	FS016	EW-R4	Support	Accept the submission.	Accept in Part	23
DPR-0375	NZTA	FS165	EW-R4	Oppose	Retain as notified.	Reject	23
DPR-0420	Synlait Milk Limited	008	EW-REQ3	Oppose In Part	Amend as follows: All Zones excluding PORTZand DPZ PORTZand DPZ.	Accept in Part	23

DPR-0422	NCFE	226	EW-Overview	Support	Retain as notified	Accept in part	7
DPR-0422	NCFE	227	EW-O1	Support In Part	Amend as follows: Earthworks are undertaken in a manner that is appropriate for its limits adverse effects on the surrounding environment.	Accept in part	8
<i>DPR-0358</i>	<i>RWRL</i>	<i>FS143</i>	<i>EW-O1</i>	<i>Support</i>	<i>Adopt</i>	Accept in part	8
<i>DPR-0363</i>	<i>IRHL</i>	<i>FS143</i>	<i>EW-O1</i>	<i>Support</i>	<i>Adopt</i>	Accept in part	8
<i>DPR-0374</i>	<i>RIHL</i>	<i>FS143</i>	<i>EW-O1</i>	<i>Support</i>	<i>Adopt</i>	Accept in part	8
<i>DPR-0384</i>	<i>RIDL</i>	<i>FS143</i>	<i>EW-O1</i>	<i>Support</i>	<i>Adopt</i>	Accept in part	8
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS142</i>	<i>EW-O1</i>	<i>Oppose In Part</i>	<i>Reject the submission</i>	<i>Reject</i>	8
DPR-0422	NCFE	228	EW-P1	Support	Amend as follows: Enable temporary, small-scale earthworks activities, <u>including ancillary rural earthworks</u> , while managing those with the potential to create adverse visual amenity, sediment, and nuisance effects beyond site boundaries.	Reject	22
<i>DPR-0142</i>	<i>NZ Pork</i>	<i>FS018</i>	<i>EW-P1</i>	<i>Support</i>	<i>Allow in full</i>	<i>Reject</i>	22
DPR-0422	NCFE	229	EW-P2	Oppose	Delete as notified	Reject	9
<i>DPR-0375</i>	<i>NZTA</i>	<i>FS166</i>	<i>EW-P2</i>	<i>Oppose</i>	<i>Retain as notified.</i>	<i>Accept</i>	9
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS143</i>	<i>EW-P2</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Accept</i>	9
DPR-0422	NCFE	230	EW-P4	Oppose	Delete as notified.	Reject	9
<i>DPR-0375</i>	<i>NZTA</i>	<i>FS167</i>	<i>EW-P4</i>	<i>Oppose</i>	<i>Retain as notified.</i>	<i>Accept in part</i>	9
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS144</i>	<i>EW-P4</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Accept in part</i>	9

DPR-0422	NCCF	231	EW-P4	Support In Part	Amend to recognise that during earthworks it may in some cases be appropriate that there are effects on short-term amenity, however require mitigation of effects.	Accept in part	9
<i>DPR-0358</i>	<i>RWRL</i>	<i>FS148</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept in part</i>	<i>9</i>
<i>DPR-0363</i>	<i>IRHL</i>	<i>FS148</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept in part</i>	<i>9</i>
<i>DPR-0374</i>	<i>RIHL</i>	<i>FS148</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept in part</i>	<i>9</i>
<i>DPR-0384</i>	<i>RIDL</i>	<i>FS148</i>	<i>EW-P4</i>	<i>Support</i>	<i>Adopt</i>	<i>Accept in part</i>	<i>9</i>
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS145</i>	<i>EW-P4</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Reject</i>	<i>9</i>
DPR-0422	NCCF	232	New	Neither Support Nor Oppose	Insert as follows: <u>Enable earthworks where they support primary production activities, including ancillary rural earthworks.</u>	Reject	22
<i>DPR-0142</i>	<i>NZ Pork</i>	<i>FS019</i>	<i>New</i>	<i>Support</i>	<i>Allow in full</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0372</i>	<i>Dairy Holdings Limited</i>	<i>FS064</i>	<i>New</i>	<i>Support</i>	<i>Accept the submission.</i>	<i>Reject</i>	<i>22</i>
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS146</i>	<i>New</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Accept</i>	<i>22</i>
DPR-0422	NCCF	233	EW-R2	Support	Retain, subject to including a specific rule for ancillary rural earthworks. Make any consequential amendments.	Accept in Part	11
<i>DPR-0407</i>	<i>Forest &amp; Bird</i>	<i>FS147</i>	<i>EW-R2</i>	<i>Oppose</i>	<i>Reject the submission</i>	<i>Reject</i>	<i>11</i>
DPR-0422	NCCF	234	EW-REQ3	Oppose In Part	Amend and make any necessary consequential amendments as follows: 1. Earthworks, <u>excluding ancillary rural earthworks and those earthworks associated with offal pits</u> , shall not exceed a maximum...'	Accept	18

DPR-0142	NZ Pork	FS020	EW-REQ3	Support	Allow in full	Accept	18
DPR-0407	Forest & Bird	FS148	EW-REQ3	Oppose	Reject the submission	Reject	18
DPR-0422	NCCF	235	EW-REQ4	Oppose In Part	Amend by inserting at the end of EW-REQ4 and make any necessary consequential amendments: <u>This requirement does not apply to ancillary rural earthworks associated with offal pits.</u>	Accept	19
DPR-0142	NZ Pork	FS021	EW-REQ4	Support	Allow in full	Accept	19
DPR-0407	Forest & Bird	FS149	EW-REQ4	Oppose	Reject the submission	Reject	19
DPR-0427	DoC	083	EW-O1	Oppose	Amend as follows: Earthworks are undertaken in a manner that <del>limits</del> <u>avoids or minimises</u> adverse effects on the surrounding environment.	Accept in part	8
DPR-0301	UWRG	FS224	EW-O1	Support	Allow in full	Accept in part	8
DPR-0358	RWRL	FS144	EW-O1	Oppose	Reject	Reject	8
DPR-0363	IRHL	FS144	EW-O1	Oppose	Reject	Reject	8
DPR-0374	RIHL	FS144	EW-O1	Oppose	Reject	Reject	8
DPR-0384	RIDL	FS144	EW-O1	Oppose	Reject	Reject	8
DPR-0407	Forest & Bird	FS249	EW-O1	Support	Accept the submission	Accept in part	8
DPR-0422	NCCF	FS023	EW-O1	Oppose	Disallow the submission point	Reject	8
DPR-0427	DoC	084	EW-P3	Support	Retain as notified.	Accept	9
DPR-0301	UWRG	FS225	EW-P3	Support	Allow in full	Accept	9
DPR-0407	Forest & Bird	FS250	EW-P3	Support	Accept the submission	Accept	9
DPR-0439	Rayonier Matariki Forests	003	EW	Oppose	Amend to clearly identify the application of the NESPF where there are rules that affect Plantation Forestry Activities.	Accept in part	7

DPR-0439	Rayonier Matariki Forests	006	EW-R2	Oppose In Part	Amend to insert advice that the provisions do not apply to earthworks in Plantation Forests.	Accept in Part	11
DPR-0441	Trustpower Limited	135	EW-R2	Support In Part	Retain as notified provided that relief sought for the EW-REQs accepted.	Accept in Part	11
DPR-0441	Trustpower Limited	136	EW-REQ1	Support In Part	Amend as follows: Table 1: Earthworks Volumes by Zone General Rural Zone - 250m <sup>3</sup> per hectare of site area ( <u>including adjacent sites of same ownership</u> )	Reject	16
DPR-0453	LPC	051	EW-REQ1	Support	Retain as notified	Accept in Part	16
DPR-0453	LPC	052	EW-REQ2	Support	Retain as notified	Accept	17