Appendix 2: Recommended amendments

Text underlined and highlight in grey relate to changes made in relation to submission points on other chapters.

Overview

| EW-Overview | |
|-------------|---|
| EW- | |
| Overview | While the Canterbury Regional Council has the primary role in respect of discharges to the environment (to air and into waterbodies), |
| | the District Plan can assist by ensuring the adverse effects of any earthworks are minimised beyond the site where the works are |
| | occurring. Land use and discharge consents may also be required from the Canterbury Regional Council (Environment Canterbury) under |
| | either the Land & Water Regional Plan or the Canterbury Air Regional Plan. This Chapter does not apply to earthworks within the beds of |
| | lakes and rivers and the Coastal Marine Area, which are managed under the regional planning framework. ¹ |
| | <u></u> |

Objective

| EW-Objectiv | res . | | | | | | | | | | | | | | |
|-------------|-----------------|------------|----|--------|------|--------|--------|-------------|-----|-----------|--------------------|---------|---------|----|-----|
| EW-O1 | Earthworks are | undertaken | in | manner | that | limits | avoids | significant | and | minimises | other ² | adverse | effects | on | the |
| | surrounding env | vironment. | | | | | | | | | | | | | |

Policies

| EW-Policies | |
|-------------|--|
| EW-P4 | Require that during and on completion of earthworks any visual impact, loss of privacy, dust nuisance, and shading |
| | from earthworks does not detract from the amenity values and quality of the environment |
| | |

¹DPR-0260.146 CRC

² DPR0358.243 RWRL, DPR0363.232 IRHL, DPRDPR0374.238 RIHL, DPR0384.250 RIDL, DPR0422.227 NCFF, DPR0427.083 DoC

| | Minimise any adverse visual impact, loss of privacy, dust nuisance, or shading adverse effects during and on completion of earthworks ³ |
|--------------------|--|
| SUB-P10 | Manage the temporary adverse visual amenity and nuisance effects associated with preparing land for subdivision. ⁵ |
| EW-P5 ⁴ | |

Rules

| EW-Rule List | |
|---------------------|--|
| EW-RX6 ⁶ | Earthworks ⁷ for Subdivision ⁸ |

| EW-R1 | Earthworks subject to a Building Consent | |
|-----------|--|---|
| All Zones | Activity status: PER 1. Earthworks that are or will be subject to a building consent. | Activity status when compliance not achieved: 2. When compliance with EW-R1.1.a. is not achieved: Refer to EW- |
| | Where: a. It occurs within 2m of the outer edge of the exterior wall of the building. | R2. 3. When compliance with any EW Rule Requirement rule requirement 10 listed in this rule is not achieved: Refer to EW-Rule Requirements relevant rule requirement 11. |
| | And this activity complies with the following rule requirements: | |
| | EW-REQ3 – Excavation and filling | |

³ DPR-0353.205 HORTNZ, DPR-0358.247 RWRL, DPR-0374.242 RIHL, DPR-0384.254 RIDL, DPR-0422.230 & 231 Federated Farmers, DPR-0215.039 Winstone, DPR-0217.018 Summerset Villages, and DPR0356.006 Aggregate and Quarry Association

⁴ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁵ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁶ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁷ DPR-0409.015 Hughes, DPR-0410.001 Urban Estates

⁸ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

¹⁰ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

¹¹ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

| | NH-REQ4 Natural Hazards and Earthworks ⁹ | |
|-------------|--|---|
| EW-R2 | Earthworks | |
| All Zones, | Activity status: PER | Activity status when compliance not achieved: |
| except GRAZ | 1. All other Earthworks not covered by EW-R1, EW-R6 ¹² or GRUZ- | 2. When compliance with any EW-Rule Requirement rule |
| and DPZ. | R21 ¹³ | requirement listed in this rule 15 is not achieved: Refer to EW Rule Requirements relevant rule requirement. 16 |
| | And this activity complies with the following rule requirements: | |
| | EW-REQ1 – Volume of Earthworks | |
| | EW-REQ2 – Maximum Slope Gradient | |
| | EW-REQ3 – Excavation and Filling | |
| | EW-REQ4 – Rehabilitation and Reinstatement | |
| | EW-REQ5 – Bunding | |
| | NH-REQ4 Natural Hazards and Earthworks 14 | |
| EW-R3 | Earthworks in the Grasmere Zone | |
| GRAZ | Activity status: PER | Activity status when compliance not achieved: |
| | 1. All other Earthworks not covered by EW-R1, or EW-R6. ¹⁷ | 2. When compliance with EW-R3.1.a. is not achieved: NC |
| | | 3. When compliance with any EW-Rule Requirement listed in this |
| | Where: | rule is not achieved: Refer to EW-Rule Requirements. |
| | a. it is within the Tourist Accommodation Area or the Residential | |
| | Accommodation Area. | |
| | | |

⁹ DPR-0414.63, DPR-0414.067 Kāinga Ora

¹² DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

¹³ DPR-0122.025-027 Frews Quarries

¹⁴ DPR-0414.63, DPR-0414.067 Kāinga Ora

¹⁵ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

¹⁶ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

¹⁷ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

| | And this activity complies with the following rule requirements: | |
|-----------|--|---|
| | EW-REQ1 – Volume of Earthworks | |
| | EW-REQ2 – Maximum Slope Gradient | |
| | EW-REQ3 – Excavation and Filling | |
| | EW-REQ4 – Rehabilitation and Reinstatement | |
| EW-R4 | Earthworks in the Dairy Processing Zone | |
| DPZ | Activity status: PER | Activity status when compliance not achieved: |
| | 1. All other Earthworks not covered by EW-R1 or EW-R6. 18 | 2, When compliance with any EW-Rule Requirement rule requirement 20 listed in this rule is not achieved: Refer to EW |
| | Where this activity complies with the following rule | Rule Requirements relevant rule requirement. ²¹ |
| | requirements: | |
| | NH-REQ4 Natural Hazards and Earthworks 19 | |
| | EW-REQ3.2 – Excavation and Filling | |
| | EW-REQ4 – Rehabilitation and Reinstatement | |
| EW-R5 | Stockpiling | |
| All Zones | Activity status: PER | Activity status when compliance not achieved: |
| | 1. Earthworks stockpiling. | 2. When compliance EW-R5.1.a. is not achieved: RDIS |
| | | 3. When compliance with any rule requirement listed in this rule is |
| | Where: | not achieved: Refer to relevant rule requirement. ²³ |
| | a. all stockpiles greater than 250m³ or 4m in height above natural | |
| | ground level are to be located at least: | Matters for discretion: |
| | i. 100m from any sensitive activity on an adjoining site held | $\frac{3-4^{24}}{4}$. The exercise of discretion in relation to EW-R5.2. is |
| | in different ownership; or | restricted to the following matters: |

¹⁸ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

¹⁹ DPR-0414.63, DPR-0414.067 Kāinga Ora

²⁰ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

²¹ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

²³ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

²⁴ Consequential amendment to DPR-0414.63, DPR-0414.067 Kāinga Ora, for consistency with PDP drafting requirements

| | ii. 100m from the boundary of a Residential, Māori Purpose, Town Centre, Local Commercial, Neighbourhood Commercial, or Knowledge Zone. And this activity complies with the following rule requirements: NH-REQ4 Natural Hazards and Earthworks 22 | a. effects that result from the stockpiling in terms of visual amenity, landscape context and character, views, outlook, overlooking and privacy. b. the effectiveness of proposed management or mitigation measures to minimise any potential adverse effects beyond the property boundary of the activity. |
|----------------------------|--|---|
| <u>EW-R6</u> ²⁵ | Earthworks ²⁶ for Subdivision ²⁷ | |
| All Zones ²⁸ | Activity status: PER ²⁹ | Activity status when compliance not achieved: |
| | 1. Earthworks ³⁰ directly associated with the development of land | 2. When compliance with any of EW-R6.1 is not achieved: RDIS |
| | for subdivision ³¹ | 3. When compliance with any EW-Rule or NH-Rule Requirement |
| | | listing in this rule is not achieved: Refer to relevant Rule |
| | Where: | Requirements ³⁹ |
| | a. The maximum area of land subject to the works is 1,000m ² . 32 | |
| | And where this activity complies with the following rule | Matters for discretion: |
| | <u>requirements³³</u> | 5. The exercise of discretion in relation to EW-RX.2 is restricted to |
| | EW-REQ2 Maximum Slope Gradient ³⁴ | consideration of: ⁴⁰ |
| | EW-REQ3.2 Excavation and Filling ³⁵ | |
| | EW-REQ3.6 Excavation and Filling ³⁶ | |

²² DPR-0414.63, DPR-0414.067 Kāinga Ora

²⁵ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

²⁶ DPR-0409.015 Hughes, DPR-0410.001 Urban Estates

²⁷ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

²⁸ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

²⁹ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁰ DPR-0409.015 Hughes, DPR-0410.001 Urban Estates

³¹ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³² DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³³ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁴ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁵ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁶ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁹ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁴⁰ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

| EW-REQ5 Bunding ^{3/} |
|---|
| NH-REQ4 Natural Hazards and Earthworks 38 |

- a. any adverse effects from the earthworks in terms of visual amenity, landscape context and character, views, outlook, overlooking and privacy from raising ground levels;⁴¹
- b. any potential dust nuisance, sedimentation, and water or wind erosion effects can be avoided or mitigated;⁴²
- c. the amenity effects on neighbouring properties, and on the road network, of heavy vehicle and other vehicular traffic generated as a result of earthworks can be avoided or mitigated;⁴³
- any changes to the patterns of surface drainage or subsoil drains would result in a higher risk of drainage problems, inundation run-off, flooding, or raise the water table;⁴⁴
- e. any alteration to natural ground levels in the vicinity and, consequently, to the height and bulk of buildings that may be erected on the site; 45
- f. the degree to which the resultant levels are consistent with the surrounding environment; 46
- g. the need for a Construction Management Plan (including a
 Dust Management Plan), containing procedures, which shall
 be implemented, that establish management and mitigation
 measures for the activity that ensure that any potential

³⁷ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

³⁸ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora 41 DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁴² DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁴³ DPR-0207.038 The Council, DPR-0414.133 Käinga Ora

⁴⁴ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁴⁵ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

⁴⁶ DPR-0207.038 The Council, DPR-0414.133 Kainga Ora

| | adverse effects beyond the property boundary are avoided, |
|--|---|
| | <u>remedied, or mitigated. 47</u> |

⁴⁷ DPR-0207.038 The Council, DPR-0414.133 Kāinga Ora

Rule Requirement

| EW-REQ3 | Excavation and Filling | |
|---|---|--|
| All Zones excluding PORTZ & DPZ ⁴⁸ | Earthworks shall not exceed a maximum depth below or height above natural ground level of: a. 2m, when 1.5m or more from the boundary of a site in separate ownership; or b. 0.5m, when within 1.5m of the boundary of a site in separate ownership. All filling of land, excluding those earthworks associated with offal pits, ⁴⁹ shall consist of cleanfill material only. | Activity status when compliance not achieved: 3. When compliance with any of EW-REQ3.1 or EW-REQ3.2 is not achieved: RDIS Matters for discretion: 4. The exercise of discretion in relation to EW-REQ3.3 is restricted to the following matters: a. the potential for adverse effects from the earthworks in terms of visual amenity, landscape context and character, views, outlook, overlooking and privacy; b. whether the earthworks affect the stability of adjoining land and its susceptibility to subsidence or erosion upon excavation taking place; c. the extent of any alteration to natural ground levels in the vicinity and, consequently, to the height and bulk of buildings that may be erected on the site; d. potential for land contamination; e. the extent to which any changes to the patterns of surface drainage or subsoil drains would result in a higher risk of drainage problems, inundation run-off, flooding, or raise the water table. f. the nature and composition of the fill; and g. the degree of compaction required for the anticipated use of the site. 50 |

⁴⁸ DPR-442.008 Synlait Milk and DPR-370.059 Fonterra 49 DPR-0212.095 ESAI, & DPR-0422.234 NCFF 50 DPR-0207.041 SDC

| PORTZ & DPZ ⁵¹ | 5. The maximum depth of the earthworks from existing ground | Activity status when compliance with not achieved: | | |
|---------------------------|---|---|--|--|
| | level shall be 5m and no closer than 1m to the highest recorded groundwater, whichever is the lesser. 6. All filling of land shall consist of cleanfill material only. | 7. When compliance with any of EW-REQ3.5 or EW-REQ3.6 is not achieved: RDIS | | |
| | | Matters for discretion: | | |
| | | 8. The exercise of discretion in relation to EW-REQ3.7 is restricted to the following matters: a. The potential for adverse effects from the earthworks in terms of visual amenity, landscape context and character, views, outlook, overlooking and privacy. b. Whether the earthworks affect the stability of adjoining land and its susceptibility to subsidence or erosion upon excavation taking place. c. The extent of any alteration to natural ground levels in the vicinity and, consequently, to the height and bulk of buildings that may be erected on the site. d. Potential for land contamination. e. The extent to which any changes to the patterns of surface drainage or subsoil drains would result in a higher risk of drainage problems, inundation run-off, flooding, or raise the water table. f. the nature and composition of the fill; and g. the degree of compaction required for the anticipated use of the site. | | |
| | | | | |
| EW-REQ4 | Rehabilitation and Reinstatement | | | |
| All Zones | No more than twelve months after the earthworks commenced and on completion of | Activity status when compliance with not achieved: 2. When compliance with EW-REQ4.1. is not achieved: RDIS | | |

⁵¹ DPR-442.008 Synlait Milk and DPR-370.059 Fonterra 52 DPR-0207.041 SDC

| | the earthworks, the area of land disturbed as a result of earthworks activities is to be built upon, sealed with hardstand material, landscaped, or recontoured and replanted. Except that this requirement does not apply to earthworks associated with offal pits. 53 | Matters for discretion: 3. The exercise of discretion in relation to EW-REQ4.2. is restricted to the following matters: a. the potential for adverse visual amenity, nuisance and post development flood and drainage effects on the functioning of natural biological and physical processes; b. the degree to which the resultant levels are consistent with the surrounding environment; c. whether the earthworks affect the future development potential of land for permitted activities. | |
|---------|---|--|--|
| EW-REQ5 | Bunding | | |
| GRUZ | 1. Earth bunds for noise attenuation or screening are less no more 54 than 3m in height. | Activity status when compliance with not achieved: 2. When compliance with EW-REQ5.1. is not achieved: RDIS Matters for discretion: 3. The exercise of discretion in relation to EW-REQ5.2. is restricted to the following matters: a. the potential for adverse visual amenity effects and shading over adjoining properties, giving particular consideration to the effects on residential activities. nuisance and post development flood and drainage effects on the functioning of natural biological and physical processes.; and 555 | |

⁵³ DPR-0212.096 ESAI, DPR-0422.235 NCFF

⁵⁴ DPR-0215.041 Winstone

⁵⁵ DPR-0215.041 Winstone

| | b. | the effectiveness of any proposed measures to initially |
|--|----|---|
| | | and permanently stabilise the bund. 56 |