

Appendix 3: Orion Submission Points Seeking New Provisions be Inserted in Other Chapters

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	118	New Objective (CMUZ)	Neither Support Nor Oppose	Insert as follows: <u>The operation and security of important infrastructure is not compromised by other activities.</u>	Reject	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS264	New	Support	Accept proposed amendment.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS687	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept in part	8
DPR-0414	Kāinga Ora - Homes & Communities	FS029	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	120	New Policy (CMUZ)	Neither Support Nor Oppose	Insert as follows: <u>Avoid any activity in commercial and mixed-use zones with the potential to hinder or constrain the establishment or ongoing operation or future development of important infrastructure. This includes but is not limited to avoiding structures and buildings near identified significant electricity distribution lines.</u>	Reject	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS265	New	Support	Accept proposed amendment.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS689	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Reject	8
DPR-0414	Kāinga Ora - Homes & Communities	FS030	New	Oppose	Not specified	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	122	New Objective (GRZ)	Neither Support Nor Oppose	Insert as follows: <u>Important Infrastructure</u> Development of sensitive activities does not adversely affect the efficient operation, use, and development of important infrastructure.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS691	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept in part	8
DPR-0414	Kāinga Ora - Homes & Communities	FS031	New	Oppose	Not specified	Accept	8
DPR-0439	Rayonier Matariki Forests	FS022	New	Oppose	Decline	Accept	8
DPR-0367	Orion New Zealand Limited	123	New Policy (GRZ)	Neither Support Nor Oppose	Insert as follows: <u>Avoidance of adverse effects on important infrastructure</u> <u>Avoid reverse sensitivity effects on important infrastructure including significant electricity distribution lines.</u>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS692	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept in part	8
DPR-0414	Kāinga Ora - Homes & Communities	FS032	New	Oppose	Not specified	Accept	8
DPR-0439	Rayonier Matariki Forests	FS023	New	Oppose	Decline	Accept	8
DPR-0367	Orion New Zealand Limited	124	New Rule (GRZ)	Neither Support Nor Oppose	Insert Rule EI-R4 4. into GRZ and reword as follows: Structures near Significant Electricity Distribution Line Activity Status: PER 4. The establishment of a new, or expansion of an existing, structure within greater than 10m from: a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps (Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p><u>Where:</u></p> <p><u>a. The structure is not used for:</u></p> <p><u>i. habitation;</u></p> <p><u>ii. produce packing;</u></p> <p><u>iii. a milking shed;</u></p> <p><u>iv. a wintering barn;</u></p> <p><u>v. intensive primary production; or</u></p> <p><u>vi. a commercial greenhouse.</u></p> <p><u>b. The expansion of the existing structure does not occur to a structure listed in EI R4.4.a.</u></p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with GRZ-XX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from GRZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society	FS693	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
	<i>of New Zealand Inc. (Forest & Bird)</i>						
DPR-0414	<i>Kāinga Ora - Homes & Communities</i>	FS033	New	Oppose	Not specified	Accept	8
DPR-0439	<i>Rayonier Matariki Forests</i>	FS024	New	Oppose	Decline	Accept	8
DPR-0367	Orion New Zealand Limited	125	New Rule (GRZ)	Neither Support Nor Oppose	<p>Insert the following rule into the GRZ:</p> <p><u>GRZ-RXX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from GRZ-XX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	<i>Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)</i>	FS694	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept in part	8
DPR-0414	<i>Kāinga Ora - Homes & Communities</i>	FS034	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	126	New Rule (GRZ)	Support In Part	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into GRZ and reword as follows:</p> <p><u>GRZ-RXX Sensitive Activities</u></p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p><u>iii. 10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p><u>v. 5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>I-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of XX-RXX.1 is not achieved: NC</p> <p>3. When compliance with EI R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u>When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4.Any application arising from GRZ-RXX shall not be subject to public <u>notification</u> and shall be limited notified to the following parties:</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					the network utility operator with responsibility for the infrastructure , <u>infrastructure</u> unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS695	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS035	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	127	New Rule (GRZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into GRZ and reword as follows:</p> <p>GRZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6.5mfrom the foundation of a support structure for <u>both</u> any <u>the</u> Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines. greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with GRZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from GRZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS696	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS036	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	128	New Objective (GRUZ)	Neither Support Nor Oppose	Insert as follows: <u>The operation and security of important infrastructure is not compromised by other activities.</u>	Reject	8
DPR-0353	Horticulture New Zealand	FS027	New	Oppose	Reject	Accept	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS254	New	Support	Consider the precise wording of the proposed new objectives and its implications.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS697	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	129	New Policy (GRUZ)	Neither Support Nor Oppose	Insert as follows: <u>Protect important infrastructure by avoiding adverse effects, including reverse sensitivity effects, from incompatible activities on rural land by avoiding buildings, structures, sensitive activities on rural land that may compromise the Significant Electricity Distribution Lines within an identified buffer corridor.</u>	Reject	8
DPR-0353	Horticulture New Zealand	FS028	New	Oppose	Reject	Accept	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS255	New	Support In Part	Consider the precise wording of the proposed new objectives and its implications.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS698	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0414	Kāinga Ora - Homes & Communities	FS037	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	130	New Rule (GRUZ)	Neither Support Nor Oppose	<p>Move EI-R4.1 to GRUZ and insert as follows: GRUZ-RX Structures near Significant Electricity Distribution Lines Activity Status: PER 1. The establishment of a new, or expansion of an existing fence. Where: a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of: i. 6.5mfrom the foundation of a support structure for both any the Significant Electricity Distribution Line(Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV. Activity status when compliance not achieved: 2. When compliance with GRUZ-RXX is not achieved: NC Notification: 3. Any application arising from GRUZ-RXX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8
DPR-0353	Horticulture New Zealand	FS029	New	Oppose	Reject	Accept	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS699	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	131	New Rule (GRUZ)	Neither Support Nor Oppose	<p>Move EI-R4.4 to GRUZ and amend as follows: GRUZ-RXX Structures near Significant Electricity Distribution Lines Activity Status: PER</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>4. The establishment of a new, or expansion of an existing, structure within <u>greater than</u> 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; <u>or</u></p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p>5. The establishment of a new, or expansion of an existing, structure <u>greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps</u> (Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in XX R4.4.a.</p> <p>Activity status when compliance not achieved:</p> <p>6. When compliance with GRUZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>7. Any application arising from GRUZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					Electricity Distribution Line, unless their written approval is provided.		
DPR-0353	Horticulture New Zealand	FS030	New	Oppose	Reject	Accept	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS700	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	132	New Rule (GRUZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>GRUZ-RX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>3. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from GRUZ-RX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0353	Horticulture New Zealand	FS031	New	Oppose	Reject	Accept	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS701	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	133	New Rule (GRUZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R3 into GRUZ but reword as follows:</p> <p>GRUZ-RX Sensitive Activities</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p>iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>v. 5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of GRUZ-RXX.1 is not achieved: NC</p> <p>3. When compliance with EI-R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from GRUZ-RXX.2 shall not be subject</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the infrastructure , <u>infrastructure</u> unless their written approval is provided.		
DPR-0353	Horticulture New Zealand	FS032	New	Oppose	Reject	Accept	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS702	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	135	New Objective (KNOZ)	Neither Support Nor Oppose	Insert as follows: <u>The operation and security of important infrastructure is not compromised by other activities.</u>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS704	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	136	New Policy (KNOZ)	Neither Support Nor Oppose	Insert as follows: <u>Protect important infrastructure by avoiding adverse effects, including reverse sensitivity effects, from incompatible activities by avoiding buildings, structures, sensitive activities that may compromise the Significant Electricity Distribution Lines within an identified buffer corridor.</u>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS705	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	137	New Rule (KNOZ)	Neither Support Nor Oppose	Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into KNOZ and reword as follows: KNOZ-RXX Structures near Significant Electricity Distribution Lines	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 65m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with KNOZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from KNOZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS706	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	138	New Rule (KNOZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into KNOZ and reword as follows:</p> <p>KNOZ-RXX Structures near Significant Electricity Distribution Line All Zones</p> <p>Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within greater than 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</p> <p>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps (Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in KNOZ-R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with KNOZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from KNOZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society	FS707	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
	<i>of New Zealand Inc. (Forest & Bird)</i>						
DPR-0367	Orion New Zealand Limited	139	New Rule (KNOZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>KNOZ-RX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>3. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from KNOZ-RX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS701	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	140	New Rule (KNOZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into KNOZ and reword as follows:</p> <p>KNOZ-RXX Sensitive Activities</p> <p>All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline <u>or foundation of a support structure</u>¹ of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p>iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>v. <u>5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of KNOZ-RXX.1 is not achieved: NC</p> <p>3. When compliance with EI R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from KNOZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, infrastructure unless their written approval is provided.</p>		

¹ This appears to have been summarised incorrectly and should appear as strikethrough rather than underlined text.

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS709	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	141	New Rule (LFRZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 1. (from the Energy and Infrastructure Chapter) into LFRZ and reword as follows:</p> <p>All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6.5m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with LFRZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from LFRZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS710	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	142	New Rule (LFRZ)	Neither Support	Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into LFRZ and reword as follows:	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
				Nor Oppose	<p>LFRZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within <u>greater than 10m</u> from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps (Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in LFRZ-R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with LFRZ-RX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from LFRZ-XX shall not be subject to public notification and shall be limited notified to the following</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					parties: the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS711	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	143	New Rule (LFRZ)	Neither Support Nor Oppose	<p>Insert the following rule into the LFRZ:</p> <p><u>LFRZ-RX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from LFRZ-RX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS712	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	144	New Objective (LFRZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>Development of sensitive activities does not adversely affect the efficient operation, use, and development of important infrastructure.</u></p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS713	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS038	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	145	New Policy (LFRZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into LFRZ and reword as follows:</p> <p>LFRZ-RXX Sensitive Activities</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p><u>iii. 10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p><u>v. 5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of LFRZ-RXX.1. is not achieved: NC</p> <p>3. When compliance with LFRZ-R3.a.iv is not achieved: DIS</p> <p>3.4. When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from LFRZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS714	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	146	New Policy (LLRZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>Avoid reverse sensitivity effects on important infrastructure including significant electricity distribution lines.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS715	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS039	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	147	New Rule (LLRZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into LLRZ and reword as follows:</p> <p>LLRX-RXX Structures near Significant Electricity Distribution Line</p> <p>All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 65m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with LLRZ-RXX is not achieved: NC Notification:</p> <p>3. Any application arising from LLRZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS716	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS040	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	148	New Rule (LLRZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into LLRZ and reword as follows:</p> <p>LFLZ-RXX Structures near Significant Electricity Distribution Line</p> <p>Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within greater than 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p>b. the foundation of a support structure of the Significant</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p><u>Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps (Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p><u>Where:</u></p> <p><u>a. The structure is not used for:</u></p> <p><u>i. habitation;</u></p> <p><u>ii. produce packing;</u></p> <p><u>iii. a milking shed;</u></p> <p><u>iv. a wintering barn;</u></p> <p><u>v. intensive primary production; or</u></p> <p><u>vi. a commercial greenhouse.</u></p> <p><u>b. The expansion of the existing structure does not occur to a structure listed in LLRZ-R4.4.a</u></p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with LLRZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from LLRZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS717	New	Oppose	<p><i>Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.</i></p>	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0414	Kāinga Ora - Homes & Communities	FS041	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	149	New Rule (LLRZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>LLRZ-RX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when compliance not achieved:</u></p> <p><u>2. When compliance with any of ZONE-RX.1 is not achieved: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from LLRZ-RX.2 shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS718	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	150	New Rule (LLRZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into LLRZ and reword as follows:</p> <p>LLRZ-RXX Sensitive Activities</p> <p>All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p>iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>v. <u>5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements: EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of LLRZ-RXX.1 is not achieved: NC</p> <p>3. When compliance with LLRZ-R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u>When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4.Any application arising from LLRZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS719	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS042	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	151	New Objective (GIZ)	Neither Support Nor Oppose	Insert as follows: <u>The operation and security of important infrastructure is not compromised by other activities.</u>	Reject	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS269	New	Support In Part	Suggest including a new objective to this effect but expanding to cover other infrastructure e.g regionally significant infrastructure.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS720	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS043	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	152	New Policy (GIZ)	Neither Support Nor Oppose	Insert as follows: <u>Avoid any activity in industrial zones with the potential to hinder or constrain the establishment or ongoing operation or development of industrial activities and important infrastructure. This includes but is not limited to avoiding structures and buildings near identified significant electricity distribution lines.</u>	Reject	8
DPR-0375	Waka Kotahi NZ Transport Agency	FS270	New	Support	Consider altering the proposed wording so that it relates to a wider range of infrastructure types.	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS721	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS044	New	Oppose	Not specified	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	153	New Rule (GIZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into GIZ and reword as follows:</p> <p>GIZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6m <u>5m</u> from the foundation of a support structure for <u>both</u> any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with GIZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from GIZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS722	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS045	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	154	New Rule (GIZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. into GIZ and reword as follows:</p> <p>GIZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing,</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>structure within <u>greater than 10m from:</u></p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a.The structure is not used for:</p> <p>i.habitation;</p> <p>ii.produce packing;</p> <p>iii.a milking shed;</p> <p>iv.a wintering barn;</p> <p>v.intensive primary production; or</p> <p>vi.a commercial greenhouse.</p> <p>b.The expansion of the existing structure does not occur to a structure listed in EI-R4.4.a.</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with GIZ-XX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from GIZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					Electricity Distribution Line, unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS723	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS046	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	155	New Rule (GIZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>GIZ-RXX Trees near Significant Electricity Distribution Lines</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when compliance not achieved</u></p> <p><u>2. When compliance with any of GIZ-RXX.1 is not achieved: NC</u></p> <p><u>Notification:</u></p> <p><u>3. Any application arising from GIZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</u></p> <p><u>the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS724	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	156	New Rule (GIZ)	Support In Part	Insert EI-R3 (from the Energy and Infrastructure Chapter) into GIZ and reword as follows: GIZ-RXX Sensitive Activities	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p><u>iii. 10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p><u>v. 5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of GIZ-RXX.1. is not achieved: NC</p> <p>3. When compliance with EI R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from GIZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					the network utility operator with responsibility for the infrastructure , <u>infrastructure</u> unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS725	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS047	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	157	New Rule (LCZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into LCZ and reword as follows:</p> <p>LCZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 65m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with LCZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from LCZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS726	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS048	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	158	New Rule (LCZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into LCZ and reword as follows: LCZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within <u>greater than</u> 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in E1 R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with LCZ-RX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from LCZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS727	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS049	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	159	New Rule (LCZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>LCZ-RXX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from LCZ-RXX shall not be subject to public notification and shall be limited notified to the following</u></p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<u>parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS728	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS050	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	160	New Rule (LCZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into LCZ and reword as follows: LCZ-RXX Sensitive Activities Activity Status: PER 1. The establishment of a new, or expansion of an existing sensitive activity. Where: a. The activity is not within: i. the National Grid Yard; and ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u> iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and v. <u>5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u> vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of LCZ-RXX.1 is not achieved: NC</p> <p>3. When compliance with LCZ-R3.a.iv is not achieved: DIS</p> <p>3.4. When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from LCZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS729	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS051	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	161	New Objective (LRZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>Development of sensitive activities does not adversely affect the efficient operation, use, and development of important infrastructure.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS730	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS052	New	Oppose	Not specified	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	162	New Policy (LRZ)	Neither Support Nor Oppose	Insert as follows: <u>Avoid reverse sensitivity effects on important infrastructure including significant electricity distribution lines.</u>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS731	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS053	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	163	New Rule (LRZ)	Neither Support Nor Oppose	Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into LRZ and reword as follows: All Zones Activity Status: PER 1. The establishment of a new, or expansion of an existing fence. Where: a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of: i. 65m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV. Activity status when compliance not achieved: 2. When compliance with LRZ-RXX is not achieved: NC Notification: 3. Any application arising from LRZ-RXX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS732	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS054	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	164	New Rule (LRZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into LRZ and reword as follows: LRZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within <u>greater than</u> 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</p> <p>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</p> <p>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; <u>or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in E1 R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with LRZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from LRZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS733	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS055	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	165	New Rule (LRZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>LRZ-RXX Trees near Significant Electricity Distribution Lines</u></p> <p><u>All zones</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from LRZ-RXX shall not be subject to public notification and shall be limited notified to the following</u></p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<u>parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS734	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	166	New Rule (LRZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into LRZ and reword as follows:</p> <p>LRZ-RXX Sensitive Activities</p> <p>All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p> <p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p>iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>v. <u>5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>And this activity complies with the following rule requirements: EI-REQ1 Access Activity status when compliance not achieved: 2. When compliance with any of LRZ-XX.1. is not achieved: NC 3. When compliance with LRZ-R3.a.iv is not achieved: DIS <u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement. Notification: 5.4. Any application arising from LRZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS735	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS056	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	167	New Rule (NCZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into NCZ and reword as follows: NCZ-RXX Sensitive Activities Activity Status: PER 1. The establishment of a new, or expansion of an existing sensitive activity. Where: a. The activity is not within: i. the National Grid Yard; and ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and iii. 10m from the foundation of a support structure of the</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p><u>Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p>v. 5m from the foundation of a support structure of any other <u>Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of NCZ-RXX.1. is not achieved: NC</p> <p>3. When compliance with EI-R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from NCZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS736	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS057	New	Oppose	Not specified	Accept	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0367	Orion New Zealand Limited	168	New Rule (NCZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into NCZ and reword as follows:</p> <p>NCZ-RXX Structures near Significant Electricity Distribution Line All Zones</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6.5m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with NCZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from NCZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS737	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS058	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	169	New Rule (NCZ)	Neither Support	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into NCZ and reword as follows:</p> <p>NCZ-RXX Structures near Significant Electricity Distribution Line</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
				Nor Oppose	<p>Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within greater than 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in EI-R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with NCZ-RX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from NCZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS738	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS059	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	170	New Rule (SETZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into SETZ and reword as follows:</p> <p>SETZ-RXX Structures near Significant Electricity Distribution Line Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6.5mfrom the foundation of a support structure for <u>both</u> any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines. greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with SETZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from SETZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS739	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS060	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	171	New Rule (NCZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>NCZ-RXX Trees near Significant Electricity Distribution Lines</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from NCZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</u></p> <p><u>the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS740	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS061	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	172	New Rule (SETZ)	Neither Support	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into SETZ and reword as follows:</p> <p>SETZ-RXX Structures near Significant Electricity Distribution Line</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
				Nor Oppose	<p>Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within greater than 10m from:</p> <p>a. the centreline and foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in EI-R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with SETZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from SETZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS741	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS062	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	173	New Objective (SETZ)	Neither Support Nor Oppose	Insert as follows: <u>Development of sensitive activities does not adversely affect the efficient operation, use, and development of important infrastructure.</u>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS742	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS063	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	174	New Rule (SETZ)	Neither Support Nor Oppose	Insert as follows: <u>SETZ-RXX Trees near Significant Electricity Distribution Lines</u> <u>Activity Status: PER</u> <u>1. Any tree located near a Significant Electricity Distribution Line</u> <u>Where:</u> <u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u> <u>b. The species at full maturity, will be a maximum of 3m in height.</u> <u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u> <u>Notification:</u> <u>Any application arising from SETZ-RXX shall not be subject to public notification and shall be limited notified to the following</u>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p><u>parties:</u> <u>the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS743	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	175	New Rule (SETZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into SETZ and reword as follows: SETZ-RXX Sensitive Activities Activity Status: PER 1. The establishment of a new, or expansion of an existing sensitive activity. Where: a. The activity is not within: i. the National Grid Yard; and ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and iii. <u>10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u> iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and v. <u>5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u> vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>And this activity complies with the following rule requirements: EI-REQ1 Access Activity status when compliance not achieved: 2. When compliance with any of SETZ-RXX.1. is not achieved: NC 3. When compliance with NCZ-R3.a.iv is not achieved: DIS <u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement. Notification: 5.4. Any application arising from SETZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the infrastructure, <u>infrastructure</u> unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS744	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS064	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	176	New Policy (SETZ)	Neither Support Nor Oppose	<p>Insert as follows: <u>Avoid reverse sensitivity effects on important infrastructure including significant electricity distribution lines.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS745	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS065	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	177	New Rule (TCZ)	Neither Support	<p>Insert Rule EI-R4.1. (from the Energy and Infrastructure Chapter) into TCZ and reword as follows: TCZ-RXX Structures near Significant Electricity Distribution Line</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
				Nor Oppose	<p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing fence. Where:</p> <p>a. The fence's primary material consists of conductive qualities, the fence shall be setback a minimum of:</p> <p>i. 6.5m from the foundation of a support structure for both any the Significant Electricity Distribution Line (Islington to Springston) Line and all other Significant Electricity Distribution Lines greater than 51kV; or</p> <p>ii. 2.2m from the foundation of a support structure for any other Significant Electricity Distribution Line between 1-50kV.</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with TCZ-RXX is not achieved: NC</p> <p>Notification:</p> <p>3. Any application arising from TCZ-RXX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS746	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS066	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	178	New Rule (TCZ)	Neither Support Nor Oppose	<p>Insert Rule EI-R4 4. (from the Energy and Infrastructure Chapter) into TCZ and reword as follows:</p> <p>TCZ-RXX Structures near Significant Electricity Distribution Line</p> <p>Activity Status: PER</p> <p>4. The establishment of a new, or expansion of an existing, structure within <u>greater than</u> 10m from:</p> <p>a. the centreline and foundation of a support structure of the</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps; or</p> <p><u>b. the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston) as shown on the planning maps</u></p> <p><u>5. The establishment of a new, or expansion of an existing, structure greater than 5m from:</u></p> <p><u>a. the centreline of other Significant Electricity Distribution Lines as shown on the planning maps; or</u></p> <p><u>b. the foundation of a support structure of other Significant Distribution Lines as shown on the planning maps(Islington to Springston), or the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston).</u></p> <p>Where:</p> <p>a. The structure is not used for:</p> <p>i. habitation;</p> <p>ii. produce packing;</p> <p>iii. a milking shed;</p> <p>iv. a wintering barn;</p> <p>v. intensive primary production; or</p> <p>vi. a commercial greenhouse.</p> <p>b. The expansion of the existing structure does not occur to a structure listed in EI R4.4.a</p> <p>Activity status when compliance not achieved:</p> <p>5. When compliance with TCZ-RX is not achieved: NC</p> <p>Notification:</p> <p>6. Any application arising from TCZ-XX shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the Significant Electricity Distribution Line, unless their written approval is provided.</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS747	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS067	New	Oppose	Not specified	Accept	8
DPR-0367	Orion New Zealand Limited	179	New Rule (TCZ)	Neither Support Nor Oppose	<p>Insert as follows:</p> <p><u>TCZ-RX Trees near Significant Electricity Distribution Lines</u></p> <p><u>Activity Status: PER</u></p> <p><u>1. Any tree located near a Significant Electricity Distribution Line</u></p> <p><u>Where:</u></p> <p><u>a. The tree will be set back a minimum of 5m from the centreline of any Significant Electricity Distribution Line; and</u></p> <p><u>b. The species at full maturity, will be a maximum of 3m in height.</u></p> <p><u>Activity Status when Compliance not achieved with clauses a. and b. above: NC</u></p> <p><u>Notification:</u></p> <p><u>Any application arising from TCZ-XX shall not be subject to public notification and shall be limited notified to the following parties: the network utility operator with responsibility for the Significant Electricity Distribution Line unless their written approval is provided.</u></p>	Reject	8
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS748	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0367	Orion New Zealand Limited	180	New Rule (TCZ)	Neither Support Nor Oppose	<p>Insert EI-R3 (from the Energy and Infrastructure Chapter) into TCZ and reword as follows:</p> <p>TCZ-RXX Sensitive Activities</p> <p>Activity Status: PER</p> <p>1. The establishment of a new, or expansion of an existing sensitive activity.</p>	Reject	8

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
					<p>Where:</p> <p>a. The activity is not within:</p> <p>i. the National Grid Yard; and</p> <p>ii. 10m from the centreline or foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston); and</p> <p><u>iii. 10m from the foundation of a support structure of the Significant Electricity Distribution Line (Islington to Springston)</u></p> <p>iv. 5m from the centreline or foundation of a support structure of any other Significant Electricity Distribution Line; and</p> <p><u>v. 5m from the foundation of a support structure of any other Significant Electricity Distribution Line; and</u></p> <p>vi. 250m of any lawfully established noise generating infrastructure used for renewable electricity generation as set from the notional boundary of the sensitive activity. Except that this shall not apply to any small and community scale distributed electricity generation and small and community scale distributed electricity generation activity or any sensitive activity within Settlement Zone - Lake Coleridge Township.</p> <p>And this activity complies with the following rule requirements:</p> <p>EI-REQ1 Access</p> <p>Activity status when compliance not achieved:</p> <p>2. When compliance with any of TCZ-RXX.1 is not achieved: NC</p> <p>3. When compliance with TCZ-R3.a.iv is not achieved: DIS</p> <p><u>3.4.</u> When compliance with any rule requirement listed in this rule is not achieved: Refer to relevant Rule Requirement.</p> <p>Notification:</p> <p>5.4. Any application arising from TCZ-RXX.2 shall not be subject to public notification and shall be limited notified to the following parties:</p> <p>the network utility operator with responsibility for the infrastructure, infrastructure unless their written approval is provided.</p>		

Submitter ID	Submitter Name	Submission Point	Plan Reference	Position	Decision Requested	Recommendation	Section of Report
DPR-0407	Royal Forest & Bird Protection Society of New Zealand Inc. (Forest & Bird)	FS749	New	Oppose	Reject aspects of the submission which do not directly relate to electricity lines and services as critical infrastructure.	Accept	8
DPR-0414	Kāinga Ora - Homes & Communities	FS068	New	Oppose	Not specified	Accept	8