#### **General Conditions**

- 1. Except as required by subsequent conditions [if the conditions go beyond what is proposed in the resource consent application], the development shall proceed in general accordance with the information and plans submitted with the application, including the further information/amended plans submitted. The Approved Plans have been entered into Council records as RC216016 (X pages) and include the following:
  - Site Plans and Elevations (McCoy Wixon Architects, Project Number 5798, Revision 2, sheets RC02 RC08, dated 1 July 2022);
  - b. Landscape Plan (Rough Milne Mitchell, Revision 0, dated 18 July 2022)
  - c. Car Park Lighting Layout Plan (Pedersen Read, dated 12 July 2022); and
  - d. Erosion and Sediment Control Plan (Powell Fenwick, dated 2 December 2021)
  - e. [awaiting plan showing temporary slip-lane at roundabout prior to signalisation of intersection]
- The Consent Holder, and all persons exercising this consent, shall ensure that all personnel undertaking activities authorised by this consent are made aware of, and have access to, the contents of this consent decision and accompanying plans, prior to the commencement of the works. A copy of these documents shall also remain on-site.
- The Consent Holder shall surrender RC185461 (84-92 Rolleston Drive) in whole by giving written
  notice to Selwyn District Council within one month of the granting of this consent the inaugural
  opening of the supermarket.

### Landscape

- The existing hedge along the Levi Road and Lincoln Rolleston Road frontages of the Site shall be retained as long as practicable during the construction period, as a means to mitigate construction dust, noise and visual effects.
- Prior to construction commencing on the Site, the Consent Holder shall submit a detailed landscape plan and specification to the Selwyn District Council for certification of the following:
  - it is in general accordance with the Landscape Plan (Rough Milne Mitchell, Revision 0 dated 18 July 2022);
  - ii. tree and large shrub planting to achieve a density of one plant/1.5m² within the 10m-wide biodiversity planting strip along the eastern boundary of the Site if the adjoining land to the east is developed under a residential scenario;
  - a detailed planting schedule identifying the grade of trees by height and calliper, and all landscape plants that are to visually soften the building by grade, botanical name, quantity and spacings;
  - iv. details of tree pit design, landscape irrigation, and tree protection measures from vehicles, pedestrians, and shopping trolleys; and
  - v. a landscape management plan identifying:
    - a. landscape maintenance plan for the first three years of establishment from date of
      planting to ensure landscape planting is well established after three years, and provides
      adequate coverage, plant health and vigour; and
    - ongoing landscape maintenance to ensure all trees are maintained to reach their full height and form.

If no response is received from Selwyn District Council after 40 15 working days of submission, the detailed landscape plan and specification shall be treated as certified.

Commented [MA1]: Foodstuffs do not accept this change. Whether RC185461 is surrendered upon grant of consent or upon retail activity commencing makes no material difference to the Proposal, and there is no resource management effect that warrants this change. The purpose of retaining RC185461 for a longer duration is to allow Foodstuffs sufficient time to carry out necessary detailed design, costing, feasibility, etc to confirm construction. As a compromise, Foodstuffs does agree to surrender RC185461 upon construction works commencing, and has made this change in the clean copy of Foodstuffs' preferred conditions (Appendix 3, Applicant's Right of Reply).

**Commented [JA2]:** William Reeve comments – a hedge wont help reduce construction noise

Commented [MA3R2]: Foodstuffs accept this change.

**Commented [JA4]:** An extra week is requested to provide Council time to respond

Commented [MA5R4]: Foodstuffs accept this change.

- Prior to the inaugural opening of the supermarket any retail activity commencing at the site, the
  proposed landscaping shall be established in general accordance with the detailed landscape
  plan and specification certified under Condition 5, except as required by Condition 7.
- 7. The 10m-wide biodiversity planting strip along the eastern boundary of the Site shall be planted prior to aboveground construction works commencing on the Site.
- 8. All specimen trees identified on the Tree Species list included within the Landscape Plan (Condition 5) shall be a minimum 2m in height at the time of planting, with the exception of the Mexican Alder and Oriental Plane which shall be a minimum 2.5m in height at the time of planting. Once established, the trees shall be allowed to grow to their full natural height, except as required by Condition 9.
- Trees within the 10m-wide biodiversity planting strip along the eastern boundary of the Site shall be maintained at a height no greater than 8m if the adjoining land is zoned for residential purposes.
- 10. All trees to be planted within the car parking area (excluding road frontage trees) shall be planted with a minimum uncompacted available soil volume based on the expected future size of the tree, as follows:
  - i. Small tree (<7m in height): 5-15m<sup>3</sup>
  - ii. Medium tree (7-15m in height): 20-40m3
  - iii. Large tree (>15m in height): 40m3

Advice Note: 'uncompacted available soil volume' for the purpose of this condition means the volume of soil excluding aggregate should a structural soil mix be used.

- 11. All required landscaping shall be maintained. Any dead, diseased or damaged landscaping shall be replaced immediately with plants of similar species. If any tree dies within the first three years they shall be replaced with the same species and grade within the next available planting season in accordance with the approved Landscape Plan. If any tree dies after the first three years then replacement trees shall be as follows:
  - i. Mexican Alder, Alnus jorullensis planted at 4m height;
  - ii. Oriental Plane, Platanus orientalis var. insularis 'Autumn Glory' planted at 3.5m height; and
  - iii. All other trees within the road frontage to be planted at no less than 3m height.

### Lighting

- 12. Lighting shall be installed and operated in general accordance with the Car Park Lighting Layout Plan (Pederson Read, dated 12 July 2022) and statement of evidence by Greg Kitto dated 18 July 2022. The Car Park Lighting Layout Plan shall ensure an inviting and well-lit interface is achieved where internal pedestrian paths intersect with external footpaths.
- 13. Prior to the issue of a building consent, the Consent Holder shall submit an electrical completion certificate demonstrating that the proposed artificial outdoor lighting design has a calculated maximum horizontal and/or vertical illuminance at the boundary of any adjoining property less than 5 lux during the hours of darkness from 6000 hours to 2200 hours and less than 1 lux during the period from 2200 hours to 0600 hours.
- 14. Illumination of all signs shall be restricted to between 0700 hours and 2200 hours.
- 15. All security lights shall be directed into the Site and away from neighbouring properties.

Noise

**Commented [MA6]:** Foodstuffs accept this change to Conditions 6, 30-32, 36 and 37.

Commented [JA7]: I note that the conditions and the lighting plan do not specify operational controls (e.g. auto dimming and occupancy sensors with timers etc). These matters can be addressed through reference to Mr Kitto's evidence or further clarification in the set of conditions

Commented [MA8R7]: Foodstuffs has no opposition to ensuring this aspect of Mr Kitto's statement is captured. It is unusual to refer to a statement of evidence in a condition, so Foodstuffs' preference is that the condition refer to the lighting plan with additional reference to operational controls as appropriate. The additional words "and with appropriate operational controls associated with dimming and motion sensors" have been added in the clean copy of Foodstuffs' preferred conditions (Appendix 3, Applicant's Right of Reply)

16. Noise from supermarket operations (excluding heavy vehicle deliveries at night) shall comply with the following noise limits:

Assessment Location	Time Period	Daytime	Night-Time
Residential Zone (any point within the	0700 to 2200 hrs	50 dB L <sub>Aeq(15min)</sub>	40 dB L <sub>Aeq(15min)</sub>
boundary of any site in this zone)	2000 to 0700 hrs		70 dB L <sub>Amax</sub>
Eastern Boundary:	0730 to 2000 hrs	55 dB L <sub>Aeq(15min)</sub>	45 dB L <sub>Aeq(15min)</sub>
Where the adjoining land is Rural Zone (any point within the notional boundary of any other site); or	2000 to 0730 hrs		75 dB L <sub>Amax</sub>
Where the adjoining land is Residential Zone (any point within the boundary of any site in this zone)			

- 17. Deliveries shall be in accordance with the consent application, with no more than two large goods vehicles arriving between 2000 hours and 0730 hours (resulting in a total of four vehicle movements), seven days per week.
- 18. Noise barriers shall be erected along the eastern boundary of the Site as follows:
  - i. where the adjoining land is zoned rural, a minimum 2m-high timber acoustic fence on top of a 0.6m-high retaining wall erected on the boundary; or
  - where the adjoining land is zoned residential, a minimum 2m-high acoustic fence erected on the boundary and a minimum 2.5m-high timber acoustic fence setback approximately 6m from the boundary.
- 19. The noise barrier/s required by Condition 18 shall be of durable construction, free from gaps, cracks or holes and have a surface mass of at least 8kg/m². The location and extent of the noise barrier/s is indicated as Options A and B on the Landscape Plan (Rough Milne Mitchell, Revision 0, dated 18 July 2022).
- 20. Waste collection shall only occur between 0700 hours and 1900 hours.
- 21. Noise from mechanical services plant (except the generator under Condition 24) shall be designed to meet a night-time noise limit of 30 dB LAeq(15 min), assessed at the boundary of neighbouring residential zoned properties and the notional boundary of any rural zoned dwellings. Prior to the issue of a building consent, the Consent Holder shall submit a report from a suitably qualified person demonstrating that the mechanical services for the supermarket comply with a noise limit of 30 dB LAeq (15 min), assessed at the boundary of neighbouring residential zoned properties and the notional boundary of any rural zoned dwellings.
- 22. Any forklifts on the Site shall be fitted with broadband reversing alarms.
- 23. All construction shall be planned and undertaken to ensure that construction noise emitted from the Site does not exceed the noise limits outlined in Table 2 of NZS6803:1999 Acoustics – Construction Noise. Sound levels associated with construction activities shall be measured and

- assessed in accordance with the provisions of NZS 6803:1999 Acoustics Construction Noise wherever practicable. A Construction Noise and Vibration Management Plan (CNVMP) shall be submitted to Selwyn District Council for certification that it complies with NZS6803:1999 Acoustics Construction Noise, at least 20 working days prior to commencing work on site.
- 24. Noise from the generator shall be exempt from the limits specified in Condition 16 when used for emergency electricity generation or during routine maintenance testing (the latter being limited to daylight hours only). At any other time, the noise level from the generator shall be no greater than 45 dB L<sub>Aeq(15 min)</sub> when measured at the nearest site boundary.

Advice Note: 'emergency electricity generation' for the purpose of this condition shall mean the use of the generator to generate electricity at times when national grid electricity supply is not available due to a failure of either the national grid or the local distribution network.

#### Transport

- 25. Car parking and access shall be established in general accordance with the Site Plan (McCoy Wixon Architects, Project Number 5798, Revision 2, Sheet RC02, dated 18 July 2022).
- 26. A minimum of 513 car parking spaces shall be provided on-site, including a minimum of 12 mobility impaired car parking spaces.
- 27. Bollards shall be installed in all parking spaces that adjoin and are perpendicular to internal pedestrian pathways.
- 28. All mobility impaired car parking spaces shall be clearly signed for use by people whose mobility is restricted.
- 29. The Consent Holder shall not do anything that prohibits or otherwise discourages staff from parking on-site.
- 30. Prior to the inaugural opening any retail activity commencing at the site of the supermarket, the Consent Holder shall, at its own cost:
  - design and construct a pathway along the southern side of Levi Road suitable for shared use by pedestrians and cyclists, over the full length of the Site's frontage;
  - design and construct a pathway along the eastern side of Lincoln Rolleston Road suitable for use by pedestrians only, over the full length of the Site's frontage;
  - iii. provide kerb and channel along the southern side of Levi Road and Lincoln Rolleston Road over the full length of each Site frontage;
  - iv. provide a formed pedestrian crossing point across Levi Road located to the east of Access D as shown on the Site Plan; and
  - v. provide a formed pedestrian and cyclist crossing point across Lincoln Rolleston Road located to the south of Access B as shown on the Site Plan.
- 31. In the event that the inaugural opening of the supermarket any retail activity commencing at the site occurs prior to Selwyn District Council's planned signalisation of the Levi Road / Lincoln Rolleston Road / Lowes Road / Masefield Drive intersection, the Consent Holder shall at its own cost:
  - install a temporary pedestrian and cyclist crossing point across Lincoln-Rolleston Road to provide connectivity between the new shared use path on Levi Road and the existing shared use path on the western side of Lincoln-Rolleston Road; and
  - construct a left turn auxiliary lane on the Levi Road approach to the Levi Road / Lincoln Rolleston Road / Lowes Road / Masefield Drive roundabout of at least 40m in length as shown on Drawing XXXX.

Commented [JA9]: I note that the original wording of the JWS identified "prior to any retail activity commencing on site" – I note that an "inaugural opening of the supermarket" may not necessary occur at the sometime as retail activity commences, as many consent holders seek a soft opening

- 32. Prior to the inaugural opening of the supermarketany retail activity commencing at the site, the Consent Holder shall install signage as follows:
  - signs as per signface RG-7 and/or RG-12 of the Manual of Traffic Signs and Markings to show that only left-turn movements into and left-turn movements out of the northernmost Lincoln-Rolleston Road access (Access B on the Site Plan) are permitted to be carried out by drivers;
  - signs as per signface RG-7 and/or RG-12 of the Manual of Traffic Signs and Markings to show that only left-turn movements out of the easternmost Levi Road access (Access C on the Site Plan) are permitted to be carried out by drivers;
  - iii. signs as per signface RG-7 and/or RG-12 of the Manual of Traffic Signs and Markings to show that only left-turn movements out of the easternmost Levi Road access (Access E on the Site Plan) are permitted to be carried out by drivers;
  - iv. speed limit signs as per signface RG-1 of the Manual of Traffic Signs and Markings at each entry location (Accesses A, B, D and E on the Site Plan) and facing vehicles entering the Site. These signs shall display a maximum permitted speed of 10km/h; and
  - at the internal entrance to the staff parking area near the service yard with 'No Public Access' or words to that effect to advise that the public should not seek to gain access to this area
- 33. The Consent Holder shall arrange for a concept design and detailed design road safety audit to be carried out for all works in the road reserve (including, but not limited to, the formation of vehicle crossings). These audits shall be carried out by a suitably-qualified and experienced independent traffic engineer in accordance with the Waka Kotahi 'Road Safety Audit Procedures for Projects' guideline. The safety audit reports shall be issued to the Selwyn District Council for completion of the 'Client' comments. The completed safety audit reports shall be appended to any request for Engineering Approval.
- 34. The Consent Holder shall inform all delivery drivers under its direct control that access for semitrailers is restricted to entering the Site via a left-turn movement at the easternmost access on Levi Road (Access E on the Site Plan) and egressing the Site via the southernmost access on Lincoln Rolleston Road (Access A on the Site Plan).
- 35. The Consent Holder shall ensure that no obstruction of more than 1m in height is located within a 2m-wide x 5m-long visibility splay at each vehicle access in order to ensure drivers and pedestrians have suitable intervisibility of one another.
- 36. Following the inaugural opening of the supermarketretail activity commencing on the site, the Consent Holder shall undertake monitoring as follows:
  - at the northernmost access on Lincoln Rolleston Road (Access B on the Site Plan) to identify whether vehicles are undertaking right-turn entry movements or right-turn exit movements:
  - ii. at the westernmost access on Levi Road (Access C on the Site Plan) to identify whether vehicles are undertaking entry movements or right-turn exit movements;
  - iii. at the easternmost access on Levi Road (Access E on the Site Plan) to identify whether vehicles are undertaking right-turn entry movements or any exit movements; and
  - iv. at the easternmost access on Levi Road (Access E on the Site Plan) to identify whether movements turning left into the Site are impeding westbound 'through' traffic on Levi Road.
- 37. All monitoring shall be undertaken by an independent, suitably-qualified traffic engineer. The first monitoring shall be carried out no earlier than 3 months, and no later than 6 months, after the inaugural opening of the supermarketretail activities commence on the site, and annually

Commented [MA10]: Foodstuffs accept this change.

thereafter for the first two years of operation (three monitoring exercises in total). Each monitoring report shall as a minimum:

- review the crash records within the Waka Kotahi Crash Analysis System to identify whether any reported crashes have occurred at the access since the last monitoring exercise was carried out:
- ii. include observations on a single weekday from 5-6pm and a single Saturday from 12-1pm at the access to identify unlawful movements, sudden braking and/or swerving manoeuvres associated with the access:
- iii. set out whether, in the opinion of the traffic engineer, the operation of the access is giving rise to adverse road safety effects and, if so, the measures that will be implemented by the Consent Holder to address those adverse effects and the timeframe for implementation; and
- be provided to the Selwyn District Council within one calendar month of the monitoring being undertaken.

Advice Note: A range of measures can be considered as mitigation for the purpose of Condition 37.iii. such as additional signage, modifications to kerblines, and other design treatments as determined to be appropriate by the traffic engineer. In the case of more serious safety concerns it may be necessary to consider restricting the usage of an access to specific vehicles or closing an access.

38. Additional monitoring may also be requested by the Selwyn District Council in response to a specific road safety concern arising, such as an injury crash occurring or repeated complaints from members of the public. Where additional monitoring is requested, this shall be undertaken in accordance with Condition 37.

### Contaminated Land

- 39. Prior to earthworks occurring on site, aA soil sampling investigation/Detailed Site Investigation (DSI) shall be undertaken by a suitably qualified and experienced practitioner (SQEP) at the Site in accordance with the Ministry for the Environment's (MfE) Contaminated land management guidelines No. 5: Site investigation and analysis of soils (Revised 2021) and reported on in accordance with the MfE's Contaminated land management guidelines No. 1: Reporting on contaminated sites in New Zealand (Revised 2021). The result of this shall be provided to Team Leader Compliance, Selwyn District Council.
- 40. In the event that the soil sampling investigation/DSI recommends for a Site Management Plan (SMP) and/or Remedial Action Plan (RAP) be prepared to appropriately manage any identified contaminated soils, then at least 20 working days prior to bulk earthworks commencing onsite the SMP and/or RAP shall be provided to Selwyn District Council (Attn: Team Leader Compliance) for confirmation that it complies with the conditions of this consent, and that post-development remaining soils will meet the applicable Soil Contaminant Standard in the context of commercial/industrial land use, as referenced in the NESCS, and the requirements of ANZG(2018) and DWSNZ(2018). The SMP and/or RAP shall include, at a minimum:
  - i. details of validation sampling to be undertaken, including the sampling rationale, and analyses to be undertaken;
  - details of how remediation will be undertaken if soils do not comply with the applicable Soil Contaminant Standard in the context of commercial/industrial land use; and
  - iii. details of where soil will be disposed of if disposal off-site is required;
  - iv. details of how the soil retained on site shall be managed

Commented [JA11]: On further consultation with the Cont.Land Officer at ECan, they have recommended a couple of additional points of clarity to ensure appropriate management of cont soil to be retained on site. Happy to discuss wording.

Commented [MA12R11]: Foodstuffs accept the changes to 39-40, with the exception of the addition of "and the requirements of ANZG(2018) and DWSNZ(2018) (based on the advice of our contamination expert). These are guidelines/standards for water quality for surface waterways and for potable use respectively, and are water-based criteria. The nearest surface waterway to the Site recorded on the ECan GIS is a drain located approximately 120m to the north-east of the site at its closest point. If for some unlikely reason gross contamination was discovered at the Site that required further investigation of any impacts to groundwater and/or surface water, then this would be covered off in the SMP/RAP, which is a consent condition requiring SDC's approval. The additional text has not been included in the clean copy of Foodstuffs' preferred conditions (Appendix 3, Applicant's Right of Reply).

Advice Note: Should the consent holder seek to retain any contaminated soils on site, a discharge consent from Environment Canterbury may be required to discharge contaminants to land

- 41. Within three months of the completion of validation sampling at the Site, a site validation report shall be provided to the Selwyn District Council (Attn: Team Leader Compliance), to demonstrate that the Site complies with the applicable Soil Contaminant Standard in the context of commercial/industrial land use, as referenced in the NESCS. The site validation report shall be prepared in accordance with the MfE's Contaminated land management guidelines No. 1: Reporting on contaminated sites in New Zealand (Revised 2021).
- 42. In the event that visual or olfactory evidence of contamination is identified, which was not anticipated by the previous soil contamination investigations undertaken on the Site, the works shall immediately cease within 10m of the contamination. Works shall not recommence in this area until a suitably qualified and experienced contaminated land practitioner has assessed the contamination, and their recommendations have been followed.

#### Construction

- 43. All earthworks authorised by this consent shall be undertaken in accordance with the current edition of Environment Canterbury's Erosion and Sediment Control Toolbox, and the Erosion and Sediment Control Plan prepared by Powell Fenwick, dated 3 December 2021. For clarity, the Erosion and Sediment Control Plan shall include:
  - i. minimising the amount of disturbed material and open ground;
  - ii. controlling run-off water from flowing across the site and disturbed open earthworks where practical:
  - iii. separating clean run-off water from adjacent road and properties from on-site run-off;
  - iv. avoiding surface erosion by protecting any exposed areas from overland run-off, effect of heavy rain events and wind blow;
  - v. preventing sediment from leaving the Site by directing water to remain on-site and avoiding run-off and loose sediment from reaching adjoining properties;
  - vi. covering stockpiles and open ground with appropriate material when exposed for a length of time and / or is prone to wind erosion;
  - vii. removing stockpiles from site as soon as possible. Stockpiles will be kept tidy and constructed in a safe manner. They will not be greater than 4m in height and shall have a stable slope;
  - viii. covering excavated access formation with a running course as soon as possible to reduce potential erosion; and
  - ix. inspection and monitoring of control measures, and rectification works as necessary.
- 44. The Consent Holder shall implement best practicable option measures to avoid or mitigate the dispersal and deposition of dust from construction and earthworks activities beyond the boundaries of the Site.
- 45. The Consent Holder shall implement best practicable option measures to avoid or mitigate the discharge of sediment laden runoff beyond the boundaries of the Site.
- 46. The Consent Holder shall ensure that a Construction Temporary Traffic Management Plan (TTMP) is prepared in accord with Waka Kotahi's Code of Practice for Temporary Traffic Management procedures. This shall be submitted to the Selwyn District Council for review and approval at least three months prior to any construction works commencing that affect the normal operating conditions on the roading network.

#### Stormwater

- 47. The Consent Holder shall install stormwater reticulation treatment and disposal systems to service the proposed development in accordance with the requirements of any resource consent issued by Canterbury Regional Council.
- 48. Where stormwater discharges are to be undertaken as a permitted activity, confirmation in writing of permitted status shall be provided from Canterbury Regional Council in the form of a certificate of compliance.
- 49. The proposed development shall not increase the extent of the secondary flow path for the 1:200-year flood event (as modelled in Selwyn District's flooding and coastal hazards (canterburymaps.govt.nz) as at July 2022) on any residential property.
- 50. The proposed development shall not discharge run off onto adjacent properties unless via a controlled outlet approved as part of the Engineering Design Approval.
- 51. In the event that an adjacent neighbour's historical stormwater drainage was onto the Site, the proposed development shall maintain or mitigate the historical discharge.

# Waste Management

<u>52.</u> Prior to the issue of a building consent, the Consent Holder shall submit a waste management plan for the Site to the Selwyn District Council.

#### General Engineering Requirements

- 53. The engineering design plans and specifications for all works shall be submitted to the Development Engineering Manager for approval including, but not limited to:
  - Water supply
  - Sewerage
  - Stormwater
  - Roading, including streetlighting and entrance structures
  - Upgrade of existing road frontages
  - Shared accessways
  - Landscaping and irrigation.

No work shall commence until Engineering Approval has been confirmed in writing. Any subsequent amendments to the plans and specifications shall be submitted to the Development Engineering Manager for approval.

- 54. All work shall comply with the conditions set out in the Engineering Approval and be constructed in accordance with the approved engineering plans.
- 55. All work shall comply with the Engineering Code of Practice, except as agreed in the Engineering Approval.
- 56. The consent holder shall include with the engineering plans and specifications submitted for Engineering Approval, copies of any other consents required and granted in respect of this development, including any certificate of compliance or consent required by Canterbury Regional Council.
- 57. The consent holder shall provide accurate 'as built' plans of all services to the satisfaction of the Development Engineering Manager. The consent holder shall provide a comprehensive electronic schedule of any assets to be vested in the Council to the satisfaction of the Development Engineering Manager. The schedule shall include but not be limited to installed material unit costs, type, diameter, class, quantity and include summary details. Any costs

involved in provision and transfer of this data to Councils systems shall be borne by the consent holder.

#### Notes to the Consent Holder:

#### Lapse Period

a) Pursuant to section 125 of the Resource Management Act 1991, if not given effect to, this resource consent shall lapse five years after the date of this decision unless a longer period is specified by the Council upon application under section 125 of the Act.

#### Monitoring

- b) In accordance with section 36 of the Resource Management Act 1991, the Council's specialised monitoring fee has been charged.
- c) If the conditions of this consent require any reports or information to be submitted to the Council, additional monitoring fees for the review and certification of reports or information will be charged on a time and cost basis. This may include consultant fees if the Council does not employ staff with the expertise to review the reports or information.
- d) Where the conditions of this consent require any reports or information to be submitted to the Council, please forward to the Council's Compliance and Monitoring Team, compliance@selwyn.govt.nz.
- Any resource consent that requires additional monitoring due to non-compliance with the conditions of the resource consent will be charged additional monitoring fees on a time and cost hasis

### Road Frontage Upgrades

- Where existing road frontages are to be upgraded, this work is required to be approved and undertaken through the Selwyn District Councils Engineering Approval processes.
- g) All construction works and signage within the legal road reserve are to meet the requirements of the Selwyn District Councils <u>Engineering-Subdivision-Code</u> of Practice Part 8 (February 2012) or successor and are subject to Engineering Approvals.

# Vehicle Crossings

h) Any new or upgraded vehicle crossing requires a vehicle crossing application from Selwyn District Council's Assets Department prior to installation. These will be required to be coordinated with the Engineering processes above. For any questions regarding this process please contact transportation@selwyn.govt.nz. The following link can be used for a vehicle crossing information pack and to apply online: <a href="http://www.selwyn.govt.nz/services/roading/application-to-form-a-vehicle-crossing-entranceway">http://www.selwyn.govt.nz/services/roading/application-to-form-a-vehicle-crossing-entranceway</a>

### Water Supply, Stormwater and Sewer

 Onsite stormwater treatment and disposal system(s) must comply with the requirements the Canterbury Regional Council. Where compliance via a Certificate of Compliance cannot be provided, then a resource consent must be obtained.

# Water Supply

- j) Backflow prevention shall be supplied in accordance with Selwyn District Council's backflow policy W213. This shall be installed as part of the building consent.
- k) For supervision purposes a minimum of 10 working days' notice is required. Please note a connection fee being the actual cost quoted by SICON Ferguson Ltd will apply.

Commented [MA13]: Foodstuff do not consider the inclusion of this condition is reasonable or necessary. The matters listed are covered by a separate process (Building Code and Building Consent obligations) that is more appropriately referenced as an Advice Note. It is noted that Advice Notes f), g), h) and l) already alert the Consent Holder to the majority of these matters. The content of the condition has been translated into the Advice Notes in the clean copy of Foodstuffs' preferred conditions (Appendix 3, Applicant's Right of Reply).

 $\label{lem:commented [MA14]: Foodstuffs accept the changes to f), g) and h).}$ 

# **Building Act**

 This consent is not an authority to build or to change the use of a building under the Building Act. Building consent will be required before construction begins or the use of the building changes.

# Regional Consents

m) This activity may require resource consent from Environment Canterbury. It is the Consent Holder's responsibility to ensure that all necessary resource consents are obtained prior to the commencement of the activity.

# Impact on Council Assets

 Any damage to fixtures or features within the Council road reserve that is caused as a result of construction or demolition on the Site shall be repaired or reinstated at the expense of the