


SELWYN DISTRICT COUNCIL Annual Plan 2020 / 2021

LATE SPEAKER REQUESTS





Submission Record

Submission Details

Submission ID: 100237

Submitted on: 3.37pm - 26 May 2020

Submission receipt: Emailed

Name: Mr Colin Pander

Organisation:

Submitter Details

Address: 5653 West Coast Road Springfield 7681

Postal Address: 5653 West Coast Road, Springfield

Phone (day):

Phone (mobile): 0274 718 109

Email: colin@smylies.co.nz

Wish to be heard: Yes

On behalf of org:

Preferred session:

From Hardcopy:

Submission

2. Let us know your views on the proposal to defer the Prebbleton Community Centre project while further planning and consultation is carried out.

Wait. Option 1

3. Let us know your views on the proposal to review and take a wider approach to the Leeston community facility project.

Wait. Option 1

4. Let us know your views on the proposal to increase water charges to provide for growth and water demand management.

Option 1

5. Let us know your views on the proposal to proceed with further consultation, planning and design for a reticulated wastewater scheme for central Darfield.

Difficult to warrant cost in this environment for individual members, maybe start with a savings scheme of \$200 per property

6. Let us know your views on the proposed amendments to the Development Contributions Policy.

Option 1

7. Do you have any comments on any of the other proposals or projects outlined in this Consultation Document?

I would like to bring back a 2009 proposal for investigating and building a midland cycleway from Cass to Springfield along the railway corridor and eventually linking all the way to Christchurch as on of the Great cycleways.

8. Let us know your views on how the Council might adjust its priorities, or do things differently, in response to the COVID-19 pandemic and its impact on Selwyn's people and economy.

Please review the Compliance Cost for accommodation providers or bring B&B and AirBnB operations in line with the current cost that we face annually.